

1199

TTTATTATCA AGCAATACTT CTCCCTCTAA TGGCTTTATA AGTCGAGACA AGGTTTAAAT	1800
GAGTGTGAT TTCCACAAC CATTGACCC AATAATACT GATATTTTT CTTCAGGTAT	1860
TTTATATTT ATATTTTCCA AGATTATTTT TTCATCATAA CCGCAGGTAA GATTATTTGA	1920
CCACAGACCT TTCATTATAT ATTCCTCCTG TTCATTTTAA TTAGTAAGTA TATTAAAGTAT	1980
GGTGAACCTA ACAAGCCAGT TACAACACCT ACTGGATATC TAGCTGGTAA AATATTTTGA	2040
GAGAATATGT CTGATAACAA AACTAGTAAA ATTCCAACCA ATCCAGCTAA TATTGGGCTT	2100
CTTTTCTTGC CAATATTTAA GGCTATGGGA CCAGCTAAAA AAGATATACA AGCTATTGGT	2160
CCTGTAATTG AAGTAGAAAA AGCAGTTAAA GATACAGCGC AAAAAATTAA AACAAGCCTT	2220
GAAAGCTCGG GATTGCTCC AAGTCCGATT GCTATTTCTT CACCAAGTTC AATAATTTCT	2280
AGTCTTTTAT TAAAAATAA AACTAATATA GTAGCAATAA TACTTACTAT TAGAACAAGA	2340
GGTATGTCAT CTAACTTTGT AAAAGATAAA GAGCCACTGA GCCATCTCAT AACTTCTTGT	2400
AATTCATATC TTGCTACTTT CAACAATAAA AATGAGGTGC CTGCTCTTGT GACAGCTTGA	2460
AAACCAATAC CTAATATTAT CAGTCTTGCT GCTGAAAAAC CATCTTTTTT AGCTAGTAAA	2520
AATAATATTA AAGATGATGT TAGTCCACAA GTTATTGAAA TAATCCAGT AGTTAAACTA	2580
TTTGTTTTTA ATACCAATAT GCAAAAGACC GCTGCAATAG ATGAAGAACT TGTGACACCG	2640
ATTATATCAG GACTTGCAAG AGGATTTCTT AACATAGTTT GAAAGATAAA TCCTGCCAAT	2700
CCAAAAGACC AGCCAGCTAT AATTCCTGCT AATAATTTTG GTAATCTAAT TTCCATAATC	2760
GAAAACTAG CTCCAGGAAC AGTTTCACTA TTTAAGACTT TAATCAAAGT TGAAAAAGAA	2820
TAACTTTCAT CTCCGATAAG TAAATGAAA AATGATAGAC TGATTATTAT TAATAAAAAAT	2880
AGTGAGGAAA ATAGTGTTAT TCTATTTTTT CTTTTTTGAA TACCTATAAT TAAATTTTGC	2940
ATTAGTTATT AACCCCTCTA TTTTTCATAG TTACATAAAT AAGTACTGGA CCCCCGATTA	3000
TTGCAGTAAT TATCCCTACT TCAATTTTAC CTGGTTTACC TAACATACGG CCGATTATAT	3060
CACATATAAG CAAGAGCTCT GCACCTATAA AAGATGAAGA AATGGTCATT GTGCGTATAT	3120
CTTTGCTTAT AAATAAGCCA CAAAAGTGAG GAACTATAAG ACCTACGAAG CCAATAGGTC	3180
CACCAATTGC AGTAATACTT GAACATAAAA GCACACTTGC AATTATTGCA AGTGATCTTA	3240
TCCTATTAAAC ATTAACCTCA AGACCAACAG CCATTTTCATC ACCCATAGCT AAAGCGTTTA	3300
AATCTGATGA AATAAATATA GCTATCAAGT GACCTAAAAT TATAAAAGGT AGTAGTGTAG	3360
ATATAGAAGA TAATGTAGCT GCTCCAAGGC TACCTATTTG CCAAAATCTA AATTGTCTTA	3420
AGACGTTATT ATTCGGTAAA ATTAAAAAC TTACAAAACCT GCTTAAAGCC ATACTAACAC	3480

1200

AAGTTCCTGA TAAGGCAAGT TTTATAGGGG TAAGGCCTGC TTTTCCGTGA CAGCAATCGC	3540
GTATACAAAA ATTGCACTTA CTAAGCCACC AATGATTGCG	3580

(2) INFORMATION FOR SEQ ID NO: 210:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 11378 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 210:

CCAAATTGCT CCACAATTAT TATGGAGTCG TCGTTTGGCA GATGGGCGTG ATATGTGTGC	60
TCAAGAAATGG TTGACAGGCA AGATATTGAC CCCCTATGAT ATGAATCGTA AGCAAATCGT	120
CAATATTTTA ACCCGTCTTC ATCGCTCACG TCCGTTGATG ACACAATTGA GTCGTTTGGG	180
CTATGCCATG GAAACACCTG TAGATTTACT ACAGTCTTGG CAGGAAACGG CTCCAGATGC	240
TTTGCCTAAA AATCATTTTA TCACTGAAGT GATGGCTGAT TTACGTCAGA CTATTCCAGG	300
ATTTAGAGAG GACCATGCGA CCATTGTCCA TGGAGATGTA CGACATAGTA ATTGGATTGA	360
GACAGATAGT GGCTTGATTT ATTTAGTAGA TTGGGATTCT GTTCGCTTGA CCGATCGCAT	420
GTTTGATGTG GCCCATATGC TCTGCCATTA TATTTCAGAA CATCAGTGGA AGGAATGCTT	480
GACCTACTAC GGTTACAAGT ACAATCAAAC GGTATTAAGT AAATTGTATT GGTATGGTCA	540
ATTGTCTTAT TTGAGTCAGA TTTCCAAGTA TTATATGAAC CAAGATTTAG AAAATGTCAA	600
TCGGGAGATT CATGGTTTGC GTCATTTCCG AGACAAGTAT GGAAAGAGAA GATGAGAGTT	660
AGAAATCGTA AAGGGGCAAC AGAATTACTA GAGGCRAATC CCCAGTATGT GGTCTCAAT	720
CCCTTGGAAG CCAAGGCAAA ATGGCGGGAC TTGTTTGGCA ATGATAATCC CATTGATGTG	780
GAAGTTGGAA GTGGAAAGGG TGCCTTTGTT TCAGGTATGG CCAAGCAAAA CCCTGACATC	840
AACTATATCG GGATTGATAT TCAAAAGTCT GTTTTGAGCT ACGCTTTGGA CAAGGTGCTT	900
GAAGTTGGAG TGCCTAACAT CAAGCTCTTG TGGGTAGATG GTTCTGACTT AACTGACTAC	960
TTTGAAGACG GTGAGATTGA TCGCTTGAT CTGAACTTTT CAGATCCATG GCCGAAAAA	1020
CGCCATGAAA AGCGTCGTTT GACCTACAAG ACCTTCTTGG ATACCTTCAA ACGTATCTTG	1080
CCTGAAAATG GAGAAATTCA TTTCAAGACG GATAACCGTG GCTTGTTTGA GTACAGTTTA	1140
GTGAGCTTTT CTCAATATGG CATGAACTC AATGGTGTCT GGTTAGATTT GCATGCCAGT	1200
GATTTTGAAG GCAATGTCAT GACAGAATAC GAGCAAAAAT TCTCAAACAA GGGGCAAGTT	1260
ATCTACCGAG TTGAGGCAGA ATTTTAAGAG ATAACCTAAA ATTAGGCTGT ACAAGTGCTT	1320

1201

TTGCTTTACA TAAGTTGGCA AACGTGCTAT ACTGATAGTA AGAATATGAA AAGTGAGGCG	1380
GGGAAATATC TTCGCCTCTT GCTTATGAGG AGGTGGACGC AATCGCAACA ATCGTAGAAT	1440
TAGTCAGAGA AGTTGTAGAA CCTGTCATAG AAGCTCCTTT TGAACGCTG GATATCGAGT	1500
ATGGAAAGAT TGGCAGTGAC ATGATTCTCA GTATTTTGT AGATAAACCC GAAGAATTAC	1560
CTTGAACGAC ACGGCAGACT TGACAGAAAT TATCAGTCCT GTCCTAGACA CCATCAAGCC	1620
AGATCCCTTC CCAGAACAAAT ATTTCTTAGA AATTACCAGT CCAGGTTTGG AACGTCCTTT	1680
GAAAACCAAG GATGCCGTCG CTGGAGCGGT TGGAAAATAC ATCCATGTCG GGCTCTACCA	1740
AGCCATCGAT AAGCAAAAGG TCTTTGAAGG AACCTTGTG GCCTTCGAAG AGGACGAGTT	1800
GACTATGGAA TATATGGACA AGACGCGTAA GAAAACCGTC CAAATTCAT ACAGTTTAGT	1860
ATCAAAGCA CGTTTAGCAG TTAATTATA GAAAAGAAA GGATAGCTTT TGAGGATTCA	1920
AAAGTGAAGA AAACATGAGT AAAGAAATGC TAGAGGCTT CCGCATTTTG GAAGAAGACA	1980
AGGGAATCAA AAAAGAAGAT ATCATCGACG CAGTAGTAGA GTCGCTTCGT TCCGCTTATC	2040
GCAGACGCTA TGGTCAGTCA GACAGCGTAG CTATTGACTT CAACGAAAA ACAGGTGACT	2100
TTACAGTTTA TACTGTCCGT GAAGTTGTTG ATGAAGTAT TGATAGCCGT TTGGAAATCA	2160
GCTTGAAAGA TGCTCTTGCC ATTAATTCAG CTTATGAAT TGGAGACAAA ATCAAGTTTG	2220
AAGAAGCACC AGCTGAGTTT GGTGCTGTAG CAGCCCAATC TGCCAAACAA ACCATCATGG	2280
AAAAAATGCG CAAGCAAACA CGTGCCATCA CTTACAATAC TTACAAAGAA CATGAGCAAG	2340
AAATCATGTC TGGTACAGTA GAACGCTTTG ACAACCGCTT TATCTATGTC AACCTTGGTA	2400
GCATCGAAGC CCAATTGTCA AAACAAGACC AAATTCCTGG AGAAGTTTTT GCTTCTCATG	2460
ATCGTATCGA AGTTTATGTT TACAAGGTTG AAGACAACCC TCGTGGTGTG AACGTCTTTG	2520
TTAGCCGTAG TCATCCAGAA ATGATCAAAC GTTTAATGGA GCAAGAAAT CCAGAAGTTT	2580
ATGATGGAAC TGTTGAAATC ATGAGCGTGG CTCGTGAAGC AGGTGACCGT ACGAAGGTTG	2640
CTGTTCTGAG CCACAATCCA AACGTGGATG CTATCGGTAC AATCGTTGGA CGTGGTGGTG	2700
CTAATATCAA GAAGATTACT AGCAAATTCC ACCCAGCTCG TTACGATGCT AAAAATGACC	2760
GCATGGTACC AATCGAAGAA AATATCGATG TTATCGAGTG GGTAGCAGAT CCAGCTGAAT	2820
TTATCTACAA TGCCATCGCT CCTGCTGAGG TTGACCAAGT TATCTTTGAT GAAAACGACA	2880
GCAAAACGTG CTTGGTGGTT GTTCCAGATA ACAAGCTTTC TCTTGCCATT GGTGCTCGTG	2940
GACAAAACGT GCGCTTGGCG GCTCACTTGA CTGGTTACCG TATCGATATC AAGTCTGCTA	3000
GCGAATTGTA AGCCATGGAA GACGCTGCTT CAGTAGAGTT GGAAGTAGAA AACGATACTG	3060

1202

TAGAAGAATA AAAGCTGCTA GAGGAGGGAA AGATGAAAAC AAGAAAAATC CCTTTGCGCA	3120
AGTCTGTTGT GTCTAACGAA GTGATTGATA AGCGTGATTT GCTCCGCATT GTCAAGAACA	3180
AGGAAGGACA AGTCTTTATT GATcCTACGG GCAAGGCCAA TGGCCGCGGC GCTTATATCA	3240
AACTAGACAA TGCAGAAGCC CTAGAGGCGA AAAAGAAGAA GGTCTTTAAC CGCAGCTTTA	3300
GCATGGAAGT GGAAGAAAGC TTTTATGACG AGTTGATCGC TTATGTGGAT CACAAAGTGA	3360
AAAGAAGAGA GTTGGGACTT GAATAAGCAA AAGATAAGTA ATCTCTTGGG GCTTGCTCAG	3420
CGAGCAGGGC GCATCATATC GGGTGAAGAA TTGGTGGTCA AGGCCATTCA AGACGGCAAG	3480
GCCAAGTTGG TCTTTCTAGC TCATGATGCT GGACCCAATC TGACCAAGAA GATTCAAGAT	3540
AAAAGTCATT ATTATCAAGT AGAAATTGTA ACCGTGTTTT CAACACTGGA ATTAAGCATA	3600
GCACTCGGGA AATCGAGAAA GGTTTTGGCT GTAACAGATG CTGGATTTAC AAAGAAAATG	3660
AGGTCTCTTA TGAATAGAA GAGGAGGACA TGATTTGTCT AAGAAAAGAT TGTACGAAAT	3720
CGCAAAAGAA CTTGGAAGAG AAAGTAAAGA AGTTGTAGCG CGTGCAAAAG AGTTGGGCTT	3780
GGATGTGAAA AGCCACTCAT CAAGTGTTGA AGAAGCTGTC GTGCAAAAA TTGCTGCCAG	3840
CTTTAAGCCT GCAGCTGCTC CGAAAGTAGA AGCAAAACCT GCAGCCCCAA AAGTAAGTGC	3900
AGAAAAGAAA GCCGAAAAAT CTGAGCCAGC TAAACCAGCT GTAGCTAAGG AAGAGGCAAA	3960
ACCTGCAGCC CCAAAGCAA GTGCAGAAA GAAAGCCGAA AAGTCTGAAC CAGTAAAACC	4020
AGCTGTAGCC AAGGAAGAGG CAAAACCAGC TGAGCCAGTC ACTCCGAAAA CAGAAAAAGT	4080
AGCGGCTAAA CCGCAAAGTC GTAATTTCAA GGCTGAGCGT GAAGCACGTG CTAAAGAGCA	4140
GGCAGAGCGA CGCAAGCAA ATAAGGGCAA TAACCGTGAC CAACAACAAA ACGGAAACCG	4200
TCAGAAAAAC GACGGCCGTA ATGGTGGAAA ACAAGGTCAA AGCAACCCGG ACAATCGTCG	4260
CTTTAATGAC CAAGCTAAGA AGCAGCAAGG TCAGCAAAAA CGTAGAAATG AGCGCCGTCA	4320
GCAAGAGGAT AAACGTTCAA ATCAAGCGGC TCCACGTATT GACTTTAAAG CCCGTGCAGC	4380
AGCCCTAAAA GCAGAGCAA ATGCAGAGTA CGCTCGTTCA AGTGAGGAAC GCTTCAAGCA	4440
GTATCAGGCT GCTAAAGAAG CCTTGGCTCA AGCTAACAAA CGCAAGGAAC CAGAGGAAAT	4500
CTTTGAAGAA GCGGCTAAGT TAGCTGAACA AGCACAGCAA GTTCAAGCAG TGGTTGAAGT	4560
CGTCCCTGAG AAAAAAGAAC CTGCAGTGA TACACGTCGT AAAAAACAAG CTCGACCAGA	4620
CAAAAATCGT GACGATTATG ATCATGAAGA AGATGGTCCT AGAAAACAAC AAAAGAATCG	4680
AAGTAGTCAA AATCAAGTGA GAAATCAAAA GAATAGTAAC TGAATAACA ACAAAAAGAA	4740
CAAAAAGGC AATAACAAGA ACAACCGTAA TCAGACTCCA AAACCTGTTA CGGAGCGTAA	4800
ATTCCATGAA TTGCCAACAG AATTGAATA TACAGATGGT ATGACCGTTG CGGAAATCGC	4860

1203

AAAACGTATC AAACGTGAAC CAGCTGAAAT TGTTAAGAAA CTTTTCATGA TGGGTGTCAT	4920
GGCCACACAA AACCAATCCT TGGATGGGGA AACAAATTGAA CTCCTCATGG TGGATTACGG	4980
TATCGAAGCC AAACAAAAGG TTGAAGTGGG TAATGCTGAC ATCGAACGTT TCTTTGTCGA	5040
AGATGGTTAT CTCATGAAG ATGAATTGGT TGAGCGTCCA CCAGTTGTTA CTATCATGGG	5100
ACACGTTGAC CACGTAATAA CAACCCCTTT GGATACTCTT CGTAACTCAC GTGTTGCGAC	5160
AGGTGAAGCA GGTGGTATTA CTCAGCATAT CGGTGCCTAC CAAATCGTGG AAAATGGTAA	5220
GAAGATTACC TTCCTTGATA CACCAGGACA CGCGGCCTTT ACATCAATGC GTGCGCGTGG	5280
TGCTTCTGTT ACCGATATTA CGATCTTGGT CGTAGCGGCA GATGACGGGG TTATGCCTCA	5340
GACTATTGAA GCCATCAACC ACTCAAAAGC AGCTAACGTT CCAATCATCG TAGCTATTAA	5400
CAAGATTGAT AAACAGGTG CTAACCCAGA ACGCGTTATC GGTGAATTGG CAGAGCATGG	5460
TGTGATGTCA ACTGCTTGGG GTGGAGATTC TGAATTTGTT GAAATTTCCG CTAAATTCAA	5520
CCAAAATATC GAAGAATTGT TGGAAACAGT CCTTCTTGTT GCTGAAATCC AAGAACTCAA	5580
AGCAGACCCA ACAGTTCGTG CGATCGGTAC GGTATCGAA GCGCGCTTGG ATAAAGGAAA	5640
AGGTGCGGTC GCAACCCCTT TTGTACAACA AGGTACCTTG AATGTTCAAG ACCCAATCGT	5700
TGTGCGAAAT ACCTTCCGTC GTGTCCGTGC TATGACCAAC GACCTTGGTC GTCGTGTTAA	5760
AGTTGCTGGA CCATCAACAC CAGTCTCTAT CACAGGTTTG AACGAAGCAC CGATGGCGGG	5820
TGACCACCTT GCCGTTTACG AGGATGAAAA ATCTGCGCGT GCAGCAGGTG AAGAGCGTGC	5880
CAAACGTGCC CTCATGAAAC AACGTCAAGC TACCCAACGT GTTAGCCTTG AAAACCTCTT	5940
TGATACCCTT AAAGCTGGGG AACTCAAATC TGTTAATGTT ATCATCAAGG CTGATGTACA	6000
AGGTTCTGTT GAAGCCCTTT CTGCCTCACT TCAAAAGATT GACGTGGAAG GTGTCAAAGT	6060
GACTATCGTC CACTCAGCGG TCGGTGCTAT CAACGAATCA GACGTGACCC TTGCCGAAGC	6120
TTCAAATGCC TTTATCGTTG GTTTCACGT ACGCCCTACA CCACAAGCTC GTCAACAAGC	6180
AGAAGCTGAC GATGTGGAAT TCCGTCTTCA CAGCATTATC TACAAGGTTA TCGAAGAGAT	6240
GGAAGAAGCT ATGAAAGGGA TGCTTGATCC AGAATTTGAA GAAAAAGTTA TTGGTGAAGC	6300
GGTTATCCGT GAAACCTTCA AGGTGCTTAA AGTGGGAACT ATCGGTGGAT TTATGGTTAT	6360
CAACGGTAAG GTTGCCCGTG ACTCTAAAGT CCGTGTTATC CGTGATGGTG TCGTTATCTA	6420
TGATGGTGAA CTCGCAAGCT TGAAACACTA TAAAGACGAC GTGAAAGAAG TGACAAACGG	6480
TCGTGAAGGT GGATTGATGA TCGACGGCTA CAATGATATT AAGATGGATG ATGTGATTGA	6540
GGCGTATGTC ATGGAAGAAA TCAAGAGATA AGATTTTTTG CTCCTTTCTT AGGTGGTGAG	6600

1204

GGACGCAAGC AAACCGATGG TTTCATTGCT TATTTTGTAG CCTAGGGTCT CAAAAATCCC	6660
CTGTGATGGG ACTGATAAAT CAGTTCCATC ACTTTCACCA CGGCGAAAGA AGCAGATGAC	6720
TTCAAATTGA ACTTCGTTC AATTTAACT GAAAATCAAG AAGTTTAAAA TAGCTAGGTC	6780
TGCTGGCCTA GCTTTTGGTT CAAAGTAGAG AAAGGAATAT CATGGCAAAT CATTTCCGTA	6840
CAGATCGTGT GGGCATGGAA ATCAAGCGTG AAGTCAATGA GATTTTGCAA AAGAAAGTCC	6900
GTGATCCACG TGTCCAAGGT GTGACCATCA TAGATGTTCA GATGCTGGGT GACTTGTCTG	6960
TTGCCAAGGT TTATTACACC ATTTTGAGTA ACCTTGCTTC GGATAACCAA AAAGCCCAA	7020
TCGGGCTTGA AAAAGCAACT GGTACCATCA AACGTGAACT TGGTCGCAAT TTGAAATTGT	7080
ACAAAATCCC AGATTGACC TTCGTCAAAG ACGAGTCCAT CGAGTATGGA AACAAGATTG	7140
ACGAGATGCT ACGCAATCTG GATAAGAACT AAAGAAGAGG GGTGGCCCT CTTTTTGGT	7200
GGAGGAAAA AGGTGAATT TGAATGGAA AAATATTCTT TTATAATAGA TTGAAACTAG	7260
AATAGTACGC CTCTACTTCT AAAATATTGT TAGAAATCGA TTTGACTGTC CTGATCGATT	7320
TGTCCTGTTC TTGPTTCATT TTAATATAAA AAAGGGATTC TGTATTTT AATGTTATCT	7380
AATTAGAAAA TGCTTTTTTT GTAGGAAATA TAATATGATA AGGTGCAAAA AAGAAATAAG	7440
GAGTTTGAT ATGGCTGAAC AAGACTTAGC TATGCAAGTA TTGCAACAAG TGGTGAACT	7500
ACCTGTGTGT AAGGTGATC GTTCGAAAT TTTAGTGGAT AAGTTTCCA AAGAATTGGA	7560
TCCAAAAGAT ATTCTACCT TATTGGAACA AGGTCCAACG ACTCTCTAT CTCAAGAAAT	7620
ATTAGATCGT GTAGCTAATG CTTGTATTCG GGACAATGTA TTATTAGCGA GTGGGACTTC	7680
TGTTTTGGCA GGATTACCTG GAGGGCTTGC TATGGCAATT ACCATTCCAG CTGATGTGGC	7740
TCAATTTTAT GCTTCTCTC TGAAATTGGC TCAAGAATTA GGTATATTT ATGGTTATGA	7800
GGATCTTTGG GCTTCACGAG AGGAGTTGAG TGAAGATGCT CAAAATACCC TCTTGCTTTA	7860
TCTAGGCCTA ATGTTAGGGG TGAATGGAAC CGCTGCTTG CTACGTGTG GTAGTATAAC	7920
AATTGCCAAA CAGGTAATGA AAATAGTGCC TAATAAAGCT TTAACAAAGA CGCTTTGGTA	7980
CCCTATTTTG AAAAAAGTCT TAAAAATATT TGGTGTGAAT CTTACCAAGG GAGGGTTGGC	8040
CAAAGGAATG GGGAAATTTA TTCCTATCTT GGGTGGTATC ATTTAGGTG GTTTAACCTT	8100
TGCAACTATG AAACCAATGG GGGAAAGCTT GCAGAAAGAA TTATCCAAGC TAGTCAACTA	8160
TAGTGAAGTT CAATATCAAG AAGATGTTGA AACATCCGA AAAGAGGCTG AAATCATCAA	8220
AGGAGAGTAA TATGAATCCT ATCAAAGCTT TTGCTAAAA TTATGGTAAT TACTTTTGA	8280
CCGTGCAAGG TGTAAGAGTG ATGAAAACGA TAAAGAAAGC TGACCATGTC GTTGTGGTC	8340
TGGGAAACT TTTTATTGCC GACAAGTTAA TGGATACGGC TCGGTGGCTC ATTAAGCCAG	8400

1205

AGGAGAGAGA ATGAAATTTT TTTGGTCTTC TTGCTATTCT TTTTATCAAA CCGATTATTG	8460
GGATTGTGAA ATTCTTTTGG ATGATCATCT CTTTTCAGT CCAATTGCTG TTTTACAAGA	8520
TAGTGTTTAA GATATTGGAT TGGCTCTTTA AACTTATCTA GATGGTAATC CAAGTTGCAG	8580
AGAACTAGCA GGAAGTCCAC TGCTAGTTTT TTATTCTCTT TCCATATGGT ATAATATAAG	8640
CAGTAAATC ATTTTATACT CTTGAAAAAT CTCTTCAAAC CACGTCAGCT TCACCTTGCA	8700
GTATATATGT TACTGACTTC GTCAGTTCTA TCCACAACCT CAAAACGGTG TTTTGAGCTG	8760
ACTTCGTCAG TTCTATCTAC AACCTCAAAA CACTGTTTTG AGCAACCTGC GGCTAGCTTC	8820
CTAGTTTGCT CTTTGATTTT CATTGAGTAT TAGAACATAC AATGGAGGTC GTCATGGACA	8880
ATATCATCGA TGTGTCAATT CCTGTTGCAG AAGTGGTGA CAAGCATCCA GAAGTCTTGG	8940
AAATTCTAGT GGAGTTGGGT TTTAAACCCC TTGCCAATCC CTTAATGCGC AATACAGTTG	9000
GTCGTAAAGT ATCACTTAAA CAGGGTTCTA AGCTAGCAGG AACTCCTATG GACAAGATTG	9060
TACGCACACT GGAAGCGAAT GGCTACGAAG TGATTGGATT AGACTAATGA CAGATGAACG	9120
GATTCATATC CTACGGGATA TTTTGTTAGA ATTGCACAAT GCGCCTCTC CTGAGTCGGT	9180
TCAAGATCGC TTTGATGCGA CCTTTACGGG CGTGTACGCC ATCGAGATT CCCTTATGGA	9240
GCACGAGCTG ATGAACTCGG ATTCGGGCGT CACTTTTGAA GATGTTATGG AACTCTGTGA	9300
TGTCCATGCC AATCTTTTTA AAAATGCTAT CAAAGGTGTC GAAGTTTCAG ATACTGAGCA	9360
TCCAGGTCAC CCAGTTGCTG TCTTCAAAGA AGAAAATCTG GCTCTCCGTG CGGCCTTGAT	9420
TCGCATTCTG AGATTGTTAG ATACCTATGA GTCTATGGAA GACGAGGAAA TGCTGGCGGA	9480
GATGCCAAGT GGTGTTGGTGC GTCAGATGGG ACTTGTGGGT CAATTTGACA TCCATTACCA	9540
ACGTAAGGAA GAACTCTTCT TTCCTATCAT GGAGCGCTAT GGACACGATT CACCTCCCAA	9600
AGTTATGTGG GGAGTGGATG ATCAGATTAG GGAACCTTTT CAAACAGCTC TAACGACAGC	9660
CAAGTCACTA CCAGAAGTGT CAATTAGCAG GTTAAAGGAA GCTTTTGAAG CTTTTCGGAC	9720
AGAGTTTGAA AGTATGATTT TCAAGGAAGA GTCCATCCTC CTCATGATTC TCCTTGAGTC	9780
TTTTACTCAG GATGACTGGC TTCAGATTGC GGAGGAGAGC GATGCCCTATG GCTATGCCAT	9840
CATCCGTCG TCAGAGAAAT GGGTGCCAGA ACGACAGAGC TTTATTGAGG AAAAGATTGC	9900
AGAGGAGCCT GTACAGCTAG ATACGGCAGA AGGTCAAGTT CAACAAGTCA TAGATACGCC	9960
AGAAGGCCAT TTTACCATTA CCTTTACCCC TAAGGAAAAG GAAGCTGTGC TGGACCGCCA	10020
TAGTCAACAG GCTTTTGGTA ATGGCTATCT TTCAGTCGAG CAGGCCAATC TCATCCTCAA	10080
TCATCTCCCT ATGGAGATTA CCTTTGTCAA TAAAGAAGAT ATTTTCCAGT ATTACAATGA	10140

1206

CAATACGCCA GCTGATGAGA TGATTTTCAA ACGGACGCCG .TCCCAAGTCG GCGCAATGT	10200
CGAACTCTGC CATCCGCCTA AGTACTTGGA CAAGGTCAAA ACTATCATGA AGGGGCTTCG	10260
TGAGGGAAGC AAAGACAAGT ATGAAATGTG GTTCAAGTCT GAGTCGCGAG GTAACTTTGT	10320
CCACATCACC TATGCTGCAG TACACGATGA AGACGGAGAA TTCCAAGGAG TGTGAGTA	10380
TGTTCAGGAT ATCCAGCCCT ACCGTGAGAT TGATACGGAC TATTTTCGTG GATTAGAATA	10440
AGGAGAAAAA ATGAGTTACG AACAGAATT TATGAAGGAA TTTGAAGCTT GGGTCAATAC	10500
CCAAATCATG ATTAACGACA TGGCGCACAA GGAAAGCCAA AAAGTTTACG AAGAAGACCA	10560
GGACGAGCGT GCCAAAGATG CCATGATTCG CTACGAGAGT CGCTTGGATG CTTATCAGTT	10620
CTTGCTTGGT AAGTTTGAAA ACTTCAAAGT AGGCAAGGGA TTCCATGATT TGCCAGAAGG	10680
CTTGTTTGGT GAGCGAAATT ATTAAACGAG AAAGATTCTT GATTTTTCAC TAAAATCTTG	10740
ATAGAATGTT TATGTTAAAT CCTTGTCAGA GCAGGGATT TTTATTGAAA GGATTTTATC	10800
ATGTCAAAGA AACTCAATCG TAAAAACAA TTACGAAATG GCCTCCGTCG CGCAGGTGCC	10860
TTTTCAAGTA CGGTGACTAA GGTGTAGAT GAGACAAAAA AAGTCGTGAA GCGTCAGAA	10920
CAGTCAGCAA GCGCAGCTGG TAAGGCTGTT TCTAAAAAAG TTGAACAAGC AGTAGAAGCT	10980
ACCAAAGAGC AAGCTCAAAA AGTAGCTAAT TCTGTAGAAG ATTTTGCAGC AAATTTGGGT	11040
GGACTTCCAC TTGATCGTGC CAAGACTTTC TATGATGAAG GAATCAAGTC TGCTTCAGAT	11100
TTCAAAAAC TGGACTGAAA AGAACTCCTT GCCTTGAAAG GAATCGGCC AGCTACCATC	11160
AAGAAATTGA AAGAAATGG CATCAAGTTC AAGTAATTTT TCTTGAGCCT TGCATTTCCG	11220
AAAAATCTT GCTACAATAG AGCCATTAGA GGTGTTTGA ATCCACATT TTACAGAAAG	11280
TGGCGGCGCT GAGAAGTCCA CAAATGTGTC AAAACTGGTT GCTAATGGAT GAAAAATTGA	11340
AATAAAAGTG TCTTTTGCT TTAAGACGA GAGTTGCC	11378

(2) INFORMATION FOR SEQ ID NO: 211:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4156 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 211:

CCGCGAGCCA CGGCGAATTT GCTGCGGTA TTCATCAGTC AGGATCTATG ATCTTTGGTG	60
AACAAGAAAA GGTTCAGTT GTGACCTTTA TGCCAAATGA AGGTCCTGAT GATCTATACG	120
CTAAGTTTAA TAACGCTGTT GCTGCATTTG ACGCAGAAGA TGAGGTTCTA GTTTTGGCTG	180



1207

ACCTTTGGAG TGGTTCTCCA TTTAACCAAG CTAGTCGCGT GATGGGAGAA AATCCTGAGC	240
GTAAGTTTGC CATCATCACA GGACTTAACT TACCGATGTT GATTCAAGCC TACACAGAGC	300
GCCTCATGGA CGCTGCTGCA GGTGTAGAAA AAGTCGCTGC TAATATCATT AAAGAAGCCA	360
AAGATGGCAT CAAAGCTCTT CCAGAAGAGC TAAATCCAGT CGAAGAAGTT GCAAGCGCTG	420
CAGCTGCTCC AGTTGCCCAA ACTGCTATCC CAGAAGGAAC TGTATCGGA GACGGTAAAT	480
TGAAAATCAA TCTTGCCCGT CTTGACACAC GTCTACTTCA CGGTCAGGTT GCAACTGCTT	540
GGACTCCAGA TTCAAAAGCA AATCGTATCA TCGTTGCTTC AGATAACGTG GCTAAAGACG	600
ACCTTCGTAA AGAATTGATT AAACAAGCAG CTCCAGGTAA TGTCAAGGCT AACGTGGTTC	660
CAATTCAAAA ACTGATTGAG ATTTCAAAAG ACCCAGTTC TGGAGAAACA CATGCCCTTA	720
TCTTGTTTGA AACACCTCAA GATGCCCTTC GTGCCATCGA AGGCGGCGTG CCAATCAAGA	780
CTCTTAATGT TGGTTCTATG GCTCACTCAA CAGGTAAAC ATTGGTCAAT ACCGTTTTGT	840
CTATGGACAA AGAAGACGTT GCTACATTTG AAAAAATGCG TGAATTGGGT GTTGAATTTG	900
ATGTCGGTAA AGTACCAAAT GATTCTAAAA AAGATTTGTT TGAATTGATT AACAAAGCCA	960
ATGTCAAATA AGCCATTATT TATGAAAGGA TTTTAAACAT GTCTATTATT TCTATGGTTT	1020
TAGTAGTCGT TGTAGCCTTC TTTGCAGGTC TTGAAGGCAT CCTCGACCAG TTCCAATTTT	1080
ACCAACCACT TGTAGCCTGT ACCCTTATTG GGCTTGTAAC AGGTCACCTG GAAGCAGGGA	1140
TTATCCTCGG TGGATCGCTT CAAATGATTG CCCTTGTTG GTCAAATATC GGTGCTGCTA	1200
TCGCTCCTGA TGCTGCACTT GCTTCTGTCTG CTGCTGCCAT TATCATGGTT CTTGGTGGTG	1260
ACTTTACCAA GACTGGTATC GGTGTTGCCC AAGCGGTTGC TATCCCTCTT GCTGTAGCTG	1320
GACTTTTCTT GACAATGATT GTTCGTACAA TTTCAGTTGG TTTGGTTCAT ACTGCAGATG	1380
CTGCCGCTAA AAAAGGTGAC TPCGGCGCTG TGGAGCGTGC GCATTTTCATC GCGCTACTTT	1440
TTCAAAGACT TCGTATCGCG CTTCCTGCAG CTCTTCTCCT TATGGTACCA ACTGAAACTG	1500
TACAAAATAT CCTTAGTGCC ATGCCAGACT GGCTCAAAGA TGGTATGGCT ATCGGTGGTG	1560
GTATGGTCGT TGCCGTTGGT TACGCCATGG TTATCAACAT GATGGCAACT CGTGAAGTAT	1620
GGCCATTCTT CGCTCTTGGT TTCGTTCTCG CTGCTGTGTC AGATATTACT CTAATCGGAT	1680
TCGGTGCTAT CGGCGTTGCT ATCGCTCTTA TCTACCTTCA CCTTTCTAAA ACTGGTGGAA	1740
ATGGTGGCGG AGGAGCCGCA ACTTCTAACG ACCCAATCGG CGATATCCTA GAAGACTACT	1800
AAGATAAGAA AGGACTGAAA ACATCATGAC TGAAAACTT CAATTAACCTA AATCAGATCG	1860
TAAAAAAGTT TGGTGGCGTT CAACCTTCTT ACAAGGTCT TGGAACTTTG AACGGATGCA	1920

1208

AAACTTGGGC	TGGGCTTATA	CACTCATTC	AGCTATCAAA	AAACTCTATA	CTAAAAAAGA	1980
AGATCAAATC	GCTGCTCTTG	AGCGTCACCT	TGAGTTCTTC	AACACTCATC	CATACGTAGC	2040
TGCTCCAGTC	ATGGGGGTTA	CTCTTGCGCT	TGAAGAAGAA	CGTGCTAACG	GTGTGGAAAT	2100
CGATGACGCT	GCTATCCAAG	GGGTTAAAAT	CGGTATGATG	GGACCTCTTG	CTGGTATCGG	2160
TGACCCAGTA	TTCTGGTTTA	CAGTACGCCC	AATCCTTGGA	TCTCTCGGTG	CTTCACTTGC	2220
CCTTACTGGC	AATATCTTGG	GGCCACTCCT	CTTCTTTGTT	GCATGGAACT	TGATTCTGAT	2280
GTCATTCCTG	TGGTATGTTT	AAGAGATTGG	ATACAAGGCT	GGATCAGAAA	TCACTAAAGA	2340
TATGCTCTGGT	GGTATCCTTC	AAGATATCAC	TAAAGGAGCT	TCTATCCTTG	GGATGTTTAT	2400
TCTTGCTGTC	CTTGTTCAAC	GCTGGGTAAA	TATTAAATTT	GCTTTTCGATG	TTTCTAAAGT	2460
TCAACTAGAT	GAAGAGGCTT	ATATCCATTG	GGATAAATTG	CCAGAAGGGT	CTAAAGGTAT	2520
CCAAGAAGCA	TTCCGACAAG	TAGGACAAGG	ATTGCTCTCA	ACTCCTGAAA	AAGTTACTAC	2580
TTTCCAACAA	AACTTGGATA	TGTTGATTCC	TGGATTATCA	GGACTACTCC	TTACTTTACT	2640
TTGCATGTAC	TTACTTAAGA	AAAAAGTATC	TCCAATCACT	ATTATCCTTG	CCCTCTTCGC	2700
AGTGGGTATT	TGGGCACATG	TTCTTCACAT	CATGTAATCA	AGCAACTAAA	AAGGAACCAG	2760
GTCTCTAAAT	CTGATTCCTT	TTTTCTATGC	TTTTATTTCAG	CCAAGGCTCC	CATTGGATCC	2820
CATGGTGCAA	GTACGATTGG	TTCTGCTCCA	TAGGCAGCTT	GTCTTCTGTC	TGTCAGCAAT	2880
TCCTTACGAA	CAACGATTTG	GTATGTGTAT	TCGTCCATCC	AAGCGTCTGA	GGCAACAAAG	2940
TAACCATCTG	TACCGACCTT	GTCTCCCAT	GAGTTTTCAA	CCTTCCACTT	GGTTGATTTA	3000
CCATTTTCGT	CCAAGTCAAC	ACCTGTCAAG	ACCATGGCGT	GGGTCACTAA	GCTTTCACTA	3060
TAGTCCAAAC	GTCCAGCCTT	GTCTTGAGTA	AGTTTAATGT	CCATGCTTGA	TTCAAAGTCA	3120
TAAACATCTG	TCGCAAGGAT	GCCAGCTTAC	GGTTGCTGAG	CTGGCCGACA	TCAGAACCAA	3180
ACCAAACAGT	CTCACCTGCT	TGCATTTGGG	CAATCGCCAA	TTCTTTCAAG	CGCTCCATTG	3240
GAACGTTGAT	GTAGCGAACT	GCACGGCTAC	CAACCACATT	CCCCAACATC	TCAACTGTGT	3300
AAGATTTTCC	GTAAGGTTTA	TCAGCAGTTG	GAGCATTGAT	AACAGAAACG	TAGTCTTCTA	3360
AAGGAAGATT	GACATATTTT	TTGTAAAACT	CTTGTGGTGT	GATTCCCTTT	TCACTTTTGT	3420
AGTTGTTATC	TTTATCGCGA	TAAGCAAAGT	CAAACCTGCG	TGGTGGAAGT	CCTAATGACA	3480
TAGCAAGAAA	GTTAAAGATT	TCTTGCAAGA	GGTCTTCTTT	CTTAGCTTGA	ACAGTCGCTT	3540
GATCTGCACC	AGAAACAAGC	AAGTCACGCA	AGATTTGAGC	ATCTTGACGA	AGCAATTTAT	3600
TAAGGATCGC	ATTTAGCTCA	CGACTGCTGC	TAGATGAAAC	AGACTCAGGA	TAAACTGACT	3660
TAGGCACGAC	ACCGTATTTT	TCAAAGAGGG	AAACGACCAT	ATCCCATTGA	CGCCATCTT	3720

1209

GTTGAGGTGT TTGGAGTAAG AAGCTAACtT GCGGCTAGTC AATTCTTGGT CTGAAGTCGC	3780
AATGACTTGC TCCAAGAACC AGTTTGATT TCTCATACTTA TCCCAGAAGA AAGTG TGGGC	3840
TTGTGACAAC TCAAAGTTCT CCAATTTGTA TTGCGAGATG AGTTTGTGGC GGAAGGTGTT	3900
GAGAGCCGCA AACATCCAGC AACGACCAGA CGCTTCTGG TTAGTGACCT TGTCTTGGT	3960
TAAATCCAAT GAGAAAACAG GTGTGTTGTC TACATGGCTT TGGCGACGTT CCAGAGCTGC	4020
AAAAATTCCG TTGTGGCTGG CAGCATTTTC AATCGCTTGG TATTTTACAT TTGCTTCATA	4080
GTTGGCAAAT AGTTTATCAG TAAATGATTC TTGAATCGCG TTCATAGATT CCTCCTTTTA	4140
GTCTACAGTG TATTGG	4156

(2) INFORMATION FOR SEQ ID NO: 212:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 3902 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 212:

AAAAACAACA AAATAAAACA AAAACAAAAA TATCGAGGTT TATTTTCAAA ACTTTCGATA	60
TTTTTATTAA GTTATTATTT TGTTGTTTCT AGTTTACTTT TTGATGGTTA AGAGTGGTGG	120
AGAATTATAC TCAATGAAAA TCAAAGAGCA AACTAGGAAG CTAGCCGCAG GCTGTACTTG	180
AGTACGGCAA GGCGAAGCTG ACGTGGTTTG AATTTGATT TCGAAGAGTA TTAGTGCAAA	240
CCGTAGTTGT AGTCATCATC TTGCATGGCT TCAACTTCGC CAAGAAGGTA ACCATTTCGG	300
ACTTGAGAGA AGAAGTCATG GTTGGAAGTT CCTGTTGAAA TACCGTTCAT AACGATTGGG	360
TTGACATCTT CAGCTGAATC TGGGAAAAGT GGATCTTGTC CCATGTTTAT GAGAGCTTTA	420
TTGGCATTGT AGCGAAGGAA GGTTTTAACC TCTTCAGTCC AACCAACACC GTCATAAAGA	480
CTCTCTGTGT AGCCTTCTTC ATTTTCATAA AGAGTATAGA GTAGGTCGTA CATCCATTCT	540
TTGAGTTTTT CTTGCTCTTC TTCAGGTAAT TCATTGAAAC CAAGTTGGAA TTTGTAACCA	600
ATGTAGGTTT CGTGAACAGA CTCGTCACGA ATAATCAAIT TAATGATTTC TGCAACGTTG	660
GCAAGTTTGT TGTTACCGAG ATAGTAGAGG GGAGTGAAGA AACCAGAGTA GAAGAGGAAG	720
GTTTCGAGGA AGACGCTGGC AACTTCTCTT TCAAGTGGGC TGCCGTTTAG GTAGATTTTCG	780
TTGACAATCT CAGCCTTCTT TTGTAGGTAA GGATTGGTAT TGGTCCATTG GAAAATTTCT	840
TCAATCTCAG CCTTAGTATT CAAGGTAGAA AAGATTGATG AGTAAGATTT AGCGTGGACA	900

1210

GATTCCATAA ATTGGATGTT ATTGAAGACA GCTTCCTCAT GTGGTGACG GATGTCTGCG	960
CGAAGGGCTT GAACCCAGT TTCAGATTGC ATAGTGTCAG GAAGGGTTAA ACCACCAAAA	1020
ACTTTTCCGA CCAAGTCTTT CTCTTTGTTA GATAGCTTTC TCCAGTCATC CAAGTCGTTT	1080
GATAAGGGAA TACGTGTATC GAGCCAAAAT TGCTCCGTCA GTTTTTCCTCA AGTTGATTTG	1140
TCGATGACAT CTTGATGGC ATTCCAGTTA ATGGCTTTGT AGTAAGTTTC CATTTAAAAT	1200
CTCTTTCTGT GTTTAGTATT GCGAACTCAC AATTATTTCT ACTTTACCAT AATTCTATAG	1260
GAGTATCGCA CAAAAAGTCG GAAGCCCGAC TTTTAAAATG TTACATAAAT TATGTTATGA	1320
CATAGTAGAT TTGATTTTAT CAGTGCTGCT TAGGGAAAAA TAGTGTTCCT ATGCTAGAAA	1380
CTAAATCACA CAGCTTTCAC ATTGGTTGGC GCCGACTTCT CCACCGTCAT CTGTAAAGGT	1440
ACGGACGTAG TAGATAGACT TGATTCCTTT GTTAAAGGCA TAGTTACGAA GGATGGACAA	1500
GTACAGTGTC GTTTGTTTAT TTTCCCTCTT CCATTGCTAA AGGCCTTTTG GAATGTCACT	1560
GCGCATGAAG AGGGTGAGTG AAAGTCCTTG ATCCACGTGT TCAGTCGCAG CAGCGTAAAC	1620
ATCGATGACT TTACGCATAT CCATATCGTA GGCAGAAGTG TAGTAAGGAA TGGTTTCTGT	1680
AGACAAGCCA GCAGCAGGGT AATAGATTTT ACCAATTTTC TTCTCTTGGC GTTCTTCGAT	1740
ACGTTGCGTA ATCGGGTGGG TAGAAGCAGA AACGTCGTTG ATATAGCTGA TAGAACCATT	1800
TGGCGCTACA GCAAGGCGAT TTTGGTGGA AAGACCATCT TCTTGAACCT TGTCGCGAAG	1860
TTACGCCCAA TCAGCAACAC CAGGGATAAA GACATTTTTC AAGAGTTCTT TAACACGGTC	1920
TGATGTTGGA ACAAATTCAC CAGTTACATA CTTGTCAAAG TAACTTCCGT TAGCATAGTC	1980
TGATTTTTC AAGTTGTGGA AGGTAATACC ACGTTCACGT GCAATATTGT TTGACTCTAC	2040
CAAGGTCCAG TAGTTCATAA GCATAAAGTA GATGCTTGTA AATTCAACAG ACTCAGGTGA	2100
ACCATATTCA ATGAGTTGTT GGGCAAGGTA GCTGTGCAGT CCCATGGCAC CGAGACCAAA	2160
GGTGTGGGCT TGGCTATTTT CATGGTCAAT CGTTGGTACA GCTACGATAT GTGAACATC	2220
TGTAACGAAA GTAAGGGCAC GAACCATAGC ACGGATAGAA CGACCAAAAT CAGGTGAAGT	2280
CATCATGTTA ACCACGTTGG TTGAACCCAG GTTACATGAA ACATCTGTTC CCATTTGAAG	2340
GAATTCCTGA GCATCGTTGA TCAAGCTTGG TTCTTGAAC TGAAGAATCT CAGAACACAA	2400
GTTACTCATG ATAATCTTTC CATCAACAGG ATTTGCACGG TTAGCCGTAT CGATGTTGAC	2460
TACATAAGGA TAGCCAGACT CTTGTTGCAA TTTAGAGATT TCAGTTTCCA AATCCCGCGC	2520
CTTGATTTTT GTCTTGCGAA TATTTGGATT TGCGACCAAT TCATCGTATT TTTCAAGTAA	2580
GTGATGTAA TTGAATGGCA CACCGTATTC TTTTCTACA GAGTAAGGGC TGAAGAGGTA	2640
CATTTCTTCA TTTTACGAG CCAATTCGTA GAATTTATCA GGTACTACAA CACCAAGTGA	2700

1211

TAGAGTCTTG ACACGTACTT TTTCATCAGC GTTTTCTTTC TTAGTGAAA GGAAAGCGAT	2760
GATATCTGGG TGAAAGACGT TGAGGTAGAC AACACCAGCA CCTTGACGTT GCCCAATTG	2820
GTTGGAGTAA GAGAAGCTGT CTTCAAAAAG CTTCATAACA GGAACGACAC CTGAAGCAGC	2880
TCCTTCATAG CCTTGTAGAT GTGCACCAGC TTCACGAAGG TTGCTGAGGG TAATTCCCAC	2940
ACCACCACCA ATACGTGAAA GTTGAAGAGC TGAGTTGATA GAACGCCCGA TAGAGTTCAT	3000
ATCATCCGTC ACTTGGATTA GGAAACAAGA TACCAACTCC CCACGACGAG CACGTCCAGC	3060
ATTCAAGAAG GAAGGAGTAG CAGGTTGGTA GCGTTGGTGG ATGATTTTCAT TGGCAATATC	3120
GATTGCAACA GCTTCATTCC CATCAGCGAA ATAAAGGGCA TTGAAGAAGA CACGGTCTTC	3180
CATATTTTCA AGATAGTATT CACCGTCAAT AGTCTTTAAG GCATATTGAT TGTAATAATT	3240
ATAAGCTGCC ATGAATGACT TGAATTGGAA GTTTTGGTCT TTGATAAATT GAGCTAATTC	3300
TTCCAAGAAC TCTGGACGGT ATTTCTTGAT AAAGGCTGTT TCGATGTAGT TGTGTTCAAT	3360
GAGGTAATTG ATTTTGTCTT TGATTGAATC AAAAACCATA GTGTTTGGAA CTACATTTTC	3420
TTTAAAGAAA GCATCCAAGG CTTCTTGTC TTTATGAAGC ATGATTTGTC CATTACAGG	3480
ACGGTTAATT TCGTTATTAA GACGGAAGTA AGTCACGTCT TCAAGATGTT TTAATCCCAT	3540
AAAATTTCCC TTATCTAATT ACAAAGAAA GGCTTCTAAG TTAGCCCTAA AAGCAGTTTC	3600
TTCTGGATGA TGTACTAAGA TTATGCTAAT TGTTCAGTT TTCTGGTGTG GAAACCTGAA	3660
AAGACTTCAG TTGTTGTTG GATAACAGGA GCTGCGCTAA AACCGAGCTC TTAACTTGA	3720
TCGACGTACT CAGTTGCTC ATCAAGATTG ATTTACGAT AAGAGACATT ATTACTGTCC	3780
AAGAAACGCT TGGTCATTTT ACATTGGACA CAATTGTTTT TAGAATAAAC GGTACCATT	3840
GTGTAATCC TCTCAAAAT TTAATACTAT CTTAGTATAT CAGAAAATAA AATTTGTCTG	3900
GG	3902

(2) INFORMATION FOR SEQ ID NO: 213:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2456 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 213:

TATTGAAGCT ATTGTAGACT ACAAAGATAA GGATTTGCAG TTAGTAGGCG GTGAGACTCA	60
CTGATAACCT AAAAAGGATA GTCAATTATG CTTGTTTACT AACTATTAAC TATGCTAAAT	120

1212

CAATTGAGGT TGTTCACATA AAACCTCTATA TCAGAGAAGC CTGATATAGA GTTTTCTCTT	180
GCTAGTTTGA GGATTTTTTT GTAAAAATAGA AAAAGTGAAG AGAGGTATGA AATGAGCAAG	240
AAAGATAAAA AAATCGAAAT TCAAGTAGCG GATGCCAAAG TTAATGTTGG TAAAGACAGT	300
TTTGAAGGTT ATACATTGAC TATCGGTAAA AAAGTTATCG GAGAAATTGC CGAATTAGAC	360
GGACAATTTG CCATTATAAA GAATGGGAAT GTCGATAGTT TTTATAAAAA ATTGGAAAAA	420
GCTGTGGAAT TTTTGATTGA AAATTATAAT TTAGCAAAAT AAGTCTTGTT TTTTGAAT	480
TTTCATGATA TAATAGTCCA TGTGATTGT AGGAGAGATA GCGAAGAGGC TAAACGCGGC	540
GGACTGTAAA TCCGCCCTT CGGGTTCGGG GGTTCGAATC CCTCTCTCTC CATTTCATTA	600
ATGGGGTATA GCCAAGCGGT AAGGCAAGGG ACTTTGACTC CCTCATGCCG TGGTTCGAAT	660
CCAGCTACCC CAGTCTTAG GTAATAATCA AGATAGAAAG CAAAATATCT TAGGGTATTT	720
TATTTTATA ATTGAAAGAC GTGAATGATA TGAACATGTC CTTGCCGGTG CTTAGGAAAA	780
AAATTATAAG TATGTCAAGT TTAAGAAAAA CTTGATTGTT GGAGGATTTT TTAGATGAAC	840
GAATTGGAAG ATTTGCTAAA TAGCGTTAGT CAAGTTGAGA CTGGTGATGT TGTAGTGCT	900
GAAGTATTGA CAGTTGATGC GACTCAAGCT AACGTTGCAA TCTCTGGAAC TGGTGTGAA	960
GGTGTCTGA CTCTTCGCGA ATTGACAAAC GATCGTGATG CAGATATCAA TGACTTTGTT	1020
AAAGTAGGAG AAGTATTGGA TGTCTTGTA CTTCTGCAAG TAGTTGGTAA AGATACTGAT	1080
ACAGTTACAT ACCTTGATC TAAAAACGC CTTGAAGCTC GCAAAGCATG GGACAACTT	1140
GTTGGTCGCG AAGAAGAGT TGTACTGTT AAAGGAACGC GTGCCGTTAA AGGTGGAATT	1200
TCAGTAGAAT TTGAAGGTGT TCGTGGATTT ATCCCAGCTT CAATGTTGGA TACTCGTTTC	1260
GTACGTAACG CTGAGCGTTT TGTAAGTCAA GAATTGATA CTAAATCAA AGAAGTTAAC	1320
GCTAAAGAAA ACCGCTTCAT CCTTTCACGT CGTGAAGTTG TTGAAGCAGC TACTGCAGCA	1380
GCTCGCGCTG AAGTATTCGG TAAATTGGCT GTTGGTGATG TTGTAACCTG TAAAGTTGCT	1440
CGTATCACAA GCTTCGGCGC TTTCTGCGAC CTTGGTGGTG TTGACGGATT GGTTCACTTG	1500
ACTGAATTGT CACATGAACG TAATGTATCA CAAAATCAG TTGTAACCTG TGGTGAAGAA	1560
ATTGAAGTGA AAATCCTTGA TCTTAACGAA GAAGAAGGAC GTGTATCACT TTCACTTAAA	1620
GCAACAGTAC CAGGACCATG GGATGGCGTT GAGCAAAAAT TGGCTAAAGG TGATGTAGTA	1680
GAAGGAACAG TTAACGTTT GACTGACTTC GGTGCATTTG TTGAAGTATT GCCAGGTATC	1740
GATGGACTTG TTCACGTATC ACAAATTCA CACAAACGGA TTGAAAATCC AAAAGAAGCT	1800
CTTAAAGTTG GTCAAGAAGT TCAAGTTAAA GTTCTTGAAG TTAACGCAGA TGCAGAACGC	1860
GTGTCACTTT CTATTAAAGC TCTGAAGAA CGTCCAGCCC AAGAAGAAGG AAAAAAGAA	1920

1213

GAAAAACGTG CTGCTCGTCC ACGTCGTCCA AGACGTCAAG AAAAGCGTGA TTTCGAACTT	1980
CCAGAAACAC AAACAGGATT TTCATGGCT GATTGTTTG GTGATATCGA ACTTTAATCA	2040
AATTGAAAAT TCACAAAATC CTTTGTTC TAAACAAGGG ATTTTCTGG CTCTTGTCA	2100
ACTGTAGTGG GTTGAAGAAA AGCTAAGCTC GAGAAAGGAC AAATTTGTC CTTTCTTTT	2160
TGATATTACG AGCGATAAAA ATCCGTTTTT TGAAGTTTC AAAGTCCGA AAACCAAAG	2220
CATTGCGCTT GATAAGTTTG ATGAGATTAT TGGTCGCTTC CAGTTGGCG TTAGAATAGT	2280
GTAGTTGAAG GGTGTTGACA AGCTTTTCTT TATCTTTGAG GAAGGTTTA AAGACAGTCT	2340
GAAAAATAGG ATGAACCTGC TTAAGATTGT CCTCAATAAG TCCGAAAAAT TTCTCCGGT	2400
CCTTATTCTG AAAGTGAAC AGCAAGAGTT GATAGAGCTG ATAGTGGTGT TTCAGG	2456

(2) INFORMATION FOR SEQ ID NO: 214:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 10974 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 214:

AAATAGGATA TAGAGACATC CTTCTGATCT GCTTTTwACA AAGTCCAATT ATATGCGGAT	60
CTATACCTCC ACAATGTCCA TTATTATmCC TAACTATAAT ATGAGCCGAA AACACTATAT	120
CCTTAATGTC TCCATATCCA TCAGGGATAT TAATATTTAT TTTCCACAA CTATATTGCA	180
TTGTAACCAT CTCCTTAAAC GACGCATTAT GATATTTGAT AGAGAAATTT TTATGAATAA	240
CTCAATAATT TTATAGTAAA TCATGCTTAT ATCTCAAAGA TACCTATTTT ATCTTGTCTC	300
GACCTTCTCC AAAGAATTGC TATAATACTA TTACAAATCC ATCTGCACTA CACTTCAAAT	360
TTTAGCACTG TATAAAAACG TTTCAATACA CTAACCTCAA GAAAACTTCC ACTATTAATT	420
GAAAAAATTG ATAGAGATAA ATTAAAAATC TATATTGAAA CTCATCCCGA TGCTTATTTG	480
ACTGAAATAG CTGCTGAATT CAACTGTCCT CCAACAATA TTCATTACGC TCTAAAGGCT	540
ATGGGATATA GTCTAAAAA GAGCCGTACC TACTGCGAAC AAGACCCAGA AAAAGTAAAT	600
CGGTTCCPTA AAGAATTGAA TCACTTAAGC TACCTGACTC CTATTTATAT TTATGAGACA	660
GGGGTTGAGA CCTATTTTTA TCTCGAATAT GATCGAGCCT TGAGCAGGCA GTTAGTCTCT	720
CTGGAAGAAG ATATAATTAT TTGAATTAAG ATCGAGACAA CGCACACCAG AGATTGCGAT	780
ACTGTTATAG AAGTACTAAT GCCCTTTTTT GTTTCATAT ACTATGGCTC CGATGACCTA	840

1214

TAAAGATACG ATGACGAGTG ACTTTTTCGA AGCTTGCTTC CAAAAATTCT TACTACCTAC	900
TTTAGATACA CCATCCCTTA TCATTATGGA CAATGCAAGG TTTCACAGAA TGAACATGTG	960
TAAGGAGCAG GGCATAGACT GTTACCACTT CCTACCTATT CACCCGAGTA TAATCCCATT	1020
GAGAAAATAT GGGCTTACAT CAAAAACATC TCAGAATAAT ATTGTCAAAT TACGATGCTT	1080
TTCTTGAGGC ACTTTTGTCC TATTCTTGTT TCAGCCGACT ATACTCCGTT ATTGGGCAGC	1140
TACGGAACAG TCGATGGGAC GATGGGGGA CATAAAAAA TCCTCCAGTT TTGTTTTTTA	1200
TAACAGTATA CTGGAGAATT GACAATCTCG GTAGATACCT CGTTATAGCG CGGTTACTTA	1260
TTAGGCAGTT ACAAACAAC TGTGAACAGA AAACATTCCA GAGTCAGACA AGACTTTGGA	1320
ATGTTTTGGC TCTATAATTT CTGTAGTGGG TAATCCCACC CCAGGAATTA TAGGGTCGTT	1380
TCTTGTAGAA AAAAAGCCCC ATATGACCTA TAATGAAAAG CGTCTAACCA ACTCATTAGA	1440
AAGGGTTCAT ATGGAACAAC TTAAGAATAC CACAGATTG CTGGATTGG AAGACAAAAA	1500
TATCAAAATC TTGTCTGTTT TGAAATACCA AACCCTCTA GTCGTCAGG CAAAGTTGGA	1560
TTCCCCGCT CCTCCTGTGC CTCATTGTCA AGGGAAGATG ATCAAATACG ACTTCCAGAA	1620
AGCCTCTAAA ATTCCGCTTC TCGACTGTCA GGGTTTACCC ACGGTACTGC ATCTCAAAAA	1680
GCGCCGCTTT CAGTGAAGA ATTGCCTTAA GGTGGTCGTT TCTCAAACAT CCATTGTCAA	1740
GAAAAATTGC CAGATTTCCTA ACATGGTGAG ACAAAAAATC GCTCAGCTCC TCCTTGAAAA	1800
GCAGTCTATG ACTGAGATTG CCCACAGATT GCGGGTCTCA ACTTCCACCG TCATCCGAAA	1860
ACTGAGGGAA TTAAAGTTTG AAACCGATTG GACCAAGTTG CCAAAGTTA TGAGTTGGGA	1920
TGAGTATAGC TTCAAAAAGA GCAAAATGAG CTTCATTGCC CAAGATTTTG AGTCCAAATC	1980
CATCCTCGCA ATTTTAGACG GCGGAACCTA TCGGGTGATT CGAAACCATT TCCAACGCTA	2040
TCAGAGAGAG GTTCGGGAGC TGGTCGAGGT CATCACCATG GACATGTACA GCCCTTATTA	2100
TCGGCTCGCT AAGCAACTCT TTCCAAAGGC GAAGATTGTT CTTGACCGCT TCCACATTGT	2160
CCAACATCTG AGCCGAGCTA TGAACCGAGT ACGAATCCAA ATCATGAACC AATTTGACCG	2220
AAAATCCTTG GAGTATCGGG CGCTCAAGCG CTTTGGAAAC CCTCGCTTTT TCGTTTCTAG	2280
GCTCGGGCTA AATCAGTCCA CTGGACTGAT TTACTACACC AGTATAGCTT CAAGCTCTGT	2340
CAGAAACGAT TCTATCAGCC CACGTTTCGA ATGCACTTAA CCCATCGGGA AGTACGAGAT	2400
AAGCTGCTTT CTTACTCTGA GGGATTACAG GTTCACTACG AACTCTATCA ACTCCTGCTC	2460
TTTCATTTTC AAGAGAAGAA TGCCGACCAT TTCTTTGGAT TGATTGAGCA AGAACTGCCA	2520
ACGGTTCATC CGCTTTTTC AACGGTCTTT TGGACTTTT TAAGGGATAG AGATAAGATT	2580
ATCAACGCAC TTAAGCTGCC TTATTCCAAC GCTAAACTTG AAGCGACCAA TAATTTGATT	2640



1215

AAGATTATCA AGCGCAAAGC CTTTGGTTTC CGGAACCTTA ACAATTTTAA AAAACGGATT	2700
TTGATGACTT TGAACATCAA AAAAGAGAGT ACGAATTTTCG TACTCTCCAG ATTGCAGCTT	2760
TTGCGCTACC CACTTACACTT GACAAAGAGC CACTCTTTAT TCCATGGTAT CAAAGGCAAG	2820
ACTTGGTTTG GCATTGAGGT CCCAGCCTGC GAAGTTTCTT TTGTTCCACT CGCTGACGCT	2880
GGCATAGGCA ATCATACCTG CATTGTCTCC GCAGAGTCGC AGAGGGGGGA TGATAACCTT	2940
GACATCTGTG ATTTGCGCTG CTAGGCGTTC TCTGAGACCT TTATTGGCTG CCACACCACC	3000
TGCCACAACCT AGGATTTTAA CAGGATATTT CTCCTAAAGCC TTCTTGGTTT TTGCCATGAG	3060
AATGTCCATA ACTGTCTGCTT GGAAGGAAGC ACACAAATCT TCTGTAGACA GGCTTTCTCC	3120
CTTTTGCTCG GCATTGTGAT GAAGATTGAT AAAGGCAGAT TTCAAACCTG AGAAGGAGAA	3180
CTCCAGATTA TCTTCTTAA TCATGGCAGC GGGGAAATCA TAAATATCCT GCCCCTGATG	3240
AGCCAGCTCG TCAATCTCAC GACCTGCAGG ATAGGTCAAG CCCATGACAC GGCCGACCTT	3300
ATCATAAGCC TCACCAACCG CATCATCAGC GGTTTCCCCA ACAATCTTAT AATCTCCTGC	3360
CTCCGAAACA TAAACCAACT CTGTGTGTCC GCCGCTGACC AAGAGGGCTA GCAAGGAAA	3420
CTCCAAAGGC TCCACACTCT GAGCTGCCAT GAGGTGCCCA GCCATGTGAT TAACAGGAAT	3480
CAGTGGAAAGT CCGTGAGCCC AAGCAAAGGC CTTGGCAGCT GACAAACCAA CTAGCAAGGC	3540
TCCGACCAAG CCTGGTCCGT AGGTAACCGC AACAGCTGTC ACGTCTCTTT CGGTAATCCC	3600
TGCTTCTGCC AATGCCTCCT CGATACAGGC TGTAATGACC TCGACATGGT GACGACTGGC	3660
TACTTCGGGC ACTACGCCAC CAAAACGTTT GTGACTCTCA ATTTGACTAG CAATGACATT	3720
GGACAAGAGC TCATCGTCGT TTTTCAAGAC GGGGACACTG GTCTCATCAC AGGATGTCTC	3780
AAATGCTAAA ATATATCTAT CCTTCATCTA TTTCTCTCTT CATGATAATG GCGTCCTCGA	3840
CTGGGTGATG GTAGTAGGCC TTTCGCTCAG CGATAACTGT CATCTTTTCT TTCTTGTAAG	3900
ATGCTTGCGC TCGTTGATTT GACTGTCTGA CTTGAGGAA AATTTCTTTG TCTGTGCGCA	3960
ATTGAGCAAA CAAGGCTGAC GCAATCCCCT GACCCTGATA AGCTCCTTTG ACAGCGATT	4020
GCAGGACTTC TGCTTCAAAA AGATTCTCCT GCACAGCTAG AAATCCAATC ACTTCTGCC	4080
CATCATAAGC CAATGCATAC CAAGTCTGGT CTTGGGACAG ATCTGCTTGG ATTTGCTCCA	4140
GAGTCCAAGG ACTGACTAGG TAAACAGCTG CCATAACAGC GTAGATGGCT TGAGCTAGGT	4200
CAGGCTGTTG TTGAATTCGC TTGATTTCTA TCATAGGCGT TTAATGTAAG ACTCGCCAGA	4260
CTCGGTATGG TTCTTGAGCC AGTTTTCCTC AGCCTCGACT CGTTTGAGGT AATTCGGCAC	4320
AAAATCATGC AAGGAGTCTG CTTCTTGTG CCAGGCCAAA AGAGCTAGAT TAGCTGCATT	4380

1216

GGGCAATGTT TCTTTGTAAT CAGTCCTTGG CAAGTGTTTT TGAATCTGCT CAACAAAGGG	4440
GCCAACTTCT CCGACAAAGG TTACCTGACT AGTACCCTTG ACTTTTCTTA GCACCTCTTC	4500
AAAAGATAGG TCGCTTCTG CCATGACAGG TTTGGCATT TCAATAAATC CTGCATAAAC	4560
ATTATTGCGA CGCGCATCCA TCAAGGGGAC AAACAAACCT TCTTGTGAT GGGGCACCAG	4620
AGCCAAGAGA CTCGACATAC CAACCAACTC GATGTTGAGG GTGTGAGCTA AGGTCTTAGC	4680
AGTTGCTACC GCAATTCGCA AGCCTGTATA GCTACCCGGC CCTTCAGCTA CCACGATTCTG	4740
GTCCAAATCC TTGGGTGTCC AATCCAAACT TGCCATCAAA AAATCGATGG CAGGCATAAG	4800
AGTAATACTG TGATTTTTCT TAATATTAAT CGTCGTCTCG GCAAGAACCCT GCTTATCCTC	4860
TAAATAGCC AGAGAAAGAG CCTTGCTGGA CGTATCAAAA GCTAATACTT TCATAACACA	4920
TTCTATCTT TTTGTCTGCT TACTATTATA CTACAAAAGC TGGCACATGG GAATTTCTT	4980
TGCCCCCAGA CAAGAGTGCC CTCACTTAAC TAAAAATAAT TAAAAAAAT GCTCACTTTT	5040
CCTTTCTTT TCCGAATATA AAAGTGAACA AGAAAAAGG AGGAAAGTTC AATGACAAAT	5100
TTTGACATTC TTGACAATCA ATTTTATCC TTATCTGAAA ATGAATTATC AGATATTGAT	5160
GGCGGTCTCG TCCCTTGGT TATCTTTGGA GTAGCAGTAT CTTGGAAGGC TATTGCAGGT	5220
GGAACAGCAC TTATAGGTC TGGTTTGCA GCTGGTTATT TTTAGGAGG AGATTAATAT	5280
GATGAAAGAT TTGAACAATT ATCGTGAAT TTCTAATAAG GAATTGCAAG AAATCAAGGG	5340
TGGCTTTGGT GTCGGTGTG GTATCGCTT ATTTATGGCA GGTATACCA TTGGAAGA	5400
CCTTCGTA AAGTTGGTA AGTCATGCTA GATAAGAAC ACATTTTATAG AAGGATAAAT	5460
TTTATTGTCT TCATCTCTTA CAGTTTGCTC AGCATTCTCA ATGATTGAA CATTACTACC	5520
ATCCCTTAC CATTCGATT ATCTGTTGT ATTGTTTAT TTTTATGCTT CAACTCTATT	5580
TTTGATCAGA ACAATGACTC CCATAAAAT AATAAGCTT GAAAATCCA TTGTCATGTC	5640
ATGTTAGAAA AATGCAAAGA CCACCTCATC TTGATAGATG GGGTGAATT TTCGTGTCGT	5700
AAATCTACTA TCTCTACATT CCCAAACAAA AAACCCAGC ATAAGCAGG CATCTAAGCA	5760
TTTAATTCAA AGTAAATAC AAACCAACG ACATAGGTCA CGAGGAGGAG AAAAAGCGAG	5820
TAGAGAGTCA CAAAGGTCAT TTCCACAAG AACTTGGTTT GTCGTCGTT CAGTTTGGA	5880
AATAGAAGAT TCCCGCATA AACGCAAGCA ACAAAAACAA TAAAAGCTAC CAAGCGAGCT	5940
CCGATAGCAA AAGCAAATAA GTTATACATA GGGCAACCTC CTTGACTTAA AATCTATATG	6000
GAATTATGAC AAGCAATAAA TTCACTTCC GTTATCAACA TAATACATT TCTTTATTT	6060
TGAAAACGCT TACCAAAGAA ATCGTCCCCT AACTTCTCG TTTCCGCTT TTAATAATT	6120
TTCATTTGT GGTATAATTG AAATAATTGT AACGAATCAA GGTCAATCTA GACACAAAT	6180

1217

GGAATGAAAT CAAGCAAATA TCTGCTAAAA GTTTGGAATA AGCTGACCTG TAAATAGAAA	6240
GGAACTATAT GATTTACAAA GTTTTTTATC AAGAAACAAA AGAACGTAGC CCACGCCGTG	6300
AAACAACACG CACGCTTTAC CTAGACATCG ATGCCAGCTC AGAACTTGAG GGCCGTATCA	6360
CTGCTCGCCA ACTTCTCGAA GAAAATCGCC CAGAGTACAA TATCGAGTAT ATCGAACTCT	6420
TGTCTGACAA ATTGCTCGAT TACGAAAAAG AAAGTGGCGC CTTCGAAATT ACGGAGTTCT	6480
AATATGGCCT AACTCTTAA ACCTGAAGAA GTCGGCGTTT TTGCCATCGG TGGTCTAGGA	6540
GAAATCGGGA AAAACACTTA CGGAATTGAA TACCAAGACG AGATTATCAT CGTCGATGCT	6600
GGGATTAATA TCCGAGAAGA TGACTTGCTT GGTATCGACT ATGTCAATCC TGACTACTCT	6660
TACATCGTGG ACAATATCGA CCGCGTCAAG GCTGTTTTAA TCACACACGG ACACGAGGAC	6720
CACATTGGTG GGATTCCGTT CCTACTCAAG CAAGCAAATG TCCCTATTTA TGCTGGACCG	6780
CTTGCTTGG CTTTGATCCG TGGGAACTC GAAGAACACG GCCTCTTGG CAACGCCAAA	6840
CTTTACGAAA TCAACCACAA CACCGAGTTG ACCTTTAAAA ATCTCAAGGC AACTTTCTTT	6900
AGAACGACTC ACTCTATCC AGAGCCTTTG GGGATTGTCA TTCATACTCC TCAAGGGAAA	6960
ATCGTCTGTA CGGGTGACTT TAAGTTCGAC TTTACTCCAG TTGGAGAACC TGGCGACTTG	7020
CATCGTATGG CTGCGCTTGG TGAAGAAGGC GTGCTCTGTC TCCTGTCTGA CTCGACAAAT	7080
GCGGAAGTAC CAACCTTTAC CAACTCTGAA AAAGTCGTG GTCAGTCCAT TATGAAGATT	7140
ATCCAAGSTA TTGAAGGACG TATCATCTTT GCATCCTTTG CCTCAAATAT CTTCCGTCTC	7200
CAGCAGGCAA CAGAAGCTGC TGTTAAGACT GGACGCAAGA TTGCGGTCTT TGGTCGTTCT	7260
ATGGAAAAGG CCATTGTCAA CGGAATCGAT CTTGGCTACA TCAAAGCTCC TAAGGGAACC	7320
TTTATCGAGC CAAATGAAAT CAAAGATTAT CCTGCAGGAG AAGTTCTTAT CCTCTGTACA	7380
GGTAGTCAGG GTGAGCCTAT GGCAGCCCTC TCTCGTATCG CCAACGGAAC CCACCGTCAA	7440
GTACAATTAC AACCAGGTGA TACCGTTATC TTCTCTTCTA GTCCCATCCC TGGAACACT	7500
ACTAGTGTCA ACAAGCTGAT TAACATCATT TCTGAAGCTG GTGTCGAAGT TATCCACGGT	7560
AAAGTGAACA ATATCCATAC ATCTGGACAC GGTGGTCAGC AAGAGCAAAA ACTCATGCTC	7620
TGCTTGATTA AGCCAAAATA CTTTATGCCT GTCCACGGTG AATACCGCAT GCAAAAAGTC	7680
CACGCTGGAC TAGCAGTGGA TACTGGTGTT GAGAAGGACA ATATCTTTAT CATGAGCAAT	7740
GGCGATGTGC TTGCCCTTAC TGCTGACTCA GCTCGTATCG CAGGTCAATT CAACGCCCAA	7800
GATATCTATG TCGATGGAAA TCGTATCGGT GAAATTGGCG CAGCTGTCCT CAAAGATCGT	7860
CGCGATCTAT CTGAAGACGG TGTCGTTCTG GCAGTTGCAA CTGTTGACTT CAAATCGCAG	7920

1218

ATGATTCTAT CTGGTCCAGA CATCCTCAGC CGAGGCTTTG TCTACATGAG AGAGTCTGGC	7980
GACTTGATTG GCCAAAGCCA GCGTATCCTC TTCAATGCCA TTCGTATCGC ACTGAAAAAT	8040
AAGGATGCTA GCGTGCAATC TGTCAATGGT GCCATTGTCA ACGCTATTTCG CCCCTTCCTC	8100
TATGAAAATA CCGAACGTGA ACCGATCATC ATCCCGATGA TCCTCACACC AGATGAAGAA	8160
TAAAGCAAGA AAACAGCCCC GTCCTCGGAG CTGTTTTTCT CTATGCTTTC TTTTGAGATT	8220
AAAACTCATA CTCAATGAAA ATCAAAGAGC AAAC TAGGAA GCTAGCCGTA GGTGCTCAA	8280
AGCACTGCTT TGAGGTGTA GATAGAATG ACGAAGTCAG TAGCCATACC TACGGCAAGG	8340
CGACGTTGAC GCGGTTTGAA GAGATTTTCG AAGAGTATCA ATAAAAATCG AAATCAGACT	8400
AGAAGGCTAA GCGAAAGCAT AACTTGAGTT AGCTCCCATG GTTCGGGAAA CTATGGGAGG	8460
CTGGAGATGA ATCAAAGCCA AGCTTTGAAC TCATTCGTAA GAAGCCGACG ACGTATCATT	8520
TTGATTTTTG AAGAGTTTAA GAAATACTAC GATTTTACC TTCCAGATAC ACCATCAAAA	8580
TAGAAATATC TGCTGGGTTT ACTCCCGAAA TACGGCTGGC TTGGCCGATG GTTCTGGAT	8640
TGATGAGTTT GAAC TTCTGA CGGGCTTCGG TTGCGATAGA ATCAATGTCA TCCCAGTCGA	8700
TATTGGCCGG AATGCGTTT TCTTCCATGC GTTTCATCTT GGCAACCTGG TCCATGGCTT	8760
TGGAAATATA GCCTTCATAC TTGATTTCTG TTTCAATCAA TTCGATAATC TTGTCATCCA	8820
AGTCTTCTGC AGCTGGTCCG ATGAAGGCCA CCACATCTTG GTAAGAACT TCTGGACGGC	8880
GAAGGAATTC CTTGGCTGTC ACTGCATCGG TCAAGGGTTT GAAGCCCATC TCCTCAACCT	8940
TGGCATTTGT TTCCTTGACT GGCTTGAGTT TGATACTGTC TAGGCGCTTC ATCTCATTAT	9000
CAAATTGATT TTTCTTGATT TCAAAACGAG CCCAGCGTTC ATCGTCCACA AGGCCAATCT	9060
CGCGTCCCAT CTCAGTCAAG CGCATATCAG CATTGTCATG ACGAAGAATG AGACGGTATT	9120
CAGCAGGACT GGTCAAGAGA CGGTAGGGTT CAATGGTTCC CTTGGTCACC AAGTCGTCGA	9180
TCATCACCCC GATATAACCA TCACTGCGCT TCAAAATCAA TTCAGGCTTG CCTTGGAATT	9240
TCAGAGCCGC ATTGATACCC GCGATAATCC CTTGGCCTGC TGCTCTTCG TAACCTGATG	9300
TTCCATTTGT CTGACCAGCA GTGAAGAGAC CTGAGATTTT CTTGGTTTCC AAAGTCGCAC	9360
GCAACTGATG AGGCAAGACC ATATCATACT CAATAGCATA ACCTGTCCGC ATCATCTCTG	9420
CATTTTCCAA ACCTTTGATG GAATGCACCA AGTCACGCTG GACATCCTCA GGCAGACTGG	9480
TTGAAAGTCC TTGCACATAG ACTTCCTCAG TATTGCGCCC TTCTGGCTCA AGGAAGAGTT	9540
GGTGACGTTT CTTGTCCGCA AAGCGCACA TCTTGTCTTC AATCGACGGA CAGTAACGAG	9600
GCCCCACTCC CTTGACCACA CCTGTAAACA TAGGCGCACG GTGGAGGTTG TTTTGGATAA	9660
TCTCATGACT GGTACCATTG GTATAGGTCA ACCAGCATGG TACTTGGTCC TTGACATAAT	9720

1219

CCTCATCACG TGAAGTGTAT GAGAAATGAT TAGGCACCTC GTCTCCTGGC TGAATTTCTG	9780
TCACATCGTA ATTGATAGAA GAAGCCTTGA CACGTGGAGG GGTTCCTGTC TTGAAACGAC	9840
CGATTTTCGAG ACCCAGTTCC TTGAGATTGT CAGCTAGGTT AATAGAAGCC AAGCTGTGGT	9900
TAGGACCTGA TGAGTACTTG AGGTCTCCGA TGATAATTTC CCCACGGAGA GCAGTCCCTG	9960
TCGTCACAAT AACAGCCTTA GCAGCATATT CTTGATGGGT GGCTGTACGC ACACCGACAA	10020
CCTTGCCATC TTCCACCAAA ATCTCATCAA TCATGGTTTG ACGAAGGGTC AGATTTTCTT	10080
GGTTTCAAC CGTCTTGCGC ATCTCCTTAG AGTAAAGTTC CTTGTACGCC TGCACGAA	10140
GGGCACGGAC AGCTGGCCCC TTCCCTGTGT TTAGCATCTT CATCTGGATG TAAGTCTTGT	10200
CAATGGTTT GGCCATCTCG CCACCGAGGG CATCGACTTC ACGCACGACA ATCCCCTTGG	10260
CAGAACCACC GATAGAGGGA TTACAAGGCA TGAAAGCCAG CATTTCAATA TTGATGGTCG	10320
CAAGCAGGAC CTTACAGCCC ATACGGCTAG CGGCCAAGGA AGCCTCAACC CCAGCGTGTG	10380
CCGCACCAAT TACAATAATA TCGTATTCTT CAGTAAAATG ATAAGTCATG TTTCTCTCCT	10440
ATTCTCTAAG ATGAATGTGT CTTAGTTGGC CTTCCCAATC TGGTAGGGCT GTTTTAAAA	10500
AGACTGGAAC TAGCTGGATA TTCTGGAGCT TATCCAAGTC AATCCACTCA CAGGGCTGCC	10560
TTTTCTCATC TTCTGCATG GTCAACGGGG CATCTTCAAG CAAATCCACC AGATAATGAA	10620
ACTCGATATT GTGATAGGAA ACGCCGTCCA CTTCAAAACG ATTTTCAACC ACAAAGCTA	10680
GCTGCCCAGC TTGAGCTTTG ACACCCAGTT CTTCTTCAC TTCACGGACT ACCGCGTCTT	10740
CCGTGCTTTC ATTGACTTGA ATCGCACCTC CAATAGTGTA ATACTTGCCC TTGTCTTTGG	10800
TAACTAGAAG CTTGTGATTT TGGACAATCA AGGCTGTAGC CCGAACACCA AAAACCGTAT	10860
TGTCTACTTT TGTCGAAAG TCTTGTGAG TCATTCTTGT CCTTTCCCTT AAACGACACA	10920
AAAACAGTCA AACTACAAA GAAGTGCAGG AAAAAAAGC CTGCAACATC CAGG	10974

(2) INFORMATION FOR SEQ ID NO: 215:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 987 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 215:

CCCGTTATGA TTATGGATAG CGCTTCAAA TTTTAAACT CCTATCCCAT CCTTTATCT	60
ATATAATAAG TGAAATATA ATAAGTGCA AGTAAGTGA GTGAATTTTA TAAAAAATT	120

1220

ACAAGCCAAA TTTGTAAAGT TTACACTAAG CCGCTAGgCA ATCGTCTATC AGAATATCCG 180  
TTTATTTGTC AATAATCCGA GAAATCTTG CAACGCTTAG AAGTCTATAA AAACATATCAA 240  
CATTTATATG ACTTGCGAAT AGCAATCCTG CTAAACCTTT CCACACTCTA TCTATACAAT 300  
CAAGATAAAA ACATGTGTAA GCAAATCTGC TACACTTTAC TGGAGGACGC CAAGAATAAG 360  
AAAAGCTACG ATAGGCTTGC TATCTGCTAT GTCCGTATTG GGATTTGTAC AGACGATTCT 420  
AAACTTATCC AAAAAGGGTT CTCCCTTCTG GAGCTGACCG AGGAAACTTC TATGCTGTCT 480  
CATCTCAAAA AAGAAGTAGA GACCCATTAT CAACCAAGA AATTATAAAA AAAGTCGAGG 540  
GAGCTCCTCG ACCTTTTCAT AGAATCGCCG AACGATTTAA CGAGAAAGTA TGACTTTTAC 600  
GTTTATCCCA ACTCAATTAT GACATTTTTT TCAAAAGTCA ATATATCTCA CTTTTTCAAC 660  
GACAAGAAAG AGGCTGATAA TCTACCAACC TCTTATTCTG AACCCATCAC TCCATCACTT 720  
TTTAGCTTCA TTCGCTTTCT TAGCGACTGC AATCTGGTAT TCGACTTGGT CATTCCTCTT 780  
ACCGGTACAA CCATGAGCAA TTGTAGTCGC TCCTATCTGA TGGCGTATTT CAACCAATTT 840  
TTTAGAAATC AGAGGGCGGC TCAAGGCAGA TACCAAGAGA TACTTTTGTT CATAATAGGC 900  
ATGTGACTGA TGAGCCACTA GCACATAATC TGTAGCAAAT TCGTCCTTAA CATCAATGAC 960  
ATAAGATTCT ACTGCCCAAA CCTTAAG 987

(2) INFORMATION FOR SEQ ID NO: 216:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2651 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 216:

CTGGGTCTTG TTCATAGTAG GTGTGGTtCT TTTTTCGAG TGTAGCCCAT AGCTTTGAGC 60  
GCATAGTGGA TGGTAGTTGG ATGACAGCCA AAGTCAGAAG CTATTTCACT CAAATAAGCA 120  
TCTGGATTGT CAGTAAGATA GTTTTAAAGT CTATCTCTAT CAACTTTTCT TGGTTTGTGT 180  
CCTTTTACTT GGTGGTTTAG CTCTCCTGTT TTCTCTTTTA GCTTTAACCA GCCATAAATG 240  
GTATTACGTG AGATTTGGA AACGTGTGAT GCTTCTGTTA TACTACCTAT TCGCTCACA 300  
TAAGAGAGAA CTTTTTTACG AAAATCTATT GAATATGCCA TAAGAAGATT ATACCACATT 360  
GTGTACTATT TTTGGTTCAT TTTACTATAT TTTATAAGTT ATAGTGTAGC ATTCCAACCT 420  
CAAAGCACTA TAAAGTAAAT TGAAACAAGA ACAATACAAA CAATTCTCGT AAACGGATTG 480  
CAACCACAAA AAAGCAAGCA TTCACAAGAA TACTTACCTA TCATGGGAGG AACCAACCGTT 540

1221

CCTCTTTTTT ATTACTAAAA TTCAAAGAAT TCCAATGCTT TTTTCAAGAG CAAATCCGTA	600
TATTCTGGAT CTTCTTGGGC TACTTCTATT TCCCGCTGAA CTTTTTCCAA ATCATCTGTA	660
ATCACTCCAT CTACTCCTAA GTGAAGAGAT TTGCTGATAG CTTCTGAATC ATTGACAGTC	720
CAGACATAAA GTTTCGTATC CGTTGTCCAT AGTTTGCTTA CAAAATATTC ATCCAAGGTT	780
GAGTACTCCA TAGTATATCC TGTCGCTCTT GTTTTAGGAA AGACAGAATT GTAGGGCATG	840
ATGAAATAAA CTGGTAGTTC GGCATCATAC TGTCTTACTT TTTCGACAAC ATGGTAGTCT	900
AAAGACTGGA TTTGATGTCC ATAAATCTTG AGCTTTGCAG CATAACGGGC TAAAAAGCGG	960
TTTCATCATG CTGGACTATC TTTTTTACTG GTTTTAATTT CAATTAGTAA TTTTGGACCA	1020
AGTTCGTTGG CTCGACTGAG ATAATCTTCA AAGCTTGAAA TTTTAGTCTG GTAGCCATTT	1080
TCAAAATAT CAATCCCTTT AAGCTCCTCC AAGTTTAAGT CTTGAGGACT TTTATTGATA	1140
CCTGCTAGAT TTTTCAAGTT AGCATCATGC ATCATGACAA ACTGCCCCATC TTTTGTTTCC	1200
TGCACGTCGG TCTCCACCAA GTCTGGTTTG AGTTGTGCTG TAGTTTCCAA GGACTCTACT	1260
GTATTTTGAA TCCCATTTGC ATTGGAAACC CCTCGGTGAG AAATAAGTTG AGGTAGATGA	1320
ACCATGGGAG CCTCCAGATA AATATAACCT TCTAAGGCAA AGAAAAGACT GGCACAAGTC	1380
ATGACACCCC ATCGCACGAT GTGATCTTTT TCTCTCCTAG GAAGCATATC CAGCTCCTTT	1440
CCTGTCAAAA ATGAAACAAA TTTAACCAA AAATAAGTCA GAGCCATATA ATAGAGATTT	1500
TTAATCACGA CAAAATCAA AATACCAAGA ATCAGAGACT CTCTCTGAGT GATATCATCT	1560
ACCAAAGTTT GAGCCAATAA TAAAGGAATC AAAGGAAGAT AATAATAA ATGTGCTTTG	1620
AGCAAGATGT AAAATAAATT CCAAGCATAA AAAGTAATC TCTTCTTGGT TTTCTCCAAG	1680
CTAAACATCA CTGCTTCTCG AACAGTCAGC TGATCATATA CAATCTTCGG AAGGGCAAAC	1740
ATCAATCTGA CAGAGACATA GAGAAAGATA AGAGATAGAA GTAGGATGCT CAGCCACCAC	1800
ATCCAATATC TATCTTCTAA ATAAGCTTGG ATAAACTCTG GAATGACGAT TTTATTAAGA	1860
TAATAAATCT TCAGCATTTT CCGTATAAAA GGAAACAGCA TAGCTATATA GAAAAAGATA	1920
AACAAGGCTT TAGCGCAAGT TAGCTTTTTC ATAAATCCAA AACTTTCATG GAAAACCTTG	1980
CGGATATACT CAATTAGCCT TCGCTTTTCA TTATAGAGGA GATGACGAGC ACCAATAAAG	2040
AGGAGTCCTA TTTGAAAATA AGCAACCAGA AGGTTAATTA CAATCAAGGC TAAAAAGCT	2100
AGACTAATCA ATGGAGAATG AGTAAGGATG GCTAAGACAT TGTATAGGA AATAAAAAGA	2160
TAACCTGTCT GATCTAATAA GAAGCTAGCC AACCATGAAT TGAATGGTAC CCACAAATAC	2220
TCCACTATCA TAAAAATCAA GAAAAATAGA AAGAGGATTT TATCAAGATC GAGGTAAATC	2280

1222

TGTTTAAGAC CCAATTTTTT AGGTTTTTCA GGTTCATAG GCACTCCTAG TCAAATAATT	2340
GAGACAAGTC CAAGCCACCA AAAGGATTGT TTGATAAGCT ACTTCTGTGTC TCTAACAATT	2400
CCCTAGCTTG ATCCGACTCT AAGAAGGATT CGTAAACACG CGCCGTCATC CGAGCATCCT	2460
CTAAACTATT ATGAGACTGA CCTTGAAATC CAAGAAATGA GGCAACAGTT TGCAATTTGA	2520
GATTGGCAAT ACCATGTAAA TCTGAACTCC GACGTTCAAA AGCTTCATCA TACAAATCCA	2580
CCTTGACTG TTGGCTATAG TCTAAACCAT GCTCTGCTAA AATAGGTAAA TCACTTTTAG	2640
CAGCATTGTA G	2651

(2) INFORMATION FOR SEQ ID NO: 217:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 5638 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 217:

CGTTATAATA AACTTGTGAA AAAATTAACA AAGGATATCG TTCCTTGAAA GCTATGGAGG	60
AAAATATGGC TGATAAAAAA ACTGTGACAC CAGAGGAAAA GAAACTCGTT GCTGAAAAAC	120
ACGTAGATGA GTTGGTTCAA AAAGCTCTAG TTGCCCTTGA AGAAATGCGT AAATTGGATC	180
AAGAACAAGT TGACTACATC GTTGCCAAAG CATCAGTAGC AGCTTTGGAT GCCCACGGAG	240
AATTGGCTTT ACATGCCTTT GAAGAAACAG GACGTGGTGT ATTTGAAGAC AAAGCAACTA	300
AGAACTTGTT TGCCTGTGAA CACGTAGTAA ACAACATGCG CCACACTAAG ACAGTTGGCG	360
TTATCGAAGA AGACGATGTA ACAGGATTGA CTCTTATTGC TGAACCAAGT GGTGTTGTTT	420
GTGGTATTAC TCCAACAACA AACCACATAT CAACAGCAAT CTTCAAATCA TTGATTTTCA	480
TGAAGACACG TAACCCAATC GTCTTTGCCT TCCATCCATC AGCACAAGAA TCATCTGCTC	540
ATGCAGCTCG TATCGTCCGC GATGCAGCTA TCGCAGCTGG TGCTCCTGAA AACTGTGTGC	600
AATGGATTAC TCAACCATCT ATGGAAGCAA CAAGTGCCTT TATGAACCAC GAAGGTGTTG	660
CGACAATCCT TGCAACAGGT GGTAATGCCA TGGTTAAGGC GGCTTATTCA TGTGGTAAAC	720
CAGCTCTTGG GGTAGGTGCC GGAACGTTT CAGCTTATGT TGAAAAATCA GCAAACATTC	780
GTCAAGCAGC ACACGATATC GTCATGTCTA AATCATTTGA TAACGGTATG GTCTGTGCAT	840
CTGAACAAGC AGTTATCATT GATAAAGAAA TTTACGATGA ATTTGTAGCA GAGTTCAAAT	900
CTTACCACAC TTACTTTGTA AACAAAAAAG AAAAAGCTCT TCTTGAAGAG TTCTGCTTCG	960
CGGTCAAAGC AAACAGCAAA AACTGTGCTG GTGCAAAATT GAACGCTGAC ATCGTTGGTA	1020



1223

AACCAGCAAC TTGGATTGCA GAACAAGCAG GATTTACAGT TCCAGAAGGA ACAAACATTTC	1080
TTGCTGCAGA ATGTAAAGAA GTTGGCGAAA ATGAGCCATT GACTCGTGAA AAATTGTCAC	1140
CAGTTATTGC AGTTTTGAAA TCTGAAAGCC GTGAAGATGG TATTACTAAG GCTCGTCAAA	1200
TGGTTGAATT TAACGGTCTT GGACACTCAG CAGCTATCCA CACAGCTGAC GAAGAATTGA	1260
CTAAGAATT TGGTAAAGCT GTTAAAGCTA TTCGTGTTAT CTGTAAGTCA CCTTCTACTT	1320
TTGGTGGTAT CGGGGACGTT TACAATGCCT TCTTGCCATC ATTGACACTT GGATGTGGTT	1380
CTTACGGACG CAACTCAGTT GGGGATAACG TTAGTGCCAT TAACCTCTTG AATATCAAAA	1440
AAGTCGGAAG ACGGAGAAAT AACATGCAAT GGATGAACT TCCTTCAAAA ACATACTTTG	1500
AACGTGATTC AATTCAATAC CTTCAAAAAT GTCGTGACGT TGAACGTGTC ATGATCGTTA	1560
CTGACCATGC CATGGTAGAG CTTGGTTTCC TTGATCGTAT CATCGAACAA CTGGACCTTC	1620
GTGCAATAA GGTGTTTAC CAAATCTTTG CGGATGTAGA ACCGGATCCA GATATCACAA	1680
CTGTAAACCG TGGTACTGAG ATTATGCGTG CCTTCAAACC AGATACCATC ATCGCACTCG	1740
GTGGTGGTTC TCCAATGGAT GCTGCCAAAG TAATGTGGCT CTTCTACGAG CAACCAGAAG	1800
TGGACTTCCG TGACCTTGTC CAAAAATTCA TGGATATCCG TAAACGTGCC TTCAAGTTCC	1860
CATTGCTTGG TAAGAAGACT AAATTCATCG CGATTCCAAC TACATCTGGT ACAGGATCTG	1920
AAGTAACACC ATTTGCCGTT ATCTCTGATA AAGCAAACAA CCGTAAATAC CCAATCGCTG	1980
ACTACTCATT GACACCAACT GTGGCAATCG TAGATCCTGC TTTGGTATTG ACAGTTCCAG	2040
GATTTGTGTC TGCTGATACT GGTATGGACG TATTGACTCA CGCGACAGAA GCATACGTAT	2100
CACAAATGGC TAGTGACTAC ACTGATGGTT TAGCACTTCA AGCCATTAAA TTGGTCTTTG	2160
AAAATCTCGA AAGCTCAGTT AAGAATGCAG ACTTCCACTC ACGTGAGAAA ATGCATAACG	2220
CTTCAACAAT CGCTGGTATG GCCPTTGCCA ATGCCTTCCT AGGTATTTCT CACTCAATGG	2280
CCCATAAGAT TGGTGCGCAA TTCCACACAA TCCACGGTCG TACAAATGCT ATCTTGCTTC	2340
CATACGTTAT CCGTTACAAC GGTACACGTC CAGCTAAGAC AGCAACATGG CCTAAGTACA	2400
ACTACTACCG TGCAGATGAA AAATACCAAG ATATCGCAGC CATGCTTGGG CTTCCAGCTT	2460
CTACTCCAGA AGAAGGGGTT GAATCTTACG CAAAAGCTGT CTACGAACTC GGTGAACGTA	2520
TTGGGATCCA AATGAATTTT AGAGACCAAG GAATTGACGA AAAAGAATGG AAAGAACATT	2580
CTCGTAAATT AGCCTTCCTG GCTTATGAAG ACCAATGTPC ACCAGCTAAC CCACGTCTTC	2640
CAATGGTAGA CCATATGCAA GAAATCATCG AAGATGCATA CTATGGCTAC AAAGAAAGAC	2700
CAGGACGCCG TAAATAATTG TTTATCAGTC TAGAAGCAAG ACAAAAACTC AATTTGAGGG	2760

1224

AAAGATCCAG TAATTTTCT ATGATAAAAG GCATCCTATC AAGGTTTTTG AACACCTGAT	2820
AGGATGCCTT TTTATGATAT TGAGGCCTTT TTGCCCTTTT TGAAAACTA GAATAGAAAC	2880
AAAATATATA ATAGATTGAA ACTAGAATAG TACATATCTG CTTCTAAAAC ATTGTTAGAA	2940
TTCGATTGGA CTGTCCTGAT CGATTTGTCC TGTTCCTATT TCATTTTGAT ATATAAAAAA	3000
TATAGTATAG TAGACTGAAT CTAAATAGT ACGAAACAAT TGCTAAAACA TTTATAGAAA	3060
TTAATTTTAC TTTTCTGATA GAGTTGTTCA CATCTTATTT CAATTCACCTA TAGTTTAATT	3120
TAAGAGTAGT ATTTACTAAG GCCCAATTAA AATCAAAGAG CAAACTAGAA AACGAGTGCC	3180
ATTGAGCTCA AAACACTGAT TTGAGATTGC AGATAAGACT AGCCCCCTCA TTAACAGATT	3240
TACGATAAAA CGATGACAAG GTGTGTTGCT TTTTGATTTC TAAAGAGTAT AATGATAGAT	3300
CTCTATAAAA TAAGTGCGAA GGAAATGAGC TTTTATAGTC CTTTCGTTTT AAAATACTAT	3360
CTCAGATATT CTTATATCGA CAAGAAGTTT TTGAGTCATT CCCTCATCAT ACATATTAAA	3420
TAAATAGTGG CTCATTCAAT TTTTCACTAG AATAATAAGC TAGTATAGTA AACTGAAATA	3480
AGATATAAAC AAATAAATTG GAGCTTAACA TCCATTTCCT GCAATTTTTT AGAACTACA	3540
GTGGACTATT CTAGATTCAA CATATTATAA AAACAGAGT AAAAGAAAAG GATTGGATCT	3600
TGTGTAATGC AGGATCCAAT CCTTCAATC ATTTTGTCCA ACTTTTGGAG GTTCCTACAA	3660
TGTAGTCGCT ATTAATAAAG ACAGATGGGA ATGACAGTGT TCCTATTTAT TTTGATAGAG	3720
ATCGATGAAT TCTTTAGATA GCAACTGAAT AATCTCTGTT GAAGCCATTT GGTCTTCTGC	3780
ATGCATAAAT AGCAAGGAGA ATCCTATTTT TTCTCCAGTA GCTTCTTTTT GTATGAGATT	3840
AGAGTGAATC TTGTGCGCTT CTACTAAGGA GTCTTCCGCT TCTTCAACTT TAATTTTCGC	3900
TTCTTTTAAA TTTCTGCCT TAGCTAGTTG GATGGCTTCA ATAAAGGATG ATTTGGCTGC	3960
TCCACTATTG GCAATGAGCT GAAAACAGAT ATATTCCATT TCTTCTGTCA TCTTATTTCT	4020
CCTATCCATG CAAGTGCTTG TTCCAGAACT TTTGCTCCAT TCATCATTCG GTAATCCCGC	4080
ATATCAATGG TATCTACAGG GATATTTCTT GCAATTTCTT TCACAGCAAG TAACTCATAA	4140
CGAATTTGTG GCCCAATTAG AATGACATCT GCTTCATGGA TATTCTTTTT AGCTTCTGTC	4200
ATTGATTTTG CTTGGATAGA GATTTCATC CCACGTTTCA TCGCACTTTG TTGCATTTT	4260
TTAACAAGCA TACTTGTCGA CATTCCTGCA TTACATACTA ATAAAATTG TTTTATAATC	4320
TTAACCTTCC ATTTCTTGTT CAACAACCTT GTCATTAACT TTGATAAATG GAATGTATAG	4380
AAGAACTCCA AGTGCAAAGA TGATGAATTG AACTAGAACT GCTCTCACGT CCCCTGCTGT	4440
TGCTAACCAT GCATTTAAGA ATACTGGTGT AGTCCAAGGA ACTTGATATA ATGCAGGACT	4500
CATGAATCTT GAACTGTTG CTAAGTAGCT GATTAAAATA CCAAGGACTG GAACTGTGAT	4560

1225

AAATGGAATA GCTAATGAAA TGTATATAAC GATTGGGTAA CCGAATAATA CTGGTTCATT	4620
GATATTGAAG ATACCAGGTC CAAAAGATAA TTTAGCCACG TTTTAGAGA CAGCATTGCG	4680
ACTCACTAAG AATGTTGCTA TTAATAAACA TAATGTAGAT CCACTACCAC CCATTAAAGC	4740
GAATGTTTGT ATTTGTGATA GGTTGATGAT GTGTGGAATG GCTTGTCCAT TATTGTCTGC	4800
AGTGATGTTT TCAGTAATGT TAATTAATAG TAATGGTTCT AGGATGGCAC TGTAATAAAC	4860
TGCTTGGTGA ATACCAAATA GCCATAACAT ATTTCTTAAA GAGTAAATAA TAATGACCCC	4920
GATTAAAGCTT GTACCAATAT GACGAATTGG TTCTTGAATA AAGATTGTAA TGATTGAGAT	4980
TAAGTTCATT CCAGTTATAT TGAATAATAA TGCTGAAACA ACCCCAAATA AGGAGATGAC	5040
GGTCATGACT GGAAGTAATA CGCTAAATGA TCTACTAACA GCTGGTGGAA TATTTTCACC	5100
AAGGTTTCATT TGTAAGCTT TAACGTTTGA TAATTCAATG AATAATTCTG TTGCAATAAT	5160
CGTACGATAA CCCCAGCGAA CATTGCGCCT GTACCTGTGT TGTGAATGA AAGAACACCT	5220
GAAATGTTTA CCGCATCTTT TGCTCCGTCA GGAACACAG AAAGTGTATT TGGCATCATC	5280
ACAATTAAAG AAAGTAATGA TAGCATTGAT GCTGCTAACG GGTTTTCGAA ATCTCTGTTT	5340
TTAGCTAAGA AATAACCAAC CATTACAGCA ATAATCATACT CTGAAATACT TAAAGTACCG	5400
TTTGCAATTG TTATTCCCCA ATATTGGAAT CTGTGTAATG TATCCCCCTG GAAAATCCAC	5460
TTAAATACCG TGTGTTTCAA AAGAACGATT AAACCTGCCA AAATATATAA TGGCATTACT	5520
GTTACGAATG CATCTCTTAG GGTTTATAA TGAATTGGT TCCCTAGTTT ACCAGCAAAG	5580
GATGGCAAAA AAATTTTTTT GGGGGGGGGG GTTATTAAAC CCCCCTTTTT AAAAAAAA	5638

(2) INFORMATION FOR SEQ ID NO: 218:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4745 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 218:

CCGGAAGCTG TTGCCCTTGG AACTCCAAAT GAAGAAACAG CCTTTGTCTT GAACTATTTT	60
GGTGTGGAAG CACCACGTGT TATCACTTCT GCCAAAGCAG AGGGGGCAGA GCAAGTTATC	120
TTGACTGACC ACAATGAATT CCAACAATCT GTATCAGATA TCGCTGAAGT AGAAGTTTAC	180
GGTGTGTAG ACCACCACCG TGTGGCTAAC TTGAAACTG CAAGCCCACT TTACATGCGT	240
TTGGAGCCAG TTGGATCAGC GTCTTCAATC GTTTACCGTA TGTTCAAAGA ACATGGTGTA	300

1226

GCTGTGCCTA AAGAGATTGC AGGTTTGATG CTTTCAGGTT TGATTTCAGA TACCCTTCTT 360  
TTGAAATCAC CAACAACACA CCCAACAGAT AAAATCATTG CTCCTGAATT GGCTGAATTG 420  
GCTGGTGTGA ACTTGAAGA ATATGGTTTG GCAATGTTGA AAGCTGGTAC CAACTTGGCT 480  
AGCAAACTCG CTGAAGAATT GATTGATATC GATGCTAAGA CTTTGAACCT CAACGGAAAT 540  
AATGTCCGTG TTGCCCAAGT GAACACAGTT GACATCGCTG AAGTTTGTGA ACGCCAAGCA 600  
GAAATTGAAG CTGCAATGCA AGCTGCCAAC GAATCAAACG GCTACTCTGA CTTTGTCTTG 660  
ATGATTACAG ATATCGTCAA CTCAAACCTA GAAATCTTGG CTCTGGTGC CAATATGGAC 720  
AAGGTCGAAG CGGCTTTCAA CTTCAAACCT GAAAACAATC ATGCCCTTCT TGCTGGTGCC 780  
GTTTCACGTA AGAAACAAGT GGTACCTCAA TTGACTGAAA GCTTTAATGC GTAAGATTTT 840  
GGGTGTGACG TCAAAATCGG AAAGTCTAGT TTGCCTTATA TCGCAAGGAG TTTGGGCTCC 900  
TTTTTTCTAG GAGTGAAGTA TGTAGAAAA TGGCGATTG ATTTTTGTGA GAGATGGGTC 960  
AGACATGGGA CAGGCCATCC AGACTTCCAC AGGTAACAT AGCCATGTTG CCATTTATTT 1020  
GGATGGGATG ATTTATCATG CTAGTGGACA GGCTGGTGT GTCTGTCAAG AACCAGGAGA 1080  
CTTCTTTGAG TCCAATCATT TATACGACCT CTATGTTTAC CCAGAAATGG ATATCCAGTC 1140  
GGTGAAGGAA AGAGCTTGCA AACATCTTGG AGCACCTTAC AATGCTTCTT TCTATCCAGA 1200  
TGCAAGCTGT TTTTACTGCT CCCAGTATAT AGCAGAAATC CTACCTATTT TTGAAACTAT 1260  
TCCTATGAAA TTTGGAGwTG GGGAGCAGGA GATTAGTGAT TTTTGGAGGG AGTATTACAT 1320  
AGAACTAGGT CTGCCTGTTT CTCIGAACCA AGCTGGTACC AATCCTAGTC AGTTGGCAGC 1380  
ATCGCCTCTG TTACAATGTA AAGAAAGGAA TCTTCATGAT TCAGATTTT AATCCATCTC 1440  
GTTTGACGAG ACAGCCATTT TTGGAGAATT GATCCGCTAT CTGGATCAGT ATGAGGATGT 1500  
GATTCTACGG GAAATTAAGG CTCAATTTC AGATGTTGCA GTTGATAAAC TCATGGAAGA 1560  
GTATATAAAG GCAGGCTTGA TTCTACGTGA AAATAAGCGC TATTACCTCA ATTTTCCTAC 1620  
GCTTGAATCA CTTGATAGTC TTGAACTGGA TCAAGAGATT TTTGTCAGAG AAGCTAGTCC 1680  
GGTCTATCAA GCCTTGTGAG AGCAGAGTTT TGAGACGGA TTGCGCAATC AAATCAATGC 1740  
AGCTATTTTA GTTGAAGAAG CGGACTTTGC GCGCATTAAG ATGACCTGT CCAATTATTT 1800  
TTACAAGGTC AAACAGCAGT ATCCTTTGAC AGAAAAACAG CAGGAGCTCT ATGACATTTT 1860  
AGGAGATGTT AATCCTGAGT ATGCCCTCAA GTATATGACG GCTTTTGTGT TGAAATTTCT 1920  
CAAAAAGAC CAGCTTATGC AGAAATGCCG TGATATCTTT GTGGACAGTT AGGTTGTCTT 1980  
AGGCTATATT GTGCAAAATG AAGATGGAAA GTATGAGTTG GCTATCGATT TTGATAAGGA 2040  
GAGGTTAACT TTCTACTTAG CGTGATTCTT TGTTCCTGAG TACATTGTTT GACTTTCCTT 2100

1227

AGTATTCGGT ATAACTATA TGTAACCGGT AACACATATC GGAATAACT AAAGGAGACA	2160
ATCATATGTC ACTTGAAAAC AAATTGGAAC AAGCAACAGG CGCTGTCAAA GAAGGTTTGT	2220
GTAAAGTTAC TGGAGACAGC AAGACAGAAC TTGAAGGAGC TGTTGAAAAA ACAGTTGCTA	2280
AGGCAAAAGA CGTTGTAGAA GACGCAAAAG GTGCTGTAGA AGGTGCCGTT GAAGGTTTGA	2340
AAAACGTTTT TACTAAAGAA TAGGAAAAA TCAAGGGTTT CATTTTCCCT TGATTTTTTC	2400
TATTCCTATA AATAATTTTC TGCACGGCT GTATCTCCTG GGTAGGATTC TTTCTTGCCC	2460
TGGATGATTT GGTAACAATC GGCTCCCTTA CCCGCAATAA TAACTGCATC TAATTCGTGA	2520
TTTGTGATAG CCATTGCCGC CTTGATGGCT TCTTGGCGAT CCGCAATCTT TTCAACAGGA	2580
TGATTGATGT AGCTACTAAT TTCATCTGCA ATGGCCATTG GGTCTTCATA GTTAGGGTCA	2640
TCAGCAGTCA GAAAGACTTG AATCTCAGGG TGTGATTGA GGAGGAGGCC AAAGTCCTTA	2700
CGACGACTTT CTCCCTTGTT TCCTGTTGAT CCCAGAACCA GAGCAATCTT TCCGGTTTGA	2760
TGAGTTTCAA CCACATTGAT GAGTTTTTTC AGACTATCCC CATTGTGGGC ATAGTCGATG	2820
AAGACCTTGG CTCCATTTTT CTGAGTGAGG ACTTCCATAC GACCAGGAAC GCGGTTGCA	2880
GCGATGCCTT TTTTGATGTC CTCAAGACTT GCTCCGAGAC GGAGACAAGC AAGTCCAGCA	2940
GCAACTGCAT TTTCTTGTTT GAAGTTGCCA ATGAGTTGAA TATCATAATC TCCAGCGAGT	3000
TTACCCGTAG CTGAAAAGCT AAAGGCTTTG GAATTCCTGA TTTGGTTATC AAATGGCTA	3060
CCATAGAAAT CATGGTCTTG ATCTTCAACC TGTTCTTTCA AGACTGAGAA GTGGTCCATG	3120
TCACTGTAA TGATGACTGC TCGGCTCTTT TCCATCAAGA GACGCTTGTG GTAGAAATAG	3180
CTTCAAAGC TAGGGTGTTT AATCGGGCCG ATATGGTCTG GGCTGATATT TAGGAAAAC	3240
CCCACATCAA AGGTTAGACC ATAGACAGT TTGACCAGAT AGGCTTGACT GGAGACTTCC	3300
ATGATGAGGT GGGTACGGTC ATTTTGACA GCCTGATTCA TCATGTCAA GAGGTCAATA	3360
CTCTCAGGGG TTGTCAACGC TGACTTAAAG AAAGTCTCGC CATCAAGAGT TGTGTTTATG	3420
GTCGACAACA TAGCAGGTCT ATGCCCTTGA GATAAGATGT TATAGGCGAA ATAGGCTGCT	3480
GTTGTCTTAC CCTTAGTACC AGTAAAGGCA AGGAGTTTGA GTTTTTCCTG TGGATTACCA	3540
TAGAACTCCA TGGCAATCAA ACTCATGGCT TTCTTTATAT CGTTCACAAT GATGACAGGG	3600
ATACCGACTT CGTAGTCCTT TTCAGCTACA TACCAAGCTA ATCCTTGTGT TATAGCAGAA	3660
AGAAGGTATT CTTTTTAAA GGCAGCGCCT TTTGCGAAAA AAAGAGTGTC TTCTGTTACT	3720
TTTCGGCTGT CGTAGCTGAT GCTATCAAAA ATAACCTTGC TGTAGTTGTA GTGGTAATGA	3780
CCTTGGTCAA TAATTCGCG AAAAAGGCCA TCTTCTTTA AAATATCTAA TACGGTTTCA	3840

1228

ATCTTAATCA TACTTTCTAT TGTAACCGA AAGTCGTAAA TTTACAAGTA ACAAGGAAAA	3900
GTTTATAATG GAAGATAAGG AGTTTTTCCT AGTTATCAAA ATTGAATGAG GAATCTATGT	3960
CGCACGAAAA CAATCACCAG CAGGCCCA GGTACGGGG GACTGCTTGG CTAACGGCTA	4020
GTAACCTTAT CAGTCGCCTA CTCGGGGCTG TTTACATTAT CCCTTGGTAC ATCTGGATGG	4080
GGGCTTATGC AGCTAAGGCA AATGGTCTCT TTACCATGGG TTACAATATC TATGCTTGGT	4140
TCTTGTGGT TTCAACAGCG GGGATTCCAG TTGCGGTGGC CAAGCAAGTT GCCAAGTATA	4200
ATACCATGCG AGAAGAAGAG CATAGCTTTG CCCTGATTCTG GAGCTTCTTA GGCTTTATGA	4260
CAGGACTAGG CCTGGTTTTT GCTTTAGTCT TGTATGTCTT TGCTCCTTGG CTAGCAGACT	4320
TGTCTGGCGT GGGCAAAGAC TTGATCCCAA TCATGCAAAG CTTGGCTTGG GGAGTCTTGA	4380
TTTTCCCGTC TATGAGTGT ATCCGAGGAT TTTTCCAAGG GATGAATAAC CTCAAACCCT	4440
ATGCCATGAG CCAAATTGCT GAGCAGGTCA TTCGTGTAT CTGGATGCTC CTAGCAACCT	4500
TTATCATTAT GAAGCTCGGT TCAGGAGATT ATCTAGCAGC CGTTACCCAA TCAACCTTTG	4560
CTGCCTTGT CGGTATGGTA GCCAGTTTG CAGTCTTGAT TTATTCCTT GCCCAAGAAG	4620
GTTCACTCAA AAGAATCTTT GAAACAGGAG ATAAGATTAA CAGTAAGCGT CTCTTGGTTG	4680
ATACCATTAA GGAAGCCATT CCTTTATCC TGACAGGGTC TGCCATCCAG CTCCTCCAGA	4740
TTTTG	4745

## (2) INFORMATION FOR SEQ ID NO: 219:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1900 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 219:

CCTGATTGAC CTTATAATAA GGAACAAAAC ACAATGCACT ACCTTTTCAA CAAAAGAGTT	60
GCTGCTTGAT TAAAACCATC ACACCAGTTA TACCATTTTG CTTATACCC ATCTTGAGCT	120
AGGATACGAT CTTCTAAATC AAAACAGAG TAAATCTTTC TTTCTCGCA AGCTTGC	180
TAGAGATGAT ATAGTTCATC ACCACCATCT CTATCCCACT CAGCAGAAAT CGTATCCGA	240
CCTGCCAATA AAGCCTGATA AGCCCTGTGA TGCCCATCTG TAATCAGCAA ACAATCTCCA	300
AAGGCAAGAA TACTGATTGG ATCGACTTGG ATTGTTTCTG CCGACTGGTA AAGCATCTGA	360
ATATCTTGCA ACTTCTTTTC TGATAAATAT AGTTGAGTCA GATGAAGATC TGCTATATTG	420
ACTTTCATTT CTTTCTCCTC AAGGGAATTC GATACTCACT TCTGTTTGCC TTTAAATCGC	480

1229

CATTGGAAGC GGAgCTTGTC ATAAAAGGGA AACTCGATAA ACAGGACTCC CAAGCCCACA	540
CAGAGACTGG CAAGGACGTC TGATGGGTAA TGAAGTCCCA GATAGACTCT TGATACCAGC	600
ACACTGACTA GGTAGAGGCC AAGGACGATT TGTACGATT TTTCTCCAGAC CTGATCTTTA	660
ATCCGCTGAC TAAGAATAAC AATCAAAGTC CCTACCATCA GCGTTACAGC TAGAGAATGC	720
CCACTTGGGA AGGAAAATCC CTTCTCCTCC ACCAGATGTA AAATAGCTGG TCGTGGGCGC	780
TGGTAGATAT TTTTAAAGGT CACGATTAAA AGACCTGCCA AAGCCAGATT TCCCAGCATG	840
AAGAACTTT CTATCTTCCA TCGCTTACGA TAAAAGACAA AAGCTGTAAT GACAACCCAA	900
GTGATAATCA CTGGGATATC AATCAGACGT GTGAGGGCTC GAAAAGAAT AGTCAAATAA	960
TCTGGTAAGT CTCTCGAAT GGCAGTCTGA ATCGATTGGT CAAAATTGAC CAACATTTC	1020
GGGTAAATTT TGACCATGTA GCCAAGAATA ACGAAAAGTA AAAGGGCAAA ACTGCCCTTC	1080
ATTAAAAATG TTTGTTTATC TCTCATAATG TTTTAAGGTT GGTTTCAAGA GAACATACAA	1140
CAACCAGAAT GAAACGGAAA AGATAACACC TTCAATCAAG TTAAAAGGTA ATACCATGGT	1200
CATTAGTAG TTGGAAAGTC CAAAATTTT TCCAATATCA AAGTTAGCAA ACTTAGCGTA	1260
CAAAGGAACA GCATAACAT AGTTGAGAAC CAACATGGCC AAGGTTAAAC CAATAGTTCC	1320
AGCTAGAGAG CCTAGTAGGA AACGAAGGT TGTCCGTTC TTTTCCAAA TCAAAGCAAA	1380
TACGATGACA AAAACTCCCA AAGCTACGAT ATTCATCGGC AAACCAATGT AAGTATTAC	1440
TCCTTGCTG TTAAGAAGCA ATTTCAAGAG TGAGCGAAGC AAGAGCACTC CTAGAGmCsc	1500
AGGCAAAATCC ATGACCACCA GACCCACAAG GACTGGCAAG ATACTAAATT CGATCTTGAG	1560
GAAAGATGCC GCTGGTAAAA GCGGAAAGTC AAAGTACATC AGCAGAAATG AGATGGCTGA	1620
TAGAATGCA ATGGTCGAAA GTCGACGTGT GTTGTGCATA ACAGGTTCTT CCAATTTCT	1680
ATAAAATCAG AAGAAGTTGG AAAGGATTCC TCTATCTATT CTCACCTTTT ATATCCCAA	1740
AGTTCCTCT TACTCTATTA AAGAAAAACA AAGCAAGTGG TTACAATCCG GCTATAAATC	1800
TATCAAAACA GACAAGGCTA TTCTTTCGTC TTCTCCCATC CAGACTATAC TGTCGGTTGT	1860
GGAATCTCAC CACATCACGT TGCCTCACG GACTTCTTTA	1900

(2) INFORMATION FOR SEQ ID NO: 220:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4692 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1230

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 220:

GGTTTTCCAG CAGGAGCTTC TCCTTTATCA GAATGACCAT CCCATCTGCT CACGATAGAT	60
GAATAATGAT ATTTTTTACC ATGATAGTAA TTTGAAAAAG CCTAACCACC TCCTGAACCT	120
TCTCCATATG TCCATACTCC TCCATCTGGA TATTATACAG CAGCTGATGC AGCTCCCAAT	180
AATGTAAAC TTGAAATAAG AGCTAGAGCA AGTAATCTAT GTTTTTTCGT TTTCATTTTA	240
TTTTTCTTT CAAAAAAGC ACACCTTGAG CAACAATGCA ACAAATAAA TCCTCCTCTC	300
TCTTTTATTG AAACCGCTTT CTTATGTGAT AAGAATAACT TTTTATATAT TTGTTGTCAA	360
GGAAAAATC GAATTTTTTA GATATTTTAC TATATTACCT CTGTGAATAA TATTATATAG	420
TAGTTTTATT TCAAAATAAT ATGCAACCAG TACTAACCAA ATATAAATA GATGCCATTA	480
ACGAATTTTA TTCAAGTTT TCCCATTCAT ACTATACAAG TAAAGAGAT GGTGTTAACT	540
AAAAAGCAAT TCAAACTATT GTAAATTCC TAGCAAAAAG AGAGCCGAAA CTCTCTTTT	600
TATCTTCTTT TACTTTTTTT GACTGGCATG AGTGTGATGT CTCTAACT AAAGTAAGCT	660
AGGATCAACA TGCTATGTC TAGGAATATT TCTGTTGGTA ATTGAAAAAT TTTCAGAAAA	720
GATAGAACCA ATAAATCAA GAGTGCCACT AAAATACATA CCATAGCGAC GATATTGACA	780
GTCCCTTTAA TGCTTTCTGG TGTCGCAAAT ACATAGASTA GGAGCAGTAA AATTCCTAGG	840
ACTAAATAGA CCATCTTCT CTCTTCTAG CTCTTATCA GCTGATTTT TCTTCTGT	900
AGCTTCTCA CGCTCTGCTT TGTTAAGGAT TTGTTTACGC AAACGGATAG ACTCAGGCGT	960
TACTTCCATG TACTCATCGT CGTTCAAGAA CTCAAGAGAC TCTTCAAGTG TCAAGATACG	1020
AGGCGTCTTG ATAACAGCTG TTTGGTCCTT AGTAGCTGAA CGAACGTGG TCATTTGTTT	1080
TGCCTTCGTG ATGTTAACTG TCAAGTCATT TTCACGAGAG TTTTCACCGA TGATCATTC	1140
TTCATAAACC TCAGTACCTG GGTGACAAA GATCGTACCA CGTTCTTCGA TAGACATGAT	1200
TGAGTAAGTT GTAGCCTTAC CAGCATCGAT AGAAACAAGG GCACCACGGT GACGTCCACC	1260
AATTTCCCTT GGAATCAATG GCAAGTATTG GTCGAAGGTA TGGTTCATGA TACCGTAACC	1320
ACGAGTCATT GATAAGAACT CAGTTGAGTA TCCAATCAA CCACGCGCTG GAACAAGGAA	1380
GACCAAACGA GTTTGACCAT TACCAGTTGA AATCATATCC AACATTTAC CTTTACGTT	1440
AGAAAGGCTT TGGATAACAG ACCCTTGGTA TTCTTCTGGA GTGTCGATTT GTACACGTT	1500
AAATGGTTCA CATTTAATAC CGTCGATTT TTTTACGATA ACTTCTGGAC GAGATACTTG	1560
AAGTTATAG CCCTCAGC GCATTGTTT GATAAGGATT GACAAGTGCA ATTCTCCACG	1620
TCCTGAAACA GTCCATTTAT CTGGTGAATC AGTTGGGTCA ACACGAAGG AAACGTCTGT	1680
TTGCAATTCT GCCTGCAAGC GTTCTTCCAC CTTACGAGAA GTTACCCATT TACCTTCTTT	1740



1231

ACCAGCAAAT GGTGAGTTGT TGACCAAGAA AGTCATTTGA AGAGTTGGCT CATCGATGTG	1800
TAGGATTGGA AGAGCTTCTA CTGCATCTGT CGGAGTGATG GTTTCACCGA CAAAGATGTC	1860
TTCCATACCT GAAACGGCAA TCAAGTCACC CGCTTTGGCT TCTTGGATTT CACGACGTTT	1920
CAAACCAAAG AAACCGAAGA GTTTTGTAAC ACGGAAGTTT TTAGTTGTAC CGTCAAGTTT	1980
AGAAAGGGTA ACTTGGTCCC CAACCTTAAC TGTACCACGG AAGACACGAC CGATACCGAT	2040
ACGTCCAACG AAGTCATTGT AGTCCAAAAG TGACACTTGG AACTGCAAAG GCTCATCTGA	2100
GTTATCTACT GGAGCTGGGA TATGGTCGAT AATCGTGTCA AAGATTGGTG CCATAGTCGC	2160
TTCTTGGTCA GCTGGATCAT CTGACAATGA AGAAGTTCCG TTGATCGCTG AAGCATAAAC	2220
CACTGGGAAA TCAAGCTGGT CGTCATCTGC ACCAAGCTCG ATGAAAAGTT CCAAGACTTC	2280
ATCCACTACT TCTGCTGGAC GAGCTGATGG CTTATCGATT TTGTTAACAA CCACGATTGG	2340
GACAAGGTCT TGTTCCAAGG CTTTTTCAA TACGAAACGA GTTTGTGGCA TGGTTCCTTC	2400
ATAGGCATCT ACGACCAAGA CAACACCGTC AACCATTTTC ATGATACGCT CAACTTCTCC	2460
ACCAAGTCC GCGTGTCTG GTGTGTCCAT AATGTTGATA CGAGTTCCTG TGTAAGCAAC	2520
GGCAGTATTT TTAGCAAGGA TGGTAATTCC ACGCTCTTTT TCGATATCGT TTGAGTCCAT	2580
AGCACGCTCT GCCAATTCAG TCCGTGCATC AAGCGTTTCT GATTGTTTCA ATAATTCGTC	2640
AACCAGGGTT GTTTTACCCT GGTCAACGTG GCGGATAATC GCAATGTTAC GGATATCTTC	2700
TCTTAATTTT GTCATGATTT CCTCTATAAT ATTCAAAATT TATTTTCTAA CTGAACGATT	2760
ATACCATAAT TTCAAATAAA TAACATAACT CAAGCAAGTG TAAATGTTTT CACTCTGCTT	2820
TTCTTTTCAC GTCAAGCCTT TTCAAAGCGA GCGACTTATG ATAAGATAGG CACAGTATGC	2880
GTTTAGATAA TTTATTAGCT CAAGAAAAAA TCAGCCGAAA GGCCATGAAG CAAGCACTCC	2940
TCAGAGGGGA AATTCTAGTC GATGGTTGCC CAGCCCGCTC CCTAGCTCAA AATATCGATA	3000
CAGGACTACA AGAACTCCTT TTTCAGGATC GAATCATTCA AGGCTATGAA CACACCTATC	3060
TTATGCTTCA TAAACCTGCT GGTGCCGTTA CAGCCAACAA AGACAAGGAA CTTCCGACCG	3120
TCATGGACCT GCTTCCATCT AACATCCAGT CTGACAAGCT CTATGCCGTT GGCCGACTGG	3180
ACCGAGATAC AACGGGACTC CTCCTCTTGA CCGATAACGG TCCCTTGGGC TTTCAGCTCC	3240
TCCATCCCCA ATATCATGTC GATAAGACTT ACCAAGTTGA GGTTAATGGA CTTCTAACAC	3300
CTGACCATAT CCAAACCTTT CAAAAAGGAA TTGTCTTTTT AGATGACACT GTCTGTAAAC	3360
CCGCAAACT AGAGATTCTA TCTGCAAGTC SCTCCCTCAG TCAAGCCTCT ATCACCATT	3420
CAGAAGGAAA ATTTTCATCA ATCAAGAAA TGTTCCTCTC GGTTGGTGT AAGGTGACTA	3480

1232

GCCTCAAAAG AATCCAATTT GGGGACTTCA CATTGAACCC AGATTTAGCA GAAGGTAAC 3540  
ACCGCCCTTT GAACCAAAAA GAGTTACAAA TCATTAAAA CTATTTAGAG ATGAGTCGAT 3600  
AAAACAAAAA AAGCTTTAAA ACTAAAGCTT TTTCTTTTA TTTACCGAAA AATTAAGGCG 3660  
ATTGCTACAA TCCAGTTAAC TACAGAAATC ACAATTCCTA AGATATTAAG AATCTTTTCT 3720  
ATTTTATAGT CTAATTGTGA CTCTTTTGG TATGAAATAG CCAAGACCAA TCCTATGATA 3780  
CCCAAAATCA GGCCTACAAT TGGAAATAAC AAACCAAGAA TAATCGACAA GATACCCACA 3840  
AAAAGTGAT TTTTCTTCTT TTCTTTTATG TTCTAAGAAC TCCTTAAATT TTATACAAAT 3900  
TAATTATACT ATAAACAAT AGCTTCATCC TATCATTCGA CTAATTTGGA AATAAGGTTA 3960  
GCTAGTCTTC ACTTTCCTT TCCAAGAATC CAAGCCATAA GAAAGGATAT AAATCTCAGA 4020  
AAAACCTTGT TTTTCAAGT AAAGAGCTGC ATTTGTAAC CGTTGCGCAC GTTGGTTTTC 4080  
GTAGAGAAGG ACAGGTTTAT CTTTACGAAG GGCTGCAAGA CTAGTTTTC ACTGACTTGA 4140  
AGGAATATTG CGTGCACCAA GGATATGTTT TCTGTGGAAT TCTGCTGGT CGCGCAAATC 4200  
AATCAATTGA CCCGTACGAA TCAAGGCTTC AAATCCTCA TTGTCCCAA TTTAGCCGC 4260  
ACGGCGAATA CGAAGATAGT TAAAGCCCAT CCACGCCAAC ATTGCTAGTA TAAGTGCCCA 4320  
CAAAATCCAA GTAACCATTA GTTCTTTTCT CCATTTTCT CAATATAATC CAATTCTACC 4380  
TTGTGCTCTC TGCGAAGAAC TGCTTCTGCC TCTAGATAGT CTAATTTATC CATCAACCCT 4440  
GCATCGTAA TCCGAGATAG TTCCAATTC ATCAGTTCAA TATCATATAA GCGTTTTC 4500  
ATGTAAACAA TAATACCAA TCGTTTGAGG AATTGCTGCA CATCATAGAA TGTTTTCATA 4560  
AGACTCATTC TAGCAAAATT TTGTGTTTTT TTCAAGAAGA GACTCACACA ATGCTCCTTA 4620  
TTTTCCTATC TTCTTTAGCG ATTCTAAGGC AAGTATGGTA CAATAAAAC ATGGGGATTC 4680  
AACAATTACA TT 4692

(2) INFORMATION FOR SEQ ID NO: 221:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 706 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 221:

GCTAAAAAGC TGATAATCTT CGACTCCTGT ATATGATGTG TCTTTTCATG TAAGACACGC 60  
GCCGCCAGAA TCATGGCAAG AGCTGCAAGA CTGGCAAGTA AGAAGCCGAT AAGATAGGCA 120  
AAAAGATAAG TGAATTTGAC AAAGAAAGTC AAAAGAACTA GGAAACCAA GCCTCCTCCA 180

1233

AAAACCTACCA AAGTCTTTCG TAAATCCCAG ATTTTATCCA ACTGCTTGAC GAGGGAAGTC 240  
GTCTGACGAA CGCCTACAAT AGTTGCTAAC ATACTTCCTA AAAAGAATGG ATAGACATGA 300  
GTTAAACTGG AGAAATAAAC AGAGGAATAA GAGGTCACTA GAAACTACC AATAAACATG 360  
GAGAAGAAAC TGATCAAGAA GGCAACAGCA GATAAGAGAA AGACCATCCC CTTCAACTGA 420  
CCATTTGATT TAGCTTGTTC GGATAAGAAC CAAACTGCCA ATCCCCAAG AATATAGTAG 480  
TGAACCTCAA CTGCCAAACT CCAATTATGA ACAAACAAAT GAGGAATGAA CTGAGATTCA 540  
TAACTCCAC CTGTTAGGAG TTCATAGAAG TTGGTCATAA AGCCTAAGAC GCCCGCAATC 600  
TGGCCACCAA TTCCAGCAAC ATAGTCTTGG CGAACCAAGA AAGTAAAGG CATGGTCACC 660  
AAGACCATCA AAACCACAGG TGGCACAATC TCGATAAAG CGTCTT 706

(2) INFORMATION FOR SEQ ID NO: 222:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 3236 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 222:

CAGCTGATGG GCAATATCAG TCATAGAAAT TTTTCAATT AACTTTTGAG CAATTTTGTG 60  
GTTGATGATA CGAGGGATTT GGTGATTTT CTTTACCAGG GGAGTCTCAG CAACCATCAT 120  
TTTGAACAG TGATAGCACT TGAACGGCG TTTTCTAAGG AGAATTCTAG AAGGCATACC 180  
AGTTGTTTCG AGGTAAGGA TCTTAGACGG TTTTGAAAG TCATATTCT TCATTAGACT 240  
TCCACAATCA GGGCAAGATG GAGCCTCATA ATCCAGCTTA GCGATAATTT CTTGTGGGT 300  
ATCCATATTG ATGATATCTA GAATCTTGAT GTTGGGTCT TTAATATCGA GCAGTTTGT 360  
GATAAAATGT AATTGTTCCA TATGATTCTT TCTAATGAGT TGTTTTGTCT CTTTTCATTA 420  
TAGGTCATAT GGGACTTTTT TTCTACACAA AAATAAGCTC CATAATATCC ATAGGGGATT 480  
TACCCACTAC AAATATTATA GAGCCCGAAA ATATGGGAAA ACTGATCCTT GTTCTGCTT 540  
TTGTCTATAG AAGAATAATA AAGATTATCT TCTTCAATT CTCCGATATT CTCTAAAGTT 600  
TTGTGCAAGT TGCACAGAAC TTGTTTATTT TTTGGTCAT CTTGCCATAG AAATATAAAG 660  
CGTTTTCTATA TATAATATAA TTATCAAAAG ACAAAGGAG TTCACCTCAT GGTAGAATTG 720  
AATCTTAAAA ATATTACAA AAAATATCCA AACAGCGAAC ACTATTCAGT TGAAGATTTC 780  
AACTTGAACA TCAAAGATAA AGAATTATC GTTTTCGTAG GACCTTCAGG ATGTGGTAAA 840

1234

TCAACTACAC	TCCGTATGAT	TGCTGGTCTT	GAAGACATTA	CAGAAGGTAC	TGCATCTATC	900
GATGGCGTAG	TTGTCAACGA	CGTAGCTCCA	AAAGACCGTG	ATATCGCCAT	GGTATTCCAA	960
AACTACGCTC	TTTACCCACA	CATGACTGTT	TATGACAACA	TGGCTTTCGG	TTTGAAATTG	1020
CGTAAATACA	GCAAAGAAGA	CATTAACAAA	CGTGTTCAAG	AAGCAGCTGA	AATACTTGGA	1080
TTGAAAGAAT	TCTTGGAACG	TAAACCAGCT	GACCTTTCAG	GTGGTCAACG	TCAACGTGTT	1140
GCCATGGGGC	GTGCGATTGT	CCGTGATGCG	AAAGTATTCT	TGATGGACGA	ACCTTTGTCA	1200
AACTTGGATG	CCAAACTTCG	TGTATCAATG	CGTGCTGAAA	TCGCTAAAT	TCACCGTCGT	1260
ATCGGAGCTA	CAACTATCTA	TGTAACTCAC	GACCAAACAG	AAGCGATGAC	ACTTGCAGAC	1320
CGTATCGTTA	TTATGTCAGC	TACTAAGAAC	CCTGCTGGTA	CAGGTACTAT	CGGACGTGTA	1380
GAACAAATCG	GTACTCCTCA	AGAACTTAC	AAAAATCCAG	TTAACAAATT	CGTTGCAGGA	1440
TTTATCGGAA	GCCCAGCTAT	GAACCTTCATC	ACCGTGAAAT	TGGTTGGTAG	CGAAATTGTT	1500
TCTGACGGTT	TCCGTTTGAA	AGTGCCAGAA	GGAGCATTGA	AAGTTCTTCG	TGAAAAAGGC	1560
TACGAAGGAA	AAGAATTGAT	CTTTGGTATC	CGTCCAGAAG	ACGTGAATGC	AGAACCTGCT	1620
TTCTTGAA	CATTCCCAGA	CTGTGTTGTA	AAAGCGACTA	TCTCTGTATC	AGAACTGCTT	1680
GGTTCAGAAT	CTCACCTTTA	CTGTCAAGTT	GGTAAAGACG	AGTTTGTTCG	AAAAGTTGAT	1740
GCTCGTGACT	ACTTGCAAAC	AGGTGCAACA	GTTGAGCTTG	GATTTGACTT	GAACAAAGCA	1800
CACCTCTTCG	ATGTAGAAAC	TGAAAAACA	ATCTACTAAA	ATAAATAAAA	TTCAAAGCAC	1860
TACAAGAAAA	GATATCTCTT	TATCAATTGT	AGTGGAGAGA	TATCAGTTAA	TCTAGGGAGA	1920
GAAACAAAAT	GCTTCTCTCC	TTTTTGCTAG	AGAAGTCATA	TTATGCATCT	ATATTGTGAT	1980
GCTCTTTAAT	ACTCTTCGAA	AATCTCTTCA	AACCACGTCA	ACGTGCGCTT	GCCGTACGTA	2040
TGATTACTGA	TTTCGTCAGT	TTTATCTGCA	ACCTCAAAGA	TGTACTTTGA	GCAGCTTACG	2100
GCTAGTTTCC	TAGTTTGCTC	TTTGATTTC	ATTGAGTATT	ATTTGTGGGT	ACCATCTACA	2160
AGTGAAGCTA	TATGCGTAAA	CTACGTGAGC	AATTGAATTC	GAAGTAGAGA	GGTAATAATA	2220
AATTTATGCT	ATAGTTATGG	TGACTTGTAT	GCTTTTGATT	CTAGTTTATC	AAATAATAGA	2280
TTAGAATTGT	CAGATAATAT	CATTTTGTGT	TATAATGAAG	AAAAACAGA	GGTGTTCAAA	2340
TGTCAGAAAG	AGGTCATAAG	TTTTTAGCAA	AATTGGGGAA	AAAACGCTTA	CGTCCAGGTG	2400
GAAAGCGTGC	CACAGATTGG	TTAATTGCAG	AAGGAGGATT	TTCAAAGAA	AAGAGAATAC	2460
TAGAGGTTGC	GTGTAATAGG	GGAAGTACAG	CAATTGAGTT	GGCACAGCGT	TTTGGTTGCA	2520
AGATAACTGC	TGTTGATATG	GATGCTCAAG	CTTTAGAAGT	GGCTAAAAAA	TCTGCTGGAA	2580
CGGCAGGTGT	TGCTCATTTA	ATCAGTTTGT	AAAGAGCAAA	TGCAATGAAA	CTTCCTTATC	2640

1235

AAGATGCTAG TTTTGATATT GTTATAAATG AAGCTATGCT GACTATGCAA GCCGATCAAG	2700
CTAAGAAAAA ATGTGTAATG GAATATCTAA GGGTATTAAA ACCTGGAGGT CTCTCTTGA	2760
CACATGATGT GCTTCTTAAG GAAGCTAAAG AGTCTATCAG ACAGGAATTA TCACAAGCAA	2820
TTCATGTAAA TGTAGGTCCT TTAAGCTCAAG ATGGTTGGGA ACAGGTGATG ATAGAATCAG	2880
GTTATTGTGA TGTGAAAGCA TTGACTGGTG AAATGACATT AATGAAATTA TCGGGTATGA	2940
TTTATGACGA AGGTTTGCTA GGAACCTTGA AAATTTGTGT AAATGCTTGT AAAAAGGAGA	3000
ATAGAAAGCA GTTTTAACT ATGTATAAAA TGTTCGCTAA GAATAACAG AAATGGGCT	3060
TTATGCGAT GGCTAGTTAT AAATCGTCAA AACGTTAGAT AATTATTGAA GTTAACTTTT	3120
CCTTTTCTCT TTCTTAAAAA ATATGCTATA ATAGAGAGTA AAAAAGCTTG AAAGAAAGAA	3180
AAAGATGAAT TTAAGGATT ACATTGCAAC AATTGAAAT TATCCAAAGG GTACCG	3236

(2) INFORMATION FOR SEQ ID NO: 223:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2885 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 223:

CCTGACTTTT CAAATTGGTT AGTTGCCAC ACTTGGTTTA TATGGTCGTG GAAAGCATGG	60
CTATTACTTC TCAAAGGGCG ATTTCTCACC CCATGAAAAG TGTCTATTTT TGTTTAGGTT	120
TGTAAGTTAA TTCATTGTCA CATATTACTC TTAACTGAT TGAGTGAGTA CCGCTTATAT	180
TTGATGCCAA ACGCCTTAAA AGTGTACCC TCAAGTCCTT TTAGAATACG GCTATAATTC	240
CGCTCATTGT AAATATCTT AAGCTCATCA CTATCTAGGT TGGTATTAAA AATGGTATTT	300
TCACGATTGT TTAGCAGGTC AAAGAGTAAA TCCTGCTCCC AGTCACTCTT AGGCTTAATA	360
ACAGCATTTT TTGCTCCTAA ATCATCAATA ATTAAGTAAT CAACAGACTT CATGAGTTCA	420
GTAGCTTCAA ACTCTGTAAG TGTGACCTT TTACCATAAT TCCACCCCTC TTTAATTTGT	480
TTGATCATTT CGGTTAGGCT TACAAAAAGC AACTCTTAG GTTCTCCTTT TGTCTTATAC	540
CCCTCATTTA TACCTTTGGC AATAGCAACT GATAAAAGTG TTTTCCAAT CCCTGTACCT	600
CCTGTGATAA GCGTATTTCC CCTCATGCCA TCAAGATATT TTTGTACCTG ACCTTTTGCA	660
AATTCTAAAA ATCGCTTTTC TTCTGATGTT ACAGCATTA AATCATCAA AGTTTATGTT	720
TTAAACTCAT CTGCTACATA GCTCTTATTG CTCATCAACA CATTATAAGT TTGCATATAT	780

1236

AGTTTAGCAT TCAAATTATC AGCAATCGCA TCTTCTTCAT CTGCTTTTT CTGTTCTTCT	840
TGGCATTGTT CACAATAGGG TGGGATACAG CGAACTTCTT TTATTGCCCTC TCCGTTCTCA	900
TTCCACCCCA CTACTACATG TCTTCTCCT TTGATTGTG TTAGCTGTAT TTCATGCTTA	960
GGACACAATT CGTCTAGTTT AAATGTCTCA ATATTTCTTA AACTAGATTG TAATGATTTC	1020
ATTTTCTGAC CTCCTAAAAT GGTTTTCTT GTGTTGGTAT CCAATCTCA TAGCTGGTAG	1080
GCTCTAGTTG ATTGGTTTGC TGTTTTTTAG CCTCACGCGC TGCCCTGCTA TTTCTAACAA	1140
GTTCCACCGT CAATAAATTG TCCTGTTTCC AACGGTTAAG GATTACCTTG ATGTATGCAA	1200
AGTTTGCTTT ACCCTGACTG ACAGCCTCTT TTAACGCCCTC ATGGATAAGC TCTGGGCTAA	1260
AATCTTCTAG CATATACTGC AATTCCTGAA TCTGTAACGG TGACAATGCT TTACCTGTCT	1320
CAGCTCGCTT CATATTCAAC AAGTCGTCTA TTTCCACACT GGTACTTTT TTATTTACAA	1380
AATCAGAAAT CAGTTGAAAA ATGTTTGGAC TTTGTAGCTG GATTTAGCC ATTACCTCAT	1440
CAAATCTGCT TGTGTCATG TTGTCTAAAT CTAGTGTCTAT TGCATTGCCT CCTCAAACCT	1500
CTCTATAAGA CAACTTTAT TTGCTTCTG AGTTCATTT TTAGAGTTAA AAAGAATATC	1560
TTTTAAGGTT ACAGTAGCCT CTAATACTC CTTTTCAGCA TGCTCTATAT ACGCCTGTTG	1620
CTCTGCTTCG TTCTCAAAAA AGTGCTTAGC TTGGCGTTTA AAGAATGCTT TTCGCATAGC	1680
GTCCATTTCA AAAATACCAG GGGCGAAAA CATTCCTGTA GTGCTTTTAG AGACCGCTTC	1740
GATTTTATGG CTTTCATTCA ATTCAGGAAG TTCAATCCAA AGTAAACGGG ACAACTCATC	1800
TTTGATGGAT TTTGTCTGAC TTTCCAATAA AGAAAGGATT CTTAGGCCAT TTTCTTCGCT	1860
AATTTCTCGC ATTTCTGCGC TAATCTGTC TATACGTCTA GTTAAATCT CATATGTTGT	1920
TTCTGTCATG TTTTACCTC TGTTCCTTG TTGGTGTGAT TTTTtagCTT ATTTTttTAC	1980
TTCTAAACAT CATGTCTTA ATTTCTGAT AACTCATTTT CAATTCATC ATAGCTATTG	2040
CCATATCCTC AAATGCCTGG TACTGCTCCA ACTCCTCACT AGTCAAGCTA TCGATACCGT	2100
TATAGCCCC ACGCTCTTCT CTTAACTGCT TAGCGTTCAT GTCTGTTACT GCCTTTAGTA	2160
GCAAGTTGTT CATGGTGCTA TGCGCGTGCT TTGGTGCAAT AGGCCATGTT TCTATACTGT	2220
CATGCAAGGT TTTTCTTTC GGTTTTCTA GCGCCCTCTG CAGACGAAT TCAGAAAGTT	2280
CCTCACGCAT TTCAAAGAAT GCTTTGACTA GGTTTAGTTT GAATTGCCGT ACTGTTTCGG	2340
TATTCTTTAA ATAAGTGATC AGAAAAGTAG CCTGTTGCTC GTTCAGAATA TAGGATTTTT	2400
TAGGTTGTCC TCTAGTATCT AATTTATGGA TTTTAAATCC AAGTATCCC AACTCTTCAA	2460
AGTCAGCCTT ATTTTCTCTT ATTAAGCGCG TGATAGTGTG GTGTTGTA CTAGCACATT	2520
CAGCGATGAT CTCGCTTGTG GTGTACGGCT CTTTCTTACC GTCCATGTAA ACTAGTTCCA	2580

1237

TTACGGTTCT ACCTCCTGTA TAAATCTGGT TAGCTTACTT TTTAATTGCC TCCTCTAGCC	2640
TCTTTTTTAG CCTCTAAAAC GGCTTTGGCT AGTGGTTAAT ATTATTTACC ACTTGTCTCT	2700
ATAAACGTGT TAGAGGCCTT TATAACGACT TGTATCGCTG TATCGATATC CTCCGTGGAA	2760
TAGTAGATTT ATTTTCTAAT ATCATTCAAG ACTTGTTTAA CCCATTCTCT GAAAGAAATA	2820
AAATTACATC TTCTTTATCC TTGGCATCTG CTTTGTCTGA GACAAATTAG AATGTCAATA	2880
CTTGG	2885

(2) INFORMATION FOR SEQ ID NO: 224:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 3144 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 224:

TATCAATCCT TTCCATTAT AGGAGCAACA GAGTGGGAGT AGTCATCTAA GGACTAATTT	60
ATGTATTTTT ACGAGTCAGT ATCTTGGGAT ACTGGTTTTT ACTTTTCTAG ACTTTTGGAC	120
TACTTGTAA AACTGGGATA ATTTTCGACT GTTTAACAGT TATTATGCAA AGTCTAAAAG	180
ATTAGAATG TCAAAACAAT CCGTCTAGGC TTGATTTTAT CCTTTATTTA CTATAAAATG	240
AGAAGGAAAA ATGTCAAAT TTTATATTGC AAATAGGAGA AATCATGACA AAAACATTAA	300
AACGTCCTGA GTTTTATCA CCTGCAGGGA CTTTAGAGAA GCTAAAGGTA GCTGTTTCAGT	360
ATGGAGCAGA TGCTGTCTTT ATCGGTGGTC AGGCCTATGG TCTTCGTAGC CGTCCGGGAA	420
ACTTTACTTT CGAACAGATG GAAGAAGGCG TGCAGTTTGC GGCCAAGTAT GGTGCCAAGG	480
TCTATGTAGC GGCTAATATG GTTATGCACG AAGGAAATGA AGCTGGTGCT GGTGAGTGGT	540
TCCGTAAACT GCGTGATATC GGGATTGCAG CAGTTATCGT ATCTGACCCA GCCTTGATTA	600
TGATTGCAGT GACTGAAGCA CCAGGCCTTG AAATCCACCT TTCTACCCAA GCCAGTGCCA	660
CTAACTATGA AACCCTTGAG TTCTGGAAAG AGCTAGGCTT GACTCGTGTC GTTTTAGCGC	720
GTGAGGTTTC AATGGAAGAA TTAGCTGAGA TCCGCAAACG TACAGATGTT GAAATTGAAG	780
CCTTTGTCCA TGGAGCTATG TGTATTTTAT ACTCTGGACG TTGTACTCTT TCAAACCACA	840
TGAGTATGCG TGATGCCAAC CGTGGTGGAT GTTCTCAGTC ATGCCGTTGG AAATACGACC	900
TTTACGATAT GCCATTTGGG AAAGAACGTA AGAGTTTGCA GGGTGAGATT CCAGAAGAAT	960
TTTCAATGTC AGCCGTTGAY ATGTCTATGA TTGACCACAT TCcAGATATG ATTGAAAATG	1020

1238

GTGTGGACAG TCTAAAAATC GAAGGACGTA TGrAGTCTAT TCACTAyGTA TCAACAGTAA	1080
CCAACTGCTA CAAGGCGGCT GTGGATGCCT ATCTTGAAAG TCCTGAAAAG TTTGAAGCTA	1140
TCAAACAAGA CTTGGTGGAC GAGATGTGGA AGGTTGCCCA ACGTGAAGTG GCTACAGGAT	1200
TTTACTATGG TACACCATCT GAAAATGAGC AGTTGTTTGG TGCTCGTCGT AAAATCCCTG	1260
AGTACAAGTT TGTCGCTGAA GTGGTTTCTT ATGATGATGC GGCACAAACA GCAACTATTC	1320
GTCAACGAAA CGTCATTAAC GAAGGGGACC AAGTTGAGTT TTATGGTCCA GGTTCCTGTC	1380
ATTTTGAAAC CTATATTGAA GATTTCATG ATGCTAAAGG CAATAAAATC GACCGCGCTC	1440
CAATCCAAAT GGAAGTATTG ACTATTAAAG TCCCACAACC TGTTCAATCA GGAGACATGG	1500
TTGAGCTCT TAAAGAGGGG CTTATCAATC TTTATAAGGA AGATGGAACC AGCGTCACAG	1560
TTCTGCTTA ATGTAGTTGT TTAGTTTAA AAAACTATGC AAAGCTCCAT ATACAACACT	1620
TAAACGAGAT TAAAGAATGG CGAAATCCCT TGATGCGCAA GAGATTAGCT GTCTTTTITA	1680
TTTTTTAAGT GATAAAGTCG GAGTTTAGGC ATCAAAGCCT ATCAAATTAA ACAAGAAGC	1740
GATGTCTTAG ATATTTTGAA AAAAATTAAT AAGCAGAAAA CTCTCTATTA TTTTGTGTGA	1800
GAGAGTTTTT TGTTAATAAA ATTTCAAAA ATGACATTTA TATATTGCAT TAAGTTAGAT	1860
ATATGATATA ATATTGTAA AAGAGGCGC AACTTTTAA AATTAAATGAG AATCAAAGAG	1920
AAAACCAATA ATATTAATGG AGGAATAAAA AATGTAAGTA AGCATTATGG TCATTCAATC	1980
ATCTCAAAG ATATAAATTT TGCACTTAAC AAGGGTGAAA TTGTGGTCT AGCAGGGAGA	2040
AATGGAGTTG GTAAGAGTAC GTTGATGAAA ATTCTTGTTT AGAATAATCA ACCGACTTCA	2100
GGTAATATTA TAAGCAGTGA TAATGTTGGG TATTTAATCG AAGAACCAAA ATTATTTTAA	2160
TCTAAAAAG GTTTAGAGAA TTTAAATAT TTGTCAAAT TATATGGTGT TGAATACAAT	2220
CAAGAAAGAT TTAGATGTTT GATCCAAGAG TTAGATTTGA CTCAGTCTAT TAATAAAAAA	2280
GTAAAGACCT ATTCTTTGGG TACAAAACAA AAATTAGCTT TGCTTCTAAC TCTCGTTACG	2340
GAACCTGATA TATTGATTTT AGATGAACCG ACTAATGGTT TAGATATTGA ATCATCACAA	2400
ATAGTTTATG CGGTTCTAAA AAAATTAGCT TTACATGAAA ATGTGGGAAT TTTAATATCG	2460
AGTCATAAAT TAGAAGACAT TGAAGAAAT TGTGAGAGAG TTCTTTTCTT GGAGAACGGG	2520
CTTTTGACAT TTCAAAAAGT AGGAAAAGAT AGTCATAATT TCTTGTTTGA GATAGCTTTT	2580
TCATCAGCTA CAGATAGAGA CATTTTCATT ACCAAACAAG AATTTTGGGA TATTGTTTAG	2640
GAAGAGGGAT TGAGAATTAC TATGTCTGGG AATATTCAAA ATAGTGAGCT TTTTAAATTT	2700
TTTAACGAAA ACTCTATTAA AGTAGTTGAT TTTGAAACTA AAAAAGAGAC GCTTAAAGAT	2760
ATTTACCTAA ATCGTTCAAA ATAAAGGAAG GTTATAATCA TGAAATTAAA TAAACAGAAG	2820



1239

AATCGGATGA TTTACGTCTT GTCTAATTTT CTATATGCTA TCTCAGTTTC CATTATTTAT	2880
GCTTTGAATG GCATTGTGTT ACTAGTCATA GTAAGTAAAT TGGGTATTCC AGGTGATTTA	2940
GGATTAAATT TTATAGTAGC TATTGTAGTC AATACAATTT TGTTAGTCCT GTTTTATTTT	3000
CTATTATCTT ACATTTTCTA TTTATACAAA TTGAAAAGTG GCTTGGTATw TGGTATTTTA	3060
GTAGCTTTAC TACTCTTTAT CTCTAATATA TTAAATACGA TGATGATGAA TACTAGTAAT	3120
GATTTGTTTA TCAAAGCAAT TGAA	3144

(2) INFORMATION FOR SEQ ID NO: 225:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 3766 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 225:

TACGGTATTA TTTTAAAGGA GAAAGAATCA TGAAATCAA AAAATGGCTT GGTCTAGCAG	60
CCCTTGCTAC AGTCGCAGGT TTGGCTCTTG CAGCTTGCGG AAATCAGAA AAGAAAGCAG	120
ACAATGCAAC AACTATCAAA ATCGCAACTG TTAACCGTAG CGGTTCTGAA GAAAAACGTT	180
GGGACAAAAT CCAAGAATTG GTTAAAAAG ACGGAATTAC CTTGGAATTT ACAGAGTTCA	240
CAGACTACTC ACAACCAAAC AAAGCAACTG CTGATGGCGA AGTAGATTG AACGCTTTCC	300
AACACTATAA CTTCTTGAAC AACTGGAACA AAGAAAACGG AAAAGACCTT GTAGCGATTG	360
CAGATACTTA CATCTCTCCA ATCCGCCTTT ACTCAGGTTT GAATGGAAGT GCCAACAAGT	420
AACTAAAGT AGAAGACATC CCAGCAAACG GAGAAATCGC TGTACCGAAT GACGCTACAA	480
ACGAAAGCCG TGCGCTTTAT TTGCTTCAAT CAGCTGGCTT GATTAAATTG GATGTTTCTG	540
GAACTGCTCT TGCAACAGTT GCCAACATCA AAGAAAATCC AAAGAACTTG AAAATCACTG	600
AATTGGACGC TAGCCAAACA GCTCGTTCAT TGTCATCAGT TGACGCTGCC GTTGTAACA	660
ATACCTTCGT TACAGAAGCA AAATTGGACT ACAAGAAATC ACTTTTCAAA GAACAAGCTG	720
ATGAAAACCT AAAACAATGG TACAACATCA TTGTTGCAA AAAAGATTGG GAAACATCAC	780
CTAAGGCTGA TGCTATCAAG AAAGTAATCG CAGCTTACCA CACAGATGAC GTGAAAAAAG	840
TTATCGAAGA ATCATCAGAT GGTTTGGATC AACCAGTTTG GTAATAAGAA ACAGGGAGGT	900
GGGAGAGAAA ATTCCACCTC TTGCTTTTGT ATAGAGTATA GATTGTAAAG AAGACTATTC	960
GTTCATAGAA AGGTAGAGAG AATATGGTTT TTCCTAGCGA ACAAGAACAG ATTGAAAAAT	1020

1240

TTGAAAAGGA TCATGTAGCC CAGCATTATT TTGAGGTTTT GCGTACCTTG ATTTCTAAGA	1080
AATCAGTCTT TGCCCAGCAG GTTGACTCA AGGAAGTCGC AAATTATCTG GGTGAGATT	1140
TCAAGCGTGT TGGAGCTGAA GTGGAGATTG ATGAGAGCTA TACAGCGCCC TTTGTCATGG	1200
CACATTTCAA GAGTTCGCGT CCAGATGCCA AGACCTTGAT TTTCTATAAC CACTATGACA	1260
CTGTGCCAGC GGATGGGGAT CAGGTCTGGA CAGAGGATCC kTTTACGCTT TCGGTCCGCA	1320
ATGGCTTCAT GTATGGGCGT GGGGTTGATG ACGACAAGGG TCATATCACA GCTCGCTTGA	1380
GTGCTTTGAG AAAATATATG CAGCACCATG ATGATTTACC TGTCATATC AGCTTTATCA	1440
TGGAGGGAGC GGAGGAATCG GCTTCAACAG ACCTAGATAA GTATTTGGAA AAGCATGCAG	1500
ACAAACTCCG TGGGGCGGAT TTGTTGGTCT GGGAAACAAG GACCAAAAAT GCCTTGGAAC	1560
AGCTGGAAT TTCTGGTGGC AATAAGGGGA TTGTGACCTT TGATGCCAAG GTAAAAAGCG	1620
CTGATGTGGA TATCCACTCG AGTTATGGTG GTGTTGTGGA ATCAGCTCCT TGGTATCTCC	1680
TCCAAGCCTT ACAGTCTCTT CGTGCTGCGG ATGGCCGTAT CTTGGTTGAA GGCTTGTACG	1740
AAGAAGTACA AGAGCCCAAT GAACGAGAAA TGGCCTTGCT AGAAACTTAT GGTCAACGAA	1800
ACCCAGAGGA AGTTAGTCGG ATTTATGGAT TGGAGTTGCC TCTCTTACAG GAGGAGCGGA	1860
TGGCCTTTCT AAAACGTTTC TTTTTCGATC CAGCGCTTAA TATCGAAGGA ATCCAGTCTG	1920
GTTATCAAGG TCAGGGTGT AAGACTATTT TACCTGCAGA AGCCAGTGCC AAGCTAGAGG	1980
TTCTGCTGGT TCCGGGCCTA GAACCGCATG ATGTTCTGGA AAAAAATCGG AAACAGCTAG	2040
ACAAAAATGG CTTTGATAAG GTAGAATTAT ACTATACCTT GGGAGAGATG AGCTATCGAA	2100
GCGATATGAG CGCACCAGCC ATTTCTCAATG TGATCGAGTT GGCCAAGAAA TTCTATCCAC	2160
AGGGCGTTTC AGTCTTGCCG ACGACAGCGG GGACAGGACC TATGCATACG GTCTTTGATG	2220
CCCTAGAGGT ACCAATGGTT GCATTCGGTC TAGGAAATGC CAATAGCCGA GACCACGGTG	2280
GAGATGAAAA TGTGCGAATC GCTGATTATT ACACCCATAT CGAATTAGTA GAGGAGCTGA	2340
TTAGAAGCTA TGAGTAGAGA TATTATCAAG TTAGATCAGA TCGATGTGAC TTTTCACCA	2400
AAGAAGAGAA CCATCACAGC GGTTAAGGAT GTGACCATTC ACATCCAAGA AGGGGATATC	2460
TACGGAATCG TTGGATATTC TGGAGCAGGA AAATCAACCC TTGTACGGGT GATTAATCTC	2520
TTGCAAAAAC CATCTGCAGG GAAAATTACC ATTGACGACG ATGTGATTTT TGACGGCAAG	2580
GTGACCTTGA CGGCAGAGCA GTTGCGTCGT AAACGTCAAG ATATCGGAAT GATTTTCCAG	2640
CATTTTAACC TGATGAGCCA AAAGACAGCA GAGGAGAATG TAGCCTTTGC CCTTAAACAC	2700
TCTGAECTCA GCAAGGAAGA AAAGAAGGCT AAAGTAGCTA AGTTGTTGGA CTTGGTTGGT	2760
TTGGCAGATC GTGCTGAAAA CTACCCTTCA CAACTATCTG GAGGGCAAAA ACAGCGTGTG	2820

1241

GCAATTGCGC GTGCCTTGGC CAATGATCCA AAAATCTTGA TTTCAGACGA GTCAACTTCT	2880
GCCCTTGATC CGAAGACAAC CAAGCAGATT TTGGCCTTGT TGCAAGATTT GAACCAAAAA	2940
TTAGGCTTGA CTGTTGTCTT GATTACGCAT GAAATGCAGA TTGTCAAAGA CATTGCCAAC	3000
CGTGTTCAGC TTATGCAGGA TGGGCATTG ATTGAAGAGG GTAGTGTGCT TGAAATCTTC	3060
TCAAACCCTA AACAACTTT GACTCAAGAC TTTATCTCAA CAGCTACAGG TATTGACGAA	3120
GCCATGGTCA AAATCGAGAA GCAAGAAATC GTGGAACACT TGTCTGAAAA CAGTCTCTTG	3180
GTGCAACTCA AGTACGCTGG AGCTTCAACA GACGAGCCAC TTTTGAATGA ATTGTACAAG	3240
CATTACCAAG TAATGGCTAA TATTCTCTAT GGAATATCG AAATTCTCGA TGGTACTCCT	3300
GTTGGAGAAT TGGTGGTGGT TTTGTCAGGT GAAAAAGCAG CGTTGGCAGG TGCCCAAGAA	3360
GCCATTCGTC AAGCAGGTGT ACAACTAAAA GTATTGAAGG GAGTACAGTA AGATGGAATC	3420
ATTGATTCAA ACCTATTTAC CAAATGTCTA TAAGATGGGT TGGGCTGGTC AGGCAGGCTG	3480
GGGAACGGCT ATCTACTTAA CTCTTTATAT GACAGTTCTT TCCTTCATTA TCGGAGGCTT	3540
CTTGGGGCTA GTGGCAGGTC TCTTTCTCGT CTTGACAGCG CCAGGTGGTG TCTTGAGAA	3600
TAAAGTCGTA TTCTGGATTT TAGACAAAAT TACCTCAATT TTTCGTGCGG TTCCCTTTAT	3660
CATCCTCTTG GCAATCTTGT CACCACTTTC TCACTTGATT GTTAAAACAA GTATCGGGCC	3720
AAATGCAGCC CTTGTCCAC TTTCTTTTGC AGTCMTTGCC TTCTGG	3766

(2) INFORMATION FOR SEQ ID NO: 226:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2520 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 226:

TGTTGCTGAG TTAATCGGTA CGTTCATGTT TGTATTCGTC GGGACAGGAG CTGTTGTTTT	60
TGGAAATGGT CTTGATGGCC TTGGTCACCT TGGAAATCGCC TTGCCTTTG GTTTGGCAAT	120
CGTGGTGGCA GCCTACTCAA TCGGAAGTGT TTCAGGTGCT CACTTGAACC CGGCTGTTTC	180
GATTGCTATG TTTGTAAACA AACGTTTGTC ATCTTCAGAA CTTGTAAACT ACATCCTTGG	240
TCAGGTGTTT GGAGCTTTCA TCGCTTCTGG CGCTGTCTTC TTCCTCTTGG CTAACCTCAGG	300
TATGTCAACT GCTAGTCTTG GTGAAAATGC CTTGGCAAAC GGTGTCACTG TCTTTGGTGG	360
TTTCTTGTTT GAAGTCATCG CAACTTTCTT GTTTGTATTG GTTATCATGA CTGTGACTTC	420

1242

AGAAAGCAAG GGCAATGGCG CGATTGCTGG TTTGGTAATC GGTTTGTCAT TGATGGCGAT	480
GATTCTTGTC GGATTGAAGA TTTACTGGACT TTCAGTAAAC CCAGCTCGTA GCTTGGCACC	540
AGCTGTCTTG GTAGGCGGCG CAsCCTTCAA CAAGTTTGA TTTTCATCCT TGCACCAATC	600
GCTGGTGGAG TTCCTGCAGC CCTTGTTGCA AAAAATTTCC TTGGAACAGA AGAATAATTG	660
AAACTCAAAA AGCCTTGCTC CTCATCTTGA GGAACAGGCG TTTTTCGTAT GATACTCTTC	720
GAAAATCTCT TCAAACCACG TCAGCTTCAT CTTGCCGTAG TATGGTTACT GACTTCGTCA	780
GTTCTATCCA CAACCTCAA ACAGTGTTT GATCTGACTT CGTCAGTTCT ATCTGCAACC	840
TCAAACAGT GTTTTAAGCT GACTTCGTCA GTTCTATCTG CAACCTCAA ACAGTGTTT	900
AAGCTGACTT CGTCAGTTCT ATCTGCAACC TCAAACAGT GTTTTAAGCT GACTTCGTCA	960
GTTCTATCTG CAACCTCAA ACAGTGTTT AAGCTGACTT CGTCAGTTCT ATCCACAACC	1020
TCAAACAGT GTTTTGATCT GACTTCGTCA GTTCTATCCA CAACCTCAA ACAGTGTTT	1080
GATCTGACTT CGTCAGTTCT ATCCACAACC TCAAACAGT GCTTTGAGCA ACCTGCGGCT	1140
AACTTCCTAG TTTGCTCTTT GATTTCATT GAGTATGACT TTAGCGGTTG TCAATTTTCT	1200
CTGGATAAAG GTCGTGTTGG AAGAGGCGTT GTTCTGCCAA GCCCTCATAC TTAGTTCCTT	1260
GCTTACCGTA GTTGTAGTAG GGGTCGATTG AAATGCCACC GCGCGGAGTG AATTTTCCCC	1320
AGACTTCTAA ATAGCGAGGG TCTAGCAAAGT TGACCAAGTC TTTCCCGATG GTGTGATAC	1380
AGTTTTCGTG GAAATCTCCG TGGTTTCGGT AGCTAAATAG ATATAGTTTG AGGGATTTTG	1440
ACTCGACACA GAGCTTGTC GGAATGTAGG AAATATGAAT CGTCGCAAAG TCTGGCTGAG	1500
CAGTGATTTG TCCCAGCAGA GACATATCGA GGATATGGTG ACGAATGCCC TGTTCCCTAG	1560
CGATTTCTCT AGTAATTTGA ATTTGAGGT GATGACGTTG GCCGTAGGCA AAGGTGACAG	1620
CTTCGACTGT TTCATAGTGT TGCATGACCC AGAAAAGGCA GGTGTTGAA TCTTGACCAC	1680
CACTAAAGAC GACCAAGGCT AATTGACGTT TCATAGTACT CCTTCCAAA TGGGAAATGT	1740
TCAGAGCACG CAAAAAGCTC CCATTAGGGA GCTAAAAAAT ACCAAATCGA GGTTTTTTTA	1800
GCGATGGCAT ATCCCAAACA TCGTAATATT CTAATTATAT AGTAAATGA AATAAGAACA	1860
GGACAAATCG ATCAGGACAG TCAAATCGAT TTCTAACAAT GTTTTAGAAG TAGAGGTGTA	1920
CTATTCTAGT TTCAATCTAC TATAGTCTAG CATATTTTTC GAAAAATGGC AAAGGGCAAG	1980
AAAAAGAGA CCAAAGAAAG TACTTGGTCT CTCGTTTGAT TAGCTCAATT CAGCAATGAT	2040
GGCCTTGATT TGTTCGTCTG TGTGAACACC TGCAACTTGT TTGACAACCT GGCCGTCTTT	2100
TTTGAAGAGA AGAGTTGGAA TAGACATGAT TCCAAAAGCA CGAGCTGTGT TTGGATTTTC	2160
ATCAACGTCC ATTTTAACGA TTTTCAAGAC ATCTTCTGAA AGTTCCTCAG ACAATTTGTC	2220

1243

CAAGATTGGA CCTTGCATAC GACATGGACC ACACCAAGTT GCCCAGAAGT CTACTAAGAC	2280
CAAACCGTCT TTTGTTTCTT GTTCGAATGT TGCATCTGTA ATTGCTTTTG CCATTGTATT	2340
TCTCCTTTTT TTAGTTATAT TGGCTTAAAT CTTGTTTCAT GAGATAGAAG AAGATATCTC	2400
CATAAGTCCC ATGGTAGTCC AAATTATGAC CCTTGTAAGT TAATTTTGG ACAGGGTAGT	2460
AkkCTGCGAC GCCGATAAGG CAAGCTTGT GCGAACGTTT AAAGTCTTCA TAAGACTCGG	2520

(2) INFORMATION FOR SEQ ID NO: 227:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5278 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 227:

ACTCAGTTAG ATTTGTTTT CAAAAACAAC GAAGAAAAG ACCATGTTGC TCTACTTGGA	60
AGAATTGGCT CCGAACGTGT TTATCGATAT ATTAATAAAA AATATTTAGA TTTACCGGAA	120
ACATTCGAAA ATTATAATGT TTTTGTACCA GAAGCTAATG GAAGTGGTGC CTTAGGTGAA	180
GTCTTATCAA CACCCCTAAT CGGGGAACCC CTAATCGGGC ATACAGATAC TTTTATCT	240
ATTGGTAATT TTAAACAAA ATTTGAAGCC GATGCTTGTA TTAAATTTAT TAAACTAAA	300
TTCCGTAGAG TATTATTAGG TGTTTTGAAA GTTACTCAGC ATAATTCACG CAAAACCTGG	360
TATTACGTCC CCCTCCAAGA CTTTACGGTC AATTCGGACA TTGATTGGAC ACAATCAGTG	420
ACTGATATTG ACCGCCAGCT TGATCAAAAA TATGACTTTT CCCCTGAAGA AATTGCCTTT	480
ATTGAGAATC ATGTAAGGGA GATGGATTAG AAAAGTATTT TTATTTGACA AATAGTGCTC	540
AATGATCTAA AATGACTATA TAGGATTAGG TCAGGAAGCA TACGATGCCC TGACCCPTTT	600
TGTACTTATG AGATGAGAAA GTCATTTGTT AGATAAATTG ACTCGTTAGC AAACGTTCAA	660
AAAAGGAAAA CTTATGCCAG TAGAAATTAA AACCCTAAA GAAATTCATC CTAAAATCTA	720
TGCCTACACC ACACCGACAG TAACCAGTAA TGAAGGCTGG ATTAAGATTG GGTATACAGA	780
ACGTGATGTC ACACAACGTA TCAAGGAGCA AACGCATACA GCTCATATAG CTACAGATGT	840
CTTATGGACT GGTGATGCAG CTTATACAGA AGAGCCTGAT AAGGGGAAAA CTTTCAAGGA	900
CCATGATTTT CACCATTTCC TTTCTTTCCA TGATGTAGAA CGTCGTCCCA AGACGGAATG	960
GTTCATTTT AATGGAATC CTGAAAAATC AAAAAATCTT TTTGATAAGT TTGTTACAGA	1020
TGATTGTCT GGTATCAGC CTGAAAAGG ACAGGACTAT ACTCTGCGAC AAGAGCAAGA	1080

1244

AGAAGCAGTT GCTAAGACAT TAGCTTATTT CCAAGAACAT GCTGGAGGCA AGTTTCTCTG	1140
GAATGCCAAG CCACGCTTTG GTAAAACCTT GTCTACCTAT GACCTAGCTC GACGGATGGA	1200
AGCTGTCAAT GTCCTAATTG TAACAAACCG CCCTGCCATT GCTAACTCAT GGTATGATGA	1260
TTTTGAAACA TTCATAGCAG GTCAAACGAC TTACAAGTTT GTTCTGAAT CAGATAGCCT	1320
TAAGAGTCGT CCAATCTTGT CACGACAAGA ATTTCTTGGT ATTTTAGCTG ACGATGTAAG	1380
ACAACCTGCT TTTATCAGTC TCCAAGACTT GAAAGGATCT GTTTATTTAG GTGGAGAGCA	1440
CGATAAACTC AAATGGGTAA CTGATCTGCA TTGGGACTTG TTGGTTATTG ACGAGGCTCA	1500
TGAAGGAGTT GATACCTTCA AGACTGACCA AGCCTTTAAT AAGATTCGAC GAAATTTTAC	1560
TCTGCATTTG TCAGGTACAT CATTTAAAGC ATTGGCTAAA GGAGATTTTA CAGAGGAACA	1620
AATCTACAAC TGGTCTTATG CTGATGAGCA GGCTGCTAAG TATTCGTGGT CTCTTGAGCA	1680
AGAAGAGGAA AATCCTTATG AAAGCTTGCC TCAGTTGAAT CTCTTTACCT ATCAAATGTC	1740
TCAGATGATT GCGGAAAAGT TAGAAAAAGG CGCTCAGATC GATGGTGAAA ATATTGACTA	1800
TGTTTTTGAC TTAAGTGAAT TTTTCGCTAC AGATGATAAA GGGAAATTTA TTCATGAGCA	1860
TGATGTCAGA AATTGGTTAG ATACTCTATC AAGCAATGAA AAATATCCAT TTTCAACCAA	1920
AGAACTCCGT AATGAAGTCA AGCATACTTT TTGGCTTTTA GAACGTGTCG CTTCGGCCAA	1980
AGCATTAATA GGCCTACTAG AAGAACACCC AATCTATGAA AACTATGAGA TCGTTCTAGC	2040
TGCTGGTGAC GGACGTATGT CCGAAGAAGA CGATAAAGTC AAACCAAAAT CCTTGGACTT	2100
GGTTAGAAAA GCGATAGCAG AGAATGACAA AACCATTACC CTATCCGTTG GTCAGCTGAC	2160
GACAGGTGTC ACTATCCCTG AATGGACAGG TGTATTGATG TTATCAAAAT TGAAATCACC	2220
AGCTCTTTAT ATGCAGGCCG CCTTCCGTGC TCAAAATCCT TACTCATGGA GCGATAACAA	2280
AGGAAATCAC TTTGCAAG AAAGAGCCTA TGTATTTGAC TTTGCGCCGG AAAGAACCTT	2340
GATTCTCTTT GATGAGTTTG CCAACAACTT ATTGCTTGTA ACTGCAGCTG GTAGAGGAAC	2400
TTTCTCTACA GCGAAGAAA ATATTAGAGA ATTATTAAC TTCTTTCCAA TTATTGCCGA	2460
AGACCGTGCT GGTAAGATGG TTGAAATTGA TGCAAAGGCA GTTCTAACCA CTCCTCGCCA	2520
GATAAAAGCT AGAGAAGTTC TTAACGAGG TTTTATGTCC AATCTCTTAT TTGATAATAT	2580
TAGTGGTATT TTCCAAGCAA GTCAAACAGT TTTAGATATT TTAATGAGC TGCCAGTTGA	2640
AAAGGAAGGG AAGGTACAAG ATAGTTCTGA TTTATTAGAT TTTTCAGATG TTACAGTCGA	2700
TGATGAGGGA AATGCAGTAG TAGACCATGA AATTGTAGTT AATCAGCAA TGCGACTTTT	2760
TGGTGAAAAA GTTTATGGAC TTGGTGAATC TGTTGCTGAG TTAGTCACAA AAGATGAGGA	2820
ACGAACTCAA AAACAGCTGG TCAATGACTT GAGTAAGACC GTTTCTTCAG TGATTGTAGA	2880

1245

GGAATTGAAA GCAGATTATT CTCTAAAAAC AAGGGAAACT GAGCAAATTA AGAAACAAAT	2940
TACAGCAACA CTTGAGAATG AAATTCGAAA AAATGATATC GAAAGAAAAA TTTCTGAAGC	3000
TCATATCAAG CAAGAGTTGC AACAGCAGCT CAAAGAAGCA AATGATAAAG CGCAAAAAGA	3060
TAAGATTCAA GAAGATTGG AAAACGTTT AGAAGAAAAA AAATCATTTC ATAAAGAAAA	3120
ACTAGAACAA AACTCAAAA AAGAAGTGGG AAAAATGCCT GAGAAATTTA TCGAACAGGT	3180
TGAGATAAAA CGTGTGGAAC AGTTGAAACA ATCAGCTCAA GATGAAATTC GTGACCATTT	3240
ACGAGGGTTT GCAAGAACAA TTCCAAGTTT TATTATGGCT TACGGTGATC AAATCTAAC	3300
ACTTGATAAT TTTGATGCCT TTGTTCTGTA ACATGTTTTT TATGAAGTAA CAGGGATTAC	3360
GATTGATCAG TTTAGATATT TCGGAGATGG TGGGCAGGAT TTTGCAGGGC ATCTCTTTGA	3420
TAAAGCAACA TTTGACGAAG CTATTCAAGA ATTTCTTCGC AAGAAAAAGG AGTTGGCGGA	3480
TTATTTTAAA GATCAAAAAG AAGACATTTT TGACTATATT CCACCGCAGA AGACCAACCA	3540
AATTTTCACT CCTAAACGAG TGGTGAAGG GATGGTAGAT GATTTGAAA AGGAAAATCC	3600
AGGGATTTTT GATGATCCAT CTAAGACTTT TATTGATTTA TATATGAAGT CAGGCCTCTA	3660
TATTGCAGAA CTTGTGAAGC GGTATATAA TAGCAATGGC TTGAAAGAGG CCTTTCCAAA	3720
TCCTGAAGAA CGCTTAAAC ATATTTTGA AAGCAAGTT TATGGATTTG CTCCGTCTGA	3780
GATTATCTAT AACATTTCCA CTAATTTTAT ATTTGGCAAT CTTTCTAAAG ATATCAGTAG	3840
GAAGAATTTT GTTTTAGCAG ATACCATTC AGCGGCTAAA GAAGGGAGCA TTCAAAAAGTT	3900
GGTTGATTCC TATTTTGAAA ATAATTAAAA AGAAGGCCGA GTCAAAATTC TTTGAAATCA	3960
GAAAAACGC ATAATATTGA GTGCTTTTGT ACTGCCCCC AAAAGTTAGA CAGAAAAAT	4020
CTAACTTTTG GGGGGCAGT CAGACAATCC TTGGTATTAT GCGTTTTATT GTGGGAAGAT	4080
GTATAATGGA TTGAAATAAG ATATGAACAA ATCAATTAGG AATTTAAAGC ATTTTATAAC	4140
AACGTTTTAG AGTAATGGG GGCTATTTCA ACTTCAACCT ACTATAATAC AGAAAAAAC	4200
AACTCCCTGA TAATTCAAG AGTTGTCTAT AGTTAAATTA GTTTTAGAA GCTTCTTGGA	4260
ATTCTGGGTT TTTCCATGCT TCGTCAATGA TAGCTTGTA TTCTTTAGCA GATGCTTGCA	4320
TTTTTTGAGT TTCTGCGTCG TTCAATGGGA TATTTACTGG ACGAACGATA CCATGTGCAC	4380
CAACAACAGC TGGTTGACCG ATAAAGACAT TCTCAACTCC GTATTGACCT TCTTGAATA	4440
CTGAAAGTGG AAGTACTGCG TTTTCATCGT CAAGGATTGC TTTAGTGATA CGAGCAAGGG	4500
CTACTGCGAT ACCGTAGTAT GTGACACCT TTTTGTGAT GATTGTGTAG GCTGCATCAC	4560
GAACACCTTC GAACAATTCA ATCAATTCAG CTTCTTGAAC ATTTTGAGTG TCTTTAAGGA	4620

1246

ATTCTTCAAG GTTTACACCA GCGATGTTAG CGTGTGACCA AACAGCGAAC TCAGAGTCAC	4680
CGTGTTCACC CATGATGTAG GCGTGCCTG AACGAGCATC CACATCCAAT TTTTCAGCAA	4740
GTGCTTGACG GAAACGAGCT GAGTCAAGTG AAGTACCTGA ACCGATAACG CGTCTTTTAG	4800
GGAAACCAGA GAATTTCCAA GTTGAGTAAG TCAAAACGTC AACTGGGTTA GCAGCAACAA	4860
GGAAGATACC TTTGAAACCA GATTCAACAA CTTGAGTTAC GATTGATTG TTGATAGCAA	4920
GGTTTTTACC TACAAGGTCA AGACGAGTTT CACCTGGTTT TTGAGGTGCA CCTGCAGTGA	4980
TCACAACAAG GTCAGCGTCT GCACAGTCAG AGTATTGAGC TGCATAGATT TTTTAGGTG	5040
AAGTGAAGGC AAGGGCGTGA CTAAGGTCAA GCGCATCACC AACAGCTTTT TCATGCAATT	5100
GTGGAATTC GATAATCCA AGCTCTTGTG CAATTCCTTG GTTAACAAGT GCAAAAGCGT	5160
AAGATGAACC TACAGCACCA TCACCGACAA GGATAACTTT TTTGTGTGT TTAGTTGAAG	5220
TCATGTGTTT AACATCTCC TTAATTTTAT TAGGGGATTT TCCCTAGACA ACTTCATT	5278

(2) INFORMATION FOR SEQ ID NO: 228:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1941 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 228:

ATAAGGAATC TCTAAAAAT TTAAAGGAGA ATCTAGCAAA TGGATTTCAC ATGGGCACTG	60
AAGTATGCCA CTGAATTTTT GGGAACTGCC ATTTTGATCA TTCTGGGAA TGGTGCAGTT	120
GCCAACGTTG AACTTAAAGG TACGAAAGGT CACCAAAGTG GCTGGATCGT CATCGCTGTT	180
GGTTATG GTA TGGGGTTAT GATCCCAGCC TTGATGTTG GTAACGTATC TGGGAATCAC	240
ATCAACCCTG CTTTCACTCT AGGGCTTGCA GTTAGCGGTC TTTCCCTTG GGCACAAGTG	300
GTACCTTACA TTATCGCGCA AGTCTTGGGG GCTATCTTTG GCCAAGCCTT AGTTGTGGCA	360
ACATACCGTC CATTCTACTT GAAACTGAA AACCCTAATA ACATCTTGGG AACTTTCTCA	420
ACTATTTCAA GTATTGACCA TGGTACAAA GAAAGTCGCT ATGCAGCAAC TGTCATGGT	480
TTGATTAATG AGTTGTGG TTCAATTGTT TTGTTCTTG CAGCTCTTG TTTGACTAAA	540
AACTTCTTTG GTGCTGAAGT GCTTCAATTC ATGAAACAAA AGGCAACAGA AGCAGGACAA	600
ACAGTTGATT TTTCTGACTT GGCTATTAAA GCACAGGTGG CTCCACACAC TGCTTCAGGA	660
CTTTCTGTGG CTCACCTGGC ACTTGGATTC CTCGTTATGG CTTTGSTAAC ATCACTTGA	720
GGACCTACAG GACCTGCCTT GAACCCAGCC CGTGACTTGG GACCACGCTT CCTTCATGCT	780



1247

TTCCTTCCCA AATCAGTTCT TGGTGAGCAT AAAGGCGATT CAAAATGGTG GTATTCTTGG	840
GTACCAGTAG TAGCACCTAT CGCAGCAGCA ATTGCGGCAG TAGCTGTATT CAAATTCCTT	900
TATCTCTAAG AAATAGCTCC TTAAACATTT GAGTGAGCAC CATCTATAAG TAAGAGAGGA	960
TCAGACTGGk TCTCTCTTTT kGATTTTtAG GGAAATGAAA GAAcTCTAAA CAAACTCCTC	1020
TCCAGCAGTG GTTTAGAAGT CTCAGTGGGC TATTCCAGCT TCAATGGACT ATAGTAGGTT	1080
GCAGTTGAAA TAATAGACCC TTGTTTCTAA AACATTGTGA GAAATGGTT TGAATTCTCC	1140
AATCAAATTG TGCAGTTTC ATTCTACTAT ATATTATCGG AATATTATCG GAGATGGGTT	1200
CCCTATCTTG TAAGTCTGCT TTATAGTGGG TTGAAGTTGG AATAGTCCTC CCTTCTTTCT	1260
CAAACATTGT GAGGAATTGA TTTACCTTCC TCAACAAAAT GTTCAGTTTC TATTTCAATT	1320
TACTATAAAA TAAGCGATTA GGGGGGCTAT TCTTCGACCT ACATTGACTC TGCTGAGTCC	1380
TATGATTGTT ATCGTTTAT CTGCAATTTT ATACTCAATG AAAATCAAAG GGCAAACATA	1440
GAAGCTAGCC GCAGGTTGTT CAAAACACAG TTTTGAGGTT GTATAGTAGA TTGAAACTAG	1500
AATAGTACAC ATCTACTTCT AAAACATTGT TAGAAATCGA TTTGACTGTC CTGAACGATT	1560
TGCCCTATTC TTGTTTCATT TTACTATATA AACCAGAGAC TGTTTACATT TTCAGCAAGT	1620
GAGTGGATGG ATAATGCTGA AAACCTCTTG AAGGATAAGT CTATTTAGTA CTTTCTATTA	1680
ATTAGTTAAA TTTTACCAA GAATAATTCA CAAAACGTT GTAAACACT TGCAATTTAG	1740
CTGAAATTTG ATAAATAGT AAGGAAAGTT AGACTGTATT GCCTACTGTC TATCTATAAA	1800
ATATATTTTA TTGGAGGCTT TTAATCAAAT GGCAAAAGAA AAATACGATC GTAGTAAACC	1860
ACACGTTAAC ATTGGTACTA TCGGACACGT TGACCACGCT AAAACTACCC TAACTGCAGC	1920
TATCACAACCT GTTTTGGCAC G	1941

(2) INFORMATION FOR SEQ ID NO: 229:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 755 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 229:

ATTTGAAGAA ATTGAAGAAA TCGTAGCCCC TACAGATGGT GAATTTTGG GGGAAGTTTT	60
ACTTGGAAC TGGGTAGTTC TCTTAATTGG AGTAGCCTGT TGTTAAAAAG ATAGGGAGTG	120
ATAATCATGC AAGATAACTT TTTATTTGAG GAAATTGAAG AAATTCAGT ACCAGTTAAT	180

1248

GATTTTTCAG CTGGACTTGC AACAGGTATC GGATTTGGTT TAGCAATCCT TGCTCTTGCT	240
GGTTGTTGAA GTTTGTTTCAT TTAATAACAT CAAGCTTTTT CAATTTTCATT TTAGACAGTC	300
ATTTAAATTT TCCGTATTAG TCTTGCAGCA AGAGATTAAT AGAATTAGTC ATTATTTTAT	360
TGATTGCCGA CTGAGGGACT AGAGTATGTT TTAATAACC CCTCTTTTAT TTATTAAAGG	420
TTAGGTTTGT TATGAGAATT GTTGATAAGA TTAAGATATT ACCTACTCCT TATGAGGGAC	480
ACTATCATTT ATATATACCA TCCAGTAAGA AACATGTATT AGTTGGGAAA CAGGAAAAAA	540
ATGGTTAGAG CAACTAATAG GTCAAGAATT TACCATATCG GACTTATTAG TGTTAGTAGG	600
GAAGAAATAT TTTTAAAAA TCTTGGGACT TTAATATAAC ATTATCTGAA AAATTAAACT	660
ATAAAGATT TAATAAGAAT TTTGAAAAA TCCTATCTTG TTGTCATTAT ATTTGCAACG	720
ATACATGAAA TTAGTCATGC AATAATTGCT AATAA	755

(2) INFORMATION FOR SEQ ID NO: 230:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1483 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 230:

CCAGAAAAAC CGTAGTGGAG CTCGTGAAC AGTGAATTG ATTTTCCAAA AAGAATACAA	60
TAAATTTTCA AGTATCTCAA AGAGGGAGGC ATAAGATGTC AGATGCATTT ACAGATGTAG	120
CCAAGATGAA AAAAATCAAA GAAGAAATCA AGGCACATGA GGGACAAGTC GTAGAAATGA	180
CTTTGGAGAA TGGTCGTAAG CGCCAAAAAA ATAGATTGGG TAAGCTAATT GAAGTTTATC	240
CATCTCTATT TATTGTGGAG TTTGGGGATG TGAAGGAGA TAAACAAGTT AATGTTTACG	300
TTGAATCCTT TACTTACTCA GATATTCTTA CAGAAAAGAA TTTGATTCAT TATCTTGACT	360
AAAGTGAGAA ATTTTCTCAC TTTTCTTTTT TTCTCCGAAT AATTTAGGTG AAGGCAATCA	420
TCGCTTTATA TTATTTTCA AGGAGGAAGA ATGAAAATTT TACCGTTTAT AGCAAGAGGA	480
ACAAGTTATT ACTTGAAGAT GTCAGTTAAA AAGCTTGTTT CTTTTTTAGT AGTAGGATTG	540
ATGCTAGCAG CTGGTGATAG TGTCTATGCC TATTCCAGAG GAAATGGATC GATTGCGCGT	600
GGGATGATT ATCCTGCTTA TTATAAAAAT GGGAGCCAGG AGATTGATCA GTGGCGCATG	660
TATCTCTGTC AGTGTACTTC TTTGTAGGCC TTTGTTTGA GTAATGTCAA TGGTTTGTAA	720
ATTCGGGCAG CTTATGGAAA TGCGAATGAA TGGGGACATC GTGCTCGTCG GGAAGGTTAT	780
CGTGTAGATA ATACACCGAC GATTGGTTCC ATTACTTGGT CTAATGCAGG AACTTATGGT	840

1249

CATGTTGCCT GGCTGTCAAA TGTAATGGGA GATCAGATTG AGATTGAGGA ATATAACTAT	900
GGTTATACAG AATCCTATAA TAAACGAGTT ATAAAAGCAA ACACGATGAC AGGATTTATT	960
CATTTTAAAG ATTTGGATGG TGGCAGTGTT GGAATAGTC AATCCTCAAC TTCAACAGGC	1020
GGAACTCATT ATTTAAGAC CAAGTCTGCT ATTAAAACG AACCTCTAGC TAGCGGAACT	1080
GTGATTGATT ACTATTATCC TGGGGAGAAG GTTCATTATG ATCAGATACT TGAAAAAGAC	1140
GGCTATAAGT GGTGAGTTA TACTGCCTAT AATGGAAGCT ATCGTTATGT TCAATTGGAG	1200
GCTGTGAATA AAAATCCTCT AGGTAATCT GTTCTTTCTT CAACAGGTGG AACTCATTAT	1260
TTTAAGACCA AGTCTGCTAT CAAAACGAA CCCCTAGTTA GTGCAACTGT GATTGATTAC	1320
TATTATCCTG GAGAGAAGGT TCATTATGAT CAAATTCTCG AAAAAGACGG CTACAAGTGG	1380
TTGAGTTATA CGGCTATAA CGGAAGTCGT CGTATATAC AGCTAGAGGG AGTGACTTCT	1440
TCACAAAATT ATCAGAATCA ATCAGGAAAC ATCTCTAGCT ATG	1483

(2) INFORMATION FOR SEQ ID NO: 231:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1027 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 231:

CCCGGAAAAC AAGTTAAAGT TGAAGTTGGT CAAGCAGTTT ACGTTGAAAA ATTGAACGTT	60
GAAGCTGGTC AAGAAGTTAC TTTTAACGAA TTGTTCTTGT TGGTGGTGAA AACACTGTTG	120
TCGGAACTCC ACTTGTGCT GGAGCTACTG TAGTTGGAAC TGTTGAAAA CAAGGAAAAC	180
AAAAGAAAGT GGTACTTAC AAGTACAAAC CTAAAAAGG TAGCCACCGT AAACAAGGTC	240
ACCGTCAACC ATATACAAA GTTGTCAATCA ACGCAATCAA CGCTTAATTT TAAGGAGAAC	300
ACATGATACA GGCAGTCTTT GAGAGAGCCG AAGATGGCGA GCTGAGGAGT GCGGAAATTA	360
CTGGACACGC CGAGAGTGGC GAATACGGCT TAGATGTCGT GTGTGCATCG GTTCTACGC	420
TTGCCATTAA CTTTATCAAT TCTATTGAGA AATTTCAGG CTATGAACCA ATCCTAGAAT	480
TAAACGAAGA TGAAGGTGGC TATCTGATGG TTGAAATACC AAAAGATCTT CCTTCACACC	540
AGAGAGAAAT GACCCAGTTA TTCTTTGAAT CATTTTCTT AGGTATGGCA AACTTATCGG	600
AGAACTATTC TGAGTTCGTC CAAACCAGAG TTATCACAGA AACTAACAC GGAGGAAAAC	660
ATTATGTTAA AAATGACTCT TAACAACTTG CAACTTTTCG CCCACAAAA AGGTGGAGGT	720

1250  
TCTACATCAA ACGGACGTGA TTCACAAGCA AAACGTCTTG GAGCTAAAGC AGCTGACGGA 780  
CAAACGTGTA CAGGTGGATC AATCCTTTAC CGTCAACGTG GTACACACAT CTATCCAGGT 840  
GTAAACGTG GTCGTGGTGG AGATGATACT TTGTTGCTA AAGTTGAAGG CGTAGTACGC 900  
TTTGAACGTA AAGGACGCGA TAAAAAACA GTGTCTGTTT ACCCAATCGC TAAATAAAAA 960  
GGTCCATTGA ACCTTTTATC CCGAACCTTG AAATGTAGAG GTGAGGAAGC TAGAAACAGC 1020  
TTAAAT 1027

## (2) INFORMATION FOR SEQ ID NO: 232:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1990 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 232:

CGGTTCAAAT GGTGCAGGTA AATCTACGTT AATTAATTCT ATTGTAGGTT TTCAAGAGAT 60  
TTATTTAGGA GAAATAGAGT ATTGTGATA AGATTGATA GTTAGTTCTC AACCTTTTGC 120  
TCATTTAGGC TTTACTCCTC AAACCACAGT AATTGATTTT TATACTACTG TGAAGGACAA 180  
TGTAATATTG GGGCTGAACC TTGCTGGAAA GTTTGGGAAA AATGCTGAGA AGTTGTGTCA 240  
AATAGCCTTA GAAATTGTTG GGTAGCTGA TAAAAAAAT AATTGCTAG AAACATTGTC 300  
AGGTGGACAA CTGCAACGCG TCCAGATTGC TAGAGCAATA GCTCATAATC CAGATTTTGA 360  
TATTTTAGAT GAACCTACCG TTGGTTTAGA TACTGAATCT GCCGAAAAAT TTTAATGTA 420  
TTTAAAGAT AAGAGTTTGG AAGGAAAAAC TATTATCATA TCTTCACATG ACATAAATCT 480  
ACTCGAAAAG TTTTGTAATA AAATACTTTT TTTACAAAT GGCTCCATAT CATTTTGTG 540  
TGATATGCGT GACTTTGTAG ATAATTCAAC TATCAAAATTA AATTTTCAA TGCAGAATAG 600  
AATTTCTAGA TATCAAAATG AATTTTGA GAATTTAGA TTTAAAGTTC ACATCGAAGA 660  
TAATGATAGT TTTACAATAG AAGTCCCTAT AGAAGAAAAG ATCTTAGATG TTATCAATGA 720  
GGTAGGAAAA GCATGTGAAA TAAAAAATT TTCAACAAGT AAATTAACCT TACAAGAAAG 780  
TTATTTGCAA AGAATAGGAG GAGAAAAATG AAGGCTGATC AATTAAGGCA CAAATCGGAC 840  
TTAGGTTTAA GAGGTCTAGC GATTATTGCT AAAAATGAGA TTATTGCTTT TTTTAGAAGT 900  
AAAGGTTTAA TTATTTCTCA GTTCTACAA CCAATCTTAT ATGTTGTTTT TATAATAATA 960  
GGATTAAATT CTTGATAAAA GAACATTCAG TTTAATGATA TAAAAACCTC TTATGCAGAA 1020  
TATACAATCA TTGGTGTAT AGCTTTATTG ATAATCGGGC AGATGACTCA AGTTATTTAT 1080

1251

AGGGTGACAA TAGATAAAAA ATATGGGCTA CTTGCTCTTA AGTTATGCAG TGGAGTTCGT	1140
CCTTTATATT ATATTTTAGG GATGAGTATC TATTCTATAT TAGGGTTGAT AGTTCAAGAA	1200
ATTATTATAT ATATAATTAC GTTAGCGTTT GAGATAAATA TCGCAATGGA TAGATTTTTT	1260
TATACAGTTT TGTATCTAT TGTGTTTTA TTATTTGGG ACTCCCTTGC AATTTTACTT	1320
ACAATGTTTA TCAATGATTA CAGAAGACGT GATATTGTAA TACGTTTGT ACTAACACCG	1380
CTTGGTTTTA CAGCTCCTGT TTTCTACTTA ATAGATTCTG CTCCTAGTAT TGTGAGATGG	1440
ATTGGTCAGT TAAATCCCTT AACTTATCAA TTAATATTT TGAGAACTT TTATTTTAAA	1500
AATTCAACAA CTTTGAATT AGTTTCTTA TTGTTAATCATTACTTGT CCTTATATCT	1560
GTATCTTTTA TTATACCAA GATAAAATTG ATACTGATAG AAAGATAAAA GTTGGGTCAT	1620
CCAACTTTTT TGTGTCTCC CGAAAACCAC TAGCTATGCT AGTGGTTCCA TAGAGCTTTT	1680
AGCGTGGTAA CAAAAAGAAC CTCCTAAAAT GATAAGATAG AAGTGGTTTCC TCCGCCACTA	1740
CAACATATCA TACAGGAGGT ACCTCATGAG AGAGGATAAT CAAAGTTTAT CACATACCAC	1800
ATGGAATTGT AAATATCATA TTGTTTTTGC ACCCAAATAT CGTCGTCAA TCATTTATGG	1860
CAGATACAAA GCTAGTATCG GAAGAATCAT ACGTGACTTA TGTGAGCGTA AGGGTGTAAT	1920
AATCCATGAA GCGAATGCTT GTTCAGACCA TATTCACATG CTTATCAGTA TTCCTCCGAA	1980
ACTTAGTGTT	1990

## (2) INFORMATION FOR SEQ ID NO: 233:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 4766 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 233:

GAACATATATT GCATATATTT CTAGCAATGA TCATGGCGAA TCTTGGTCTG CACCAACTTT	60
ATTACCTCCT ATAATGGGAC TTAATCGGAA TGCGCCATAT TTAGGTCCTG GACGTGGAAT	120
CATTGAAAGC TCAACTGGAC GTATTCTTAT TCCGTCTTAC ACTGGTAAAG AGTCTGCGTT	180
CATTTATAGT GACGATAATG GAGCATCTTG GAAAGTTAAA GTAGTGCCAC TTCCTTCTAG	240
TTGGTCAGCA GAAGCACAAT TTGTAGAATT GAGTCCAGGA GTAATTCAAG CATATATGCG	300
TACAAATAAT GGTAAAATTG CATATTTAAC AAGTAAAGAC GCAGGTACTA CTTGGAGTGC	360
ACCGGAATAT TTGAAATTTG TTTCAAATCC AAGTTATGGA ACACAATTAT CAATCATCAA	420

1252

TTATAGCCAA TTGATTGATG GTAAAAAGGC TGTCATTTTA AGTACTCCAA ACTCCACAAA	480
TGGTCGTAAA CACGGACAAA TTTGGATTGG TCTAATTAAT GATGATAATA CAATTGATTG	540
GCGTTATCAT CACGACGTTG ATTATAGTAA CTATGGATAC TCATATTCAA CATTGACAGA	600
GTTACCAAAT CATGAAATG GATTGATGTT TGAAAAATTT GATTCATGGT CTCGTAATGA	660
ACTTCATATG AAAAATGTTG TACCATATAT AACATTTAAG ATTGAAGATC TGAAAAAGAA	720
TTAAAGCTGA AATTTGAAAA TATATAAAAA GAGGATAAAA ATTATGGTAA ATTACGGTAT	780
TGTTGGAGCT GGATATTTTG GAGCTGATTT AGCTCGCTCA ATGAACAAAA TTGAAGATGC	840
AAAAGTGGTT GCGGTATTTG ACCCAAATCA TGGAGAAGAA GTTGCTCAAG AGTTGGGATC	900
AGATGTTTGT GCAAGTTTAG ATGAACTTGT AGCACGTGAA GATATTGATT GTGTGATCGT	960
AGCTTCACCT AGCTACCTTC ACCGTGAACC AGTTGTGAAA GCTGCTCAAC ATGGCAAACA	1020
CGTATTTTGT GAAAAGCCAA TTGCATTGTC TTATGAAGAT TGTAAGGCCA TGGTTGACGC	1080
ATGTAAAGAA AATAATGTCA TCTTTATGGC TGGTCACATC ATGAACTTCT TTAACGGTGT	1140
ACACCATGCT AAAGAATTGA TFACTCAAGG TAAAATCGGT AAAGTCTTT ATTGCCATGC	1200
TGCTCGTACA GGTTGGGAAG AACAACAACC AACTGTATCA TGGAAGAAAC TTCGTTCTCA	1260
ATCTGGAGGA CATTTGTACC ACCATATTCA TGAATTAGAT TGCATTCACT TTATCATGGG	1320
AGGACTTCTT GAAAAGCGA CAATGGTAGG AGGCAATGTA TATCATAAAG GTGAAAACCT	1380
TGGTGATGAA GATGATATGC TCATTGTAAA CTTAGAATAC TCTGATGATC GTTATGCTGT	1440
TTTGGAAATAT GGTAATGCTT TCCGTTGGGG TGAACACTAC GTCTTGATTTC AAGGAACTGA	1500
AGGAGCTATC AAACCTGACT TGTTCAATAC TGGCGGTACT CTTCGTGTTA AAGGTGAAGG	1560
AGAATCACAC TTCTTAGTTC ATGAAACTCA AGAGGAAGAT GATGATCGTA CAGCTATCTA	1620
TACCGGTCGT GGTATGGATG GAGCAATTGC GTACGGTAAA CCAGGAGTAC GTTGCCCATT	1680
ATGGTTGCAA ACATGTATTG ATAAAGAAAT GGAATATCTA CATGACATCA TTAAAGGTGG	1740
AGAAATTACA GAAGAATTG AAAAATTCTT CAATGGTGTA GCTGCTTTAG AATCAATCCT	1800
TACCGCTGAT GCATGTACTT TATCAGTTAA AGAAGATCGA AAAGTAAGTC TTTCAGAAAT	1860
CACAAATGCT TAACTTTGT AAAACAGAAT AGTAAATTCT TGTCATTATA TAATTTCTAA	1920
AGTTCTGTGA TACAATCAT TGAATAAAGA AATAGAGATG GGAAGGGAT AATGCCAGT	1980
CCCATTTTAT ATCAAAAAGT AATGAGATCA AAAATGTGGG AGTGTGAAA TGAAGATTAT	2040
AGGTATCGAT ATTGGCGGAA CAACAATTAA GGCAGATTAA TACGATGAGT TTGGAACGAG	2100
TTTGAATCAT TTCAAAGAGA TAGAAACAAT TATTGACTAT GATTTGGGAA CGAATCAGAT	2160
ATTAAATCAG GTCTGTGATT TAATTGGTGA GTATACTTTA AATCATTCAA TTGATGGTGT	2220

1253

TGGGATTTC	ACTGCTGGAG	TTGTTAATGC	TAATACTGGA	GAAATCATCT	ATGCAGGCTA	2280
TACAATACCA	GGGTATATCG	GAGTAAACTT	TACTGCCGAA	ATAGAAAAAC	GTTTGGGTT	2340
GTATACTTTT	GTGAAAAATG	ATGTTAATTG	TGCTGCATTA	GGTGAATTGT	GGAAGGACA	2400
AGCCAAAGAT	AAGAAAAATG	TAGTAATGGT	TACTATTGGA	ACAGGTATAG	GAGGCAGTAT	2460
TATTGTCAAC	GGACAAATTG	TTAACGGATT	TAACATATACT	GCTGGTGAAG	TAGGTATATAT	2520
TCCTGTAGGT	AATTCGGATT	GGCAAAGTAA	AGCCTCAACA	ACCGCATTGA	TTCATTTATA	2580
TCAAAAAAAG	AGCTTAAAAA	CTAATCAAAC	TGGACGTACT	TTCTTCACTG	ATTTAAGATC	2640
TGGAGATAAA	GTGCTGAAG	AAACTTTTGA	AATTTTGTGA	GAAAAATCTAA	CAAAAGGTTT	2700
ATTAACGATT	TCTTATCTAC	TTAATCCAGA	AATTCTCATA	TTAGGAGGTG	GGATTCTGGA	2760
TAGTAAGGAT	ATTTTGTTC	CTGAAATCA	AAGTTCTTTA	GCTAAAAATG	CAATGGATAA	2820
TAGGTTTTTA	CCTAAAAATC	TTGTGGCAGC	TACATTAGGA	AATGAAGCTG	GTCTATAGG	2880
AGCTGTAAAA	AATTTCTTAG	ATAGAATTTC	TAATAAATAG	TATGTAAGAT	AAGGAGGTGT	2940
CACAATGACT	AACTCTGTAT	TTTCGACAAT	GCAAGATATT	GAGAATGTTG	CAACCGATAT	3000
TATAAAATCA	TATGATAATG	AGATTATAC	TTATAAAGCT	GTTTCCCAAG	AAGAATTGGA	3060
AAACTAGAA	AAAAGTTATG	ATGAAAAAAG	TCACGAAGAA	TTAGTTTCAA	TAGAAAGCAA	3120
TTTAGAAATG	AAACAACAGA	ACCTTATTGA	TGAGGTTAAT	AAAACAATCA	AGGAAAATGA	3180
TGCAAATATT	CAGTATATTT	CATCAAGTAG	GAGAGGAGAA	TTTGTAGAAA	AAATTATTGG	3240
TAGGGTGGTA	GAAAAATATG	GCCATTAGTC	AGATGAAAAG	AATCTCTCTA	CTATTTTCTA	3300
AAAGTAGTCT	TGATGATGTT	TTAAAACTA	TTCAAGAACT	AGAGTCAGTG	CAGTTCCGTG	3360
ATTTAAAGGT	TCAGGATAAC	TGGTCAGAAG	CTCTAGAAAA	AGATGAAGTT	GTATTTCCAA	3420
CTATTCAAAT	TTTTCATACT	TCTAATTCCA	ATCATGGGGT	TATTGAGGGA	AATGATGCCT	3480
TGACTTATTT	GATGAATCAA	CAACAACATT	TAGAAGCAAC	TGTAGAGAAA	TTACAAGAAT	3540
ACCTACCGAA	AGAAAAACAG	TTTAAATTAT	TGCAGCAACC	TCCGATAACT	ACCTCTTATG	3600
AAGAATTAGA	GAAATTTGGT	AAAGCTAATG	TTGCTGAGGG	TGTTCTTAAA	AAAGTGAATC	3660
ATCAAATTAA	CAGAGTTCAT	GAATTAGAAA	GACACATTCA	AAGTAATAAT	GAGGAAATAG	3720
AGCGATTAAT	AAAGTGGGAA	AAATTAGAAA	TTGTTCTGTC	GAATTAGAAA	CAATTTTCTT	3780
TCTGTAAAGG	AAAAGTCGGA	ACAATTCCAA	GGACTGAAGA	TAATCGCTTA	TACAATAGTC	3840
TTTGTAGAAA	CAATATTGAA	GTTCAAGAAA	TATTTTCTAA	TGATAGAGAG	TACGGTGTGT	3900
TTGTTTCTA	TCAGTCTAGT	TACTCTATAG	ATTTTGATGA	ATACTTATTT	GAACCATTTG	3960

1254

ATTATTCTAG AAAGGAATTA CCGAAGCAGC GAGTAGTAGA TTTAGATCAA GAAAACATGC 4020  
 AGTTAATAAC TGAAAAAGAG AATATTATCG CATCGTTGCA AGATTCAAAG AAATATTTGA 4080  
 TAGATTTACA ATGGCAAATA GACTATATTT TATCTATCTA TGCTCGTCAA ATCTCTAAGA 4140  
 ATAACTTTTT GTGCACTCCG CATCTAGTTG CATTAGAAGG ATGGATAGAA GAAACTCGTA 4200  
 TTTTATATTT TATAAAAGTT ATGGATGAGC ATTTTGGACA TTCTATTTAT ATTTATGAAT 4260  
 CGGAAACATT GACGGATAAT CAAGATGAAA TACCTATCAA ATTAACGAAT CATTCTTTAA 4320  
 TTGAACCATT TGAATTATTG ACAGAAATGT ATGCTCTGCC CAAATATTAT GAGAAAGATC 4380  
 CTACACCTGT ATTAGCACCA TTTTACTTTA CATTTTTTGG AATGATGGTT GCTGATTTAG 4440  
 GCTATGGTTT ACTATTGTTT TTAGGAACAA TGTTAGCATT AAAAATTTTT CATCTACCTT 4500  
 CAGCAACTAA GAGATTTTTA AAATTCTTTA ATATATTAGG GGTAGCCGTT GCAATTTGGG 4560  
 GTGGAATCTA TGGCTCATTT TTTGGATATG AGTTGCCATT TCATCTGATA TCTACAACCT 4620  
 CTGATGTCAT GACTATATTA GTAGTGTCAG TTGTGTTTGG GTTTATTACA GTATTTGCAG 4680  
 GTTTGTTAGC TTCAGGACTA CAAAAGTAA GAATGAATAA ATATGCAGAA GCATATAATT 4740  
 CAGGATTTGC GTGGTGTGTT ATTCTG 4766

(2) INFORMATION FOR SEQ ID NO: 234:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2484 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 234:

CCTTTTAGAA AAAATTAAAG AATACGACAC CATTATCATT CATCGTCATA TGAAACCAGA 60  
 CCCTGATGCC TTGGGAAGTC AGGTGGGATT GAAAGCCTTG CTGGAACATC ATTTCCAGAA 120  
 AAAAACCATC AAAGCCGTCG GTTTTGATGA ACCAACTCTT ACTTGGATGG CTGAGATGGA 180  
 TCTTGTGAA GATAGAGCCT ACCAAGGCGC ACTTGTATC GTCTGTGATA CAGCTAATAC 240  
 TGCTCGTATC GATGATAAGC GCTATAGTCA AGGTGATTTT CTCATTAAGA TTGACCACCA 300  
 TCCAAATGAT GATGTATACG GTGACCTGTC TTGGGTCGAT ACTAGTTCAA GTAGCGCTAG 360  
 aGATGATTAC CCTATTTGCC CAAACAACCC AACTAGCCTT GGCAGATCGC GATGCTGAGT 420  
 TGCTCTTTGC AGGAATTGTC GGTGATACAG GTCGCTTCCT CTACCCCTTCT ACCACTGCAC 480  
 GGACTCTTCG CCTGGCTGCT TATTTGAGAG AACATAACTT TGACTTTGCG GCTCTCACTC 540  
 GCAAAATGGA CACTATGAGC TACAAAATTG CTAAACTGCA AGGCTACATC TACGACCATC 600



1255

TGGAAGTGGG	TGAAAAATGGT	GCTGCTCGCG	TTATCCTGAG	TCAGAAAAATC	TTGAAACAAT	660
ACAATATAAC	CGATGCTGAA	ACTGCGGCCA	TTGTAGGTGC	ACCTGGACGC	ATTGACAGAG	720
TGAGTCTCTG	GGGAATTTTT	GTCGAACAGG	CTGATGGCCA	CTACCGAGTT	CGCTTACGCA	780
GTAAAGTCCA	TCCTATCAAT	GAAATTGCCA	AGGAGCATGA	TGGTGGAGGC	CACCCTCTAG	840
CAAGTGGTGC	TAATTCCTAT	AGCCTAGAAG	AAAACGAAAT	CATCTACCAA	AAGTTAGAAG	900
ACTTGCTTAA	AAACTGATAA	AATACTTGCC	AACTTTTCA	GAATCTGATA	GACTAGTATA	960
GTAACAATCT	ATGGCTCGCA	AAGAGACCAT	GGCAGAAAGG	AAATATTGCA	AAATGAAAAA	1020
AGATATCCAT	CCAGAATATC	GCCAGTTGT	CTTCATGGAC	ACAACACTG	GTTACCAATT	1080
CCTTAGCGGT	TCAACAAAAC	GCTCTAACGA	AACAGTTGAG	TTCGAAGGCG	AACTTACCC	1140
ATTGATCCGT	GTGGAATTT	CATCAGACTC	ACACCCATTC	TACACTGGAC	GTCAAAAGTT	1200
CACTCAAGCA	GATGGACGCG	TGGATCGTTT	CAACAAAAAA	TACGGTCTCA	AATAATGATA	1260
AGAGAACAGT	TTTGGCTGTT	CTTTTTTGTT	TCTTGAAATC	AACTGCTGTT	TTCATGTTCC	1320
AGACTCATCT	GTAGGTTCTGA	TTTCCATGCT	ACTAGGCAGG	AAGGAAATAG	CTGTTTCAAC	1380
ACGTCCATAA	TGAGCTATAC	TATTGTACAG	AACCACACTT	TCATTGATGG	TCCAAGTGGG	1440
ATTCAATTTT	TTAAAAGCTT	CTCGGACTTT	TTCCAAATCT	TTGGAGGCAA	TGGCCTGCTC	1500
TAAGGTTTCA	AAACGAGGAC	TTATACTCAT	CTGCTTTCAA	AAAGCATTCT	AGTCCATCTC	1560
CGATTACCGA	TGGACTTTAT	CACCTCCTTC	TCCAGTCCTT	GTATGACATC	TTGAAGTTGA	1620
TTCATGACAT	CTTCCAAAGT	TCGAAAGGCT	TTATTCTTAA	ATCCACGTTT	ACGAATCTCT	1680
TTCCACACTT	GTTCAATGGG	TTTATCTCTG	GTGTGTATGG	AGGAATAAAG	GTAANAATCAA	1740
TATTAGTCGG	AATATTTAAG	GTACTTGATT	TATGCCATAT	AGCATTGTCC	ATAACGAGTA	1800
AAAGGATAAG	CTTGTGAAAG	CTCTTCTAAA	AAGGCGTTCA	TCCACACTCC	TTTTTATAAA	1860
CCTGAAATAA	GGCATCAATT	GTAACAAATT	CTCCTGCCTC	TGTAGCCTTC	AAATGACGGG	1920
CAAGAAAGGC	TTTCTCTTCC	TCAACTGTCA	TATATGCATG	GTTACGACCA	CCACGTGTTT	1980
CTTGAAGGAG	AGAGTCGAGT	CCGAACCTCT	CATATTTTTT	TACGTTTCGC	CAAATCGTTG	2040
TTTGATTACA	GTCTAAAAGC	TCTATAATCT	CTTTATAAGA	TTTGCCCATC	AGACGAAATA	2100
TAGTAGATTG	AAACTAGAAT	AGTACACCTC	TACTTCTAAA	ACATTGTTAG	AAATCGATTT	2160
GTCCTGTTCT	TGTTTCATTT	TACTATAGAA	CGATTTGAAG	GCGTTTATAA	TATTTAGCTG	2220
TACGAGAGTC	TTTTAAAAGT	GTTTGTGATG	TTTGATTTTC	TTCTTTAGTT	GATTTTCATAT	2280
TACTATTATA	TAATGCTTTT	TGATTTTAGT	CTGGTATAAA	TATTGCTTTC	CTCCAAAATG	2340

1256

GTCATAGTTT TACTGGCAAA TCTAACATAT CACGGATAAA TTAACAAGTG ATTTCTGAAT	2400
TGCTAAACAT TTTCTTTTCT TATAGCATAC TTAAAGATT TGTCTTTGAG AAAGATATTT	2460
CCAAGAAAA CGTTCGTTTT TTGG	2484

(2) INFORMATION FOR SEQ ID NO: 235:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1766 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 235:

CTAGATATAG CTATAATTTT ATTTATAACA AGAGGATAGA AATGACCGAA TTAGAAAGAA	60
AAAATCGAAA AATTAGCTAA GAAATATTCT GATAACTTAA ACATCAAAGT TCAAGAGAGA	120
GTTCTGAAA TGGCAAATGA TAATAAGAGC CATTATTTGA TATACAGAGT TTTAGGTATT	180
TCATTTGAAG AAGGAGAAAA TATCGATTG TATCAAAATA AAGGTCGTTT TTTATACAAA	240
TATGCTGCTT CATTTTTAGA AGAAGCTGCA GTACTATGCT TTAACGAAAA ATTTGGTACA	300
GAAATACTT AAAAAGTTAA CATTCTAAT TCTGAAAGTA CAAAACCTAA GACTTTTGAA	360
ATTGATTGTT TAGTCGGAGA AAAACACGCA TACGAAATAA AATGGTGGGA TGCAACTACA	420
GATGGAGACC ATATAACTAA AGAACACACT AGAATAAAG TTATTCATAA CAAAGGATAT	480
ATACCAATTC GGTTAATGTT CTAATATCCA AATAGAACTC AAGCTATAAA AATTCAGCAA	540
ACTTTAGAAA CATTGTATAA CGGTATTGGA GGGAAATATT ATTATGGAGA TTCTGCCTGG	600
GAACATTTAA GAGCAGTGAC CGGTATTGAT TTACTTAGTA TTCTAACAGA TATTGCAAAT	660
AAAAAACAG GGGTAAATC AAAATGACAG TATTAAAAG AGATAACTTA GAAATATTAA	720
AAACTATTGA ATCCTCAAGT ATTGATTTAA TCTATATGGA CCCTCCTTTC TTTACACAGA	780
AAACCAAAA ATTATCTAAT AACAAAAATA TTATGTATTC ATTCGAAGAT ACGTGGACTT	840
CGATTGAGGA TTACAAAGAA TTTTGTCTG TAAGATTAGA AGAATGCAAA AGAGTGCTAA	900
AAAATAGTGG CAGTATTTTC GTTCATTGTG ATAAAAATGC AAATCATCAT ATTAGATTAA	960
TTTLAGATAA TATCTTTGGA GTAGATATGT TTCAAAGCGA AATTATATGG AACTATAAAC	1020
GGTGGTCTAA TTCAAAAAG GGATTATTGA ACAATCATCA AAACATTTAC TTTTATTCAA	1080
AGTCAAAAGA TTTTAAATTT AATACAATTT TTACAGAGTA TTCTTCTACT ACAAATATCG	1140
ACCAAATACT AGTGAACGA AAACGAGATG GAAACTCTAA AACTATATAT AAGGTTGATA	1200
ATAATGGTAA CTATATTCTA GCAAAAGAGA AAAATGGAGT TCCCCTTTCA GATGTTTGGA	1260

1257

ATATACCAATT TCTTAATCCA AAAGCTAAAG AAAGAGTAGG TTATCCTACA CAAAAACCTA	1320
TTCTGTTATT AGAACAAATT ATAAAGATTG CTAAGTATAA AAATGATATA GTTTTAGACC	1380
CGTTCTGTGG AAGTGGAAT ACTTTAGTAG CCTCCAAGAT TTTGAATAGA AATTATATGG	1440
GGATTGATTT ATCTGAGGAA GCTATCAATA TAACTCAGCA ACGTCTGGAA AATGTTATAA	1500
AAACAAGTTC AAATTTATTG AATAAAGGAA TCGAAGCATA TAGAACCAAA ACTGAGGAAG	1560
AGGAAAACAT TCTTAAATTA TTACAGGCAA AAATTGTTCA AAGAAATAAA GGAATTGATG	1620
GTGTTTTACC TAAACATTTT CAAAAAATC CGATACCTAT AAAAATTCAT AAAAATATG	1680
AATGCTGAA TGAGAGTATC TCTTTATTAC AGAATGCTAT AAATCCAAA AAATTTGAT	1740
TTGGAGTAGT TATAAAAACT CATTCG	1766

(2) INFORMATION FOR SEQ ID NO: 236:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 748 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 236:

CCGAAAATCA AATCAAACC ACGTCAACGT CGCCTTGCCG TACTCAAGTA CAGCCTGCGG	60
CTAGTTTCCT AGTTTGCTCT TTGATTTTCA TTGAGTATTA AACTAAATTA AATAATATTA	120
GCGCGGAGAA TTTCTAATTC TTCCTTGGTC AAGCGACGCC ATTCCCTCTG TTCTAGGTTC	180
TCATCTAATA CTAAAGTTC CATAGTCAAT CGTTGCAAGT CCACCACTTC CTTGCCACAG	240
TAGCCCACTA TACGCTTGAT CTGATGAAAC TTCCCTTCTG CAATGGTCAC ACGGATTG	300
CTTTGATTCT TTTCTGTATC TATGGATACA AGCTCCAGTA TAGCGGGTTG ACAGGTAAAG	360
TCTTTGAGAG GAATACCTTC AGCAATGTC TCCACATCTT CTTGGGTCAT GATTCCCTTG	420
ACTTGTGCCA GATAAGTCTT GTCCACATGA CGCTTGGGCG AAAGAAGAAC ATGAGCCAGC	480
TGACCATCAT TGGTCAAGAG CAAAAGACCA TGCGTGTCAA TATCCAAGCG TCCTACTGGG	540
AAAATTCCT TACTCCGCGC CAAGTCATCC AACAAGTCCA GAACGGTTCT GTGCTTGGGA	600
TCCTCAGTCG CTGAGATAAC TCCTTTGGGC TTGTTTCATCA TGTTAGTAGAC AAATCTTCA	660
TACTCCAACA CTTGCCCATC AAAGCGAATC TCATCTATTT TTTCATCAAT CTGCAATTTA	720
GCTGATTTTT CTTTTTGACC ATTTACAG	748

(2) INFORMATION FOR SEQ ID NO: 237:

1258

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1449 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 237:

AAAAGATTAC ATTGCAACAA TTGAAAATTA TCCAAAGGAA GGCATTACCT TCCGTGATAT	60
TAGTCCTTTG ATGGCTGATG GAAATGCTTA TAGCTACGCT GTTCGTGAAA TCGTTCAGTA	120
TGCTACTGAC AAGAAAGTCG ACATGATCGT GGGACCTGAA GCTCGTGGAT TTATCGTGGG	180
TTGTCCAGTT GCCTTTGAGT TGGGAATTGG TTTTGCCCTT GTTCGTAAGC CAGGTAAATT	240
GCCACGCGAA GTTATTTCTG CTGACTATGA AAAAGAGTAC GGTGTCGATA CCTTGACTAT	300
GCACGCGGAT GCCATTAAGC CAGGTCAACG TGTTCTTATT GTAGATGACC TTTTGGCGAC	360
AGGTGGAAct GTTAAGGCAA CTATCGAGAT GATTGAAAAA CTTGGTGGTG TTATGGCAGG	420
TTGTGCCTTC CTTGTTGAAT TGGATGAATT GAACGGCCGT GAAAAAATG GTGACTACGA	480
CTACAAAGTT CTTATGCATT ATTAATGAAA ACAGTCCCTA GGGCTGTTT CTCTACACTA	540
GGATATAAAA ATAGACTATA ACTAGTTAGA GAAAACTAT AATTGAAAAA TATATCTTCT	600
TGCAGTATAA TAAAGGACT AAGTGTTTGA GATTGTCTT CAAACATATG CAATATATCC	660
TGAAAGAGTA CAGTTAGGAG AGGGTTATGC CGATTCGAAT TGATAAAAAA TTGCCAGCTG	720
TTGAGATTTT ACGGACAGAG AATATCTTTG TCATGGATGA TCAACGTGCT GCCCACCAG	780
ATATCCGTCC TTTGAAGATT TTAATTTTAA ATCTCATGCC ACAGAAAATG GTCACAGAGA	840
CCCAGTTGTT GCGCCACTTG GCTAATACAC CCCTACAAC GGATATTGAT TTTCTCTATA	900
TGGAGAGCCA CCGTTCTAAA ACAACTCGTT CAGAGCACAT GGAGACCTTC TATAAACTT	960
TTCTTGAAGT CAAGGATGAG TATTTTGATG GGATGATCAT CACGGGTGCT CCAGTTGAGC	1020
ATTTACCATT TGAGGAAGTG GACTATTGGG AGGAATTTAG ACAGATGCTT GAGTGGTCTA	1080
AGACTCATGT CTATTCGACC CTTCATATCT GTTGGGGGGC TCAGGCTGGG CTTTATCTGC	1140
GCTATGGTGT AGAAAAATAC CAGATGGACA GTAAGCTATC AGGTATTTAT CCTCAGGACA	1200
CCCTAAAAGA GGGTCACCTT CTATTTAGAG GCTTTGATGA TAGCTATGTA TCCCTCATT	1260
CACGGCACAC GGAGATTTCT AAGGAAGAGG TCTTAAACAA GACCAATCTC GAGATTTTAT	1320
CAGAAGGACC TCAGGTTGGG GTTTCTATTW TGGCCAGTCG TGATTTACGA GAAATTTATA	1380
GTFTTGGTCA TTTGGAGTAT GACCGTGATA CTTTGGCAA AGAGTATTTT CGAGATCGTG	1440
ATGCAGGTT	1449

1259

## (2) INFORMATION FOR SEQ ID NO: 238:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 904 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 238:

TACCCGCTTC TTTCAAGAGT TGGAGCAGGG CTTGTTTGCG ATCTTTTGTC ATAGTTCTTC	60
CTTTTAACGG CGTTTCGAA GCACTTTATA GACAGCTAGT GCTAATGTAT AGTCTACCAT	120
ACTATGGATA ATTGTACCAA ATCCAAC TAG TACAAATAGA ACATAAAACA TATTTTCTAC	180
ATTGGTACCA GAAGTTGCGT AAAAAACGAC ACAGGCCAAT ACTTCAGCAA GGGCATGAAC	240
AACAGCCAAA ACAAAGTTGA AAATCCAGGA AGATTTTGGT TTATCTAGGG TATCGGGGAA	300
TTTTTG TAGG TAAAGAGCTC CTAAGCACC AAAAGATATA TGGGAAAAAG CCCGAAAAAC	360
GATAACCATG GGATAGCCAG CCATCAAAAA TCCAAAATA GAGGCTAGGA TGACAAAAAC	420
TGCCATCAAG GCGACAAGA ACATGGCTAT AAAAATAGCG ATGTGGCTCC CCAAAGTATA	480
GGAAGCAGGT GGAATGACAA TCTTGAAAGG CATAACAATT GGAATCAAAA TCGCAATAGC	540
CGTAAAAAGG GCTGTCATTG TCATAAATTG TGTCTTTTTC CGTGTATTCA CAAGAATCTC	600
CTTTTAACT GCATATACAC TAGTATGGTA CAATAAACCA GACAATAAAG CAAGAATTTA	660
CTTGGGTTTA TAGATCATTT TTTAGTTAAA AGTTATAGTA GATTGAAACT AGAATAGTCC	720
ACCTCTACTT CTA AACATT GTTAGAAATC GATTGGCTG TCCTGATCGA TTTGTCCTGT	780
TCTTATTTTCG TTTTACTATA GTAAAGATTT CATTAAAAAG AAAGTGTATA GAGCAAAATC	840
TCCACCTTCA GGTTTGGAAA GCGGAGATTG TTTTATTATT TTTCCAGGGT TTGTAGTCGT	900
GGGA	904

## (2) INFORMATION FOR SEQ ID NO: 239:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 946 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 239:

CACTCAAACA TGACTTATAT CAAGACGGAT GGACTTCAAG ACGATGCCAA TCGCTTGAAT	60
---	----

1260

CGTAACATTC AGTTTGGTGT TCGTGAATTT GCAATGGGAA CAATCTTGAA CGGGATGGCC	120
CTTCATGGTG GACtTCGTGT ATACGGTGGA ACTTTCTTCG TCTTCTCTGA CTATGTGAAG	180
GCAGCTGTCC GCTTGTCAGC CTTACAAGGA CTTCTGTGA CTTATGTCTT TACCCATGAT	240
TCAATCGCAG TTGGGGAAGA TGGTCCGACT CATGAACCAG TTGAGCATTT AGCAGGTCTT	300
CGTGCTATGC CAAATCTAAA TGTTTTCCGT CCAGCAGATG CGCGTGAAAC GCAAGCAGCT	360
TGGTACCTTG CAGTGACAAG TGAGAAAACA CCAACTGCCC TTGTCTTGAC ACGTCAAAAT	420
TTGACTGTTG AAGATGGAAC AGACTTCGAC AAGGTTGCTA AAGGTGCTTA TGTTGTATAT	480
GAAAATGCAG CCGACTTTGA TACCATCTTG ATTGCGACAG GTTCAGAGGT TAATCTTGCT	540
GTCTCAGCTG CTAAAGAATT GGCTAGTCAA GSCGAAAAA TCCGCGTAGT CAGCATGCCA	600
TCTCAGATG TCTTTGATAA ACAAGATGCA GCTTACAAGG AAGAAATTCT TCCAAATGCA	660
GTCCGCCGTG GTGTTGCAGT CGAAATGGGT GCAAGTCAA ACTGGTACAA ATATGTTGGT	720
CTCGATGGTG CCGTTCTAGG TATTGATACT TCGGAGCCTC TGCCCCAGCA CCAAAAGTAT	780
TGGCAGAATA TGGCTTTACT GTAGAAAATC TTGTAAAAGT TGTTCGAAAC TGAAATAAT	840
CCTAAAAATC AGGGCGTAAG CTCTGGTTTT TCTTACCAGA AAAGTAAGGT ACAATCTTGT	900
AAAAGTAGCT GAAATTTGAT ATAGTAGTCC TATGTAAAAG ACAAAG	946

(2) INFORMATION FOR SEQ ID NO: 240:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2764 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 240:

CGGGGCTCCc TAGTTCTTAG GGAGCTATTT TTGTTTTTTC AAGAAGTTAT CTTCTTGAT	60
TTTATACTCA ATGAAAATCA AAGAGCAAGC TAGGAAACTA GCCGTAssTG CTCAAAACAC	120
TGTTTTGAGG TTGTAGATAA GACTGACAAA GTCAGGAACA CATATCTACG GCAAGGCGAC	180
GTTGACGCGG TTTGAAGAGA TTTTCGAAGA GTATTAGTTG TGAATCTGGT GCAGTCGTCC	240
CAGATTATTC TTATTAGTAG GGTCTTGTTT TCTATATCCC CTCGTAGTTA ACAAGACCTT	300
GAGCATTTTA GAAAGAGGAA TCTATGTCTA CGAAATATAT TTTTGTAAC TGGTGGTGTGG	360
TATCGTCCAT TGGGAAAGGG ATTGTGGCAG CGAGTCTAGG CCGTCTCTTG AAAAATCGTG	420
GTCTCAAAGT AACCATTCAA AAGTTTGACC CTTATATCAA TATTGATCCG GGAACCATGA	480
GTCTTACCA GCACGGGGAA GTTTTTGTGA CAGATGACGG AGCTGAGACA GATTTGGACT	540

1261

TGGGTCACTA TGAACGTTTC ATCGATATCA ATCTCAACAA ATATTCCAAC GTGACAACCTG	600
GGAAAATTTA CAGTGAAGTT CTTCTGTAAG AACGCCGTGG AGAATACCTT GGGGCAACTG	660
TTCAAGTCAT TCCTCATATC ACAGATGCTT TGAAAGAAAA AATCAAGCGT GCCGCTCTAA	720
CGACCGACTC TGATGTCATT ATCACAGAGG TTGGTGGAAC AGTAGGAGAT ATCGAGTCCT	780
TGCCATTCCCT AGAGGCTCTT CGTCAGATGA AGGCAGATGT GGGTGCGGAT AATGTCATGT	840
ATATCCATAC AACCTTGCTT CCTTACCTCA AGGCTGCTGG TGAAATGAAA ACCAAACCAA	900
CCCAACACTC TGTCAAAGAA TTGCGTGCTT TGGGAATCCA ACCAAATATG TTGGTTATTC	960
GTACAGAAGA GCCAGCTGGT CAAGGAATTA AAAATAAACT GGCCAGTTC TGTGATGTGG	1020
CACCAGAAGC CGTTATCGAA TCGTTGGATG TTGAACACCT TTACCAAATT CCACTGAACT	1080
TGCAGGCACA AGGGATGGAC CAAATTGTTT GTGATCATTT GAAATTAGAC GCACCAGCAG	1140
CGGATATGAC AGAATGGTCA GCCATGGTGG ACAAGGTCAT GAACCTCAAG AAACAAGTTA	1200
AGATTTCCCT TGTGGTAAG TATGTGGAGT TGCAAGATGC CTATATCTCA GTGGTCGAAG	1260
CCTTGAAACA CTCTGGCTAT GTCAATGATG CAGAAGTTAA AATCAATTGG GTCAATGCCA	1320
ATGATGTGAC AGCAGAGAAT GTAGCAGAAC TCTTGTCTGA TCGGACGGG ATCATCGTAC	1380
CAGGTGGTTT TGGTCAACGT GGTACAGAAG GGAAAATCCA AGCCATCCGC TATGCGCGTG	1440
AAAATGATGT TCCAATGTTG GGAGTCTGCT TGGGAATGCA GTTGACATGT ATCGAGTTTG	1500
CTCGTCACGT TTTAGGCTCT GAAGGTGCCA ATTCTGCAGA GCTTGCACCA GAAACAAAAT	1560
ACCCATATCAT TGATATCATG CGTGATCAGA TTGATATTGA GGATATGGGT GGAACCCCTC	1620
GTTTGGGACT TTATCCGTCT AAGTTGAAAC GTGGCTCTAA GGCTGCTGCT GCTTATCACA	1680
ATCAAGAAGT GGTGCAACGC CGTCACCGTC ACCGTTATGA GTTTAATAAT GCCTTCCGTG	1740
AGCAGTTTGA GGCAGCAGGT TTTGTCTTTT CAGGAGTTTC TCCAGACAAT CGTTTGGTAG	1800
AAATCGTGGA AATTCTTGAA AATAAATTCT TTGTAGCTTG TCAGTATCAC CCTGAACTGT	1860
CAAGCCGTCC AAACCGACCA GAAGAACTCT AACTGCTCTT TGTTACTGCA GCAGTTGAGA	1920
ACAGCAATTA GCAAAATCAG AACCTTTGAG AAAAATCTCA GAGGTTTTTT GCATACGATG	1980
ATATTGCAGT ATATCTGAGG TAGGGGTCCT CTGTATGTAC CTGCTACCGT TGAAATCAAT	2040
AGCGACTCCC TCTTGCCCTG TGCTAGTGAA TGGATTATC AGTATATTGA AATGAAATAA	2100
AATTTGAACA AATTAATTCT GAAAGCCAAA TCAATTCTA GCAAAGTTT AGGAACTGGA	2160
TTGTATAGTG AATTGAAATA AGATGTGAAC ATCTCTATCA GGAAAGTCAA ATTAATTTAT	2220
AGAAATATTT TAGCAGTCAA GATGTACTGT TATAGATTCA ATACATTATA CTTTTTTAAT	2280

1262

TTAATCCACT ATAGTAAAAT GAAATAATAA CAGGACAAAT CGATCAGGAC AGTCAAATCG	2340
ATTTCTAACA ATGTTTTAGA AATAGAGGTG TACTATTCTA GTTTCAATAT ACTATCCCAA	2400
ATCATTCATA CCTCTCTCAA CTAGATGTAA CTTACAAAAC CCCTGACCTC ATGAGCCACT	2460
TTCTTCCTCC TCATGAGGTC AGTTTTACTT TCTGCTGTTC CAGTATCGTT TTTCTCGCT	2520
AGATTTCTTC AAAAGGGCAG ACTCCTCCCT TGGTGCGTCA CACGATTTTT TCATCTCGAC	2580
TGTTCTTTAA TGCATCATTA ACGACGCTTT TCTTCTAGGT GGTTCATAAG GAACAGGAAG	2640
ATTCAGGTG ACTTTTCTAA TCCTAGAATA AAGTGCTGAA AACAAATTCGG AATAGGCATA	2700
GAGACTAGAC AATTGAGGA GCTGCTTGGC TCCTGTTCGA ACACATTTTC CCACCACGPG	2760
AAGA	2764

(2) INFORMATION FOR SEQ ID NO: 241:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1682 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 241:

CCGTTTTTTT CATTGTTTCTAG TACTACAAC TACGTTGTAG CGCCCTGCAC ATTGGTTCGT	60
CTTGTTTCTAGT TTTCAAAGGT CTTTGTCCTG TGCTTCTCTC AAGCGACAAC TATATTAGTA	120
TATCACAAC TCTTTCGCTT GTCAACACTT TTTTGAAGAT TTTTAAGTTT TTTTAACTT	180
TTTTTCATCA AGTGGTCTCG ACGCAACATA CCATAGTCCG TACGGGATTC GAACCCGTGT	240
TACCGCCGTG AAAAGGCGGT GTCTTAACCC CTTGACCAAC GGACCTGAGT TGTTATTTTC	300
AACTCTTACT ATTATACAGT CTTTTCAAAC TTTGTCAACT ACTTTTTTAA ACTTTTTTTA	360
TTAATTTTAC AACAGCTTCA GTTCGAGCTG TATGTGGGAA CATATCGACC GACTGGATAT	420
AATGAAGATC ATAGACTTCT ACTAAGCGTA CCAAAATCAG AGCCAAGGTC GAAACATTAC	480
AAGAAATATA AACCATTTT TCTGGTACAT AAGTAAGAAT AGTATCTAAT AACTTATCAT	540
CCAGACCTGT ACGTGGTGGG TCAACAATCA AAGCATCTGC TCGGTAGCCT TCCTTGTAAC	600
AACGAGGAAT AATCTCTTCT GCCGTTCCAG CTTTATAATG AGTATTGTCA AATCCCATTTC	660
TTTTCAGCATT TCGCTTGCCA TCTTCAATAG CTTCTGGAAT AATATCCATA CCTCTGAGTG	720
TTTTTACTTT CTTTGCAAAG GCAAATCCAA TCGTTCCAAC TCCACAATAA GCGTCAATCA	780
AATGGTCTTC TTTATCAACA TCCAGCGCTT TTAGTGCTTC GCTATAGAGG ACTTCTGTTT	840
GCTCAGGATT TAGTTGATAA AAAGCTCGAG GGGATAGTGA AAATTCATAA TTGAGTACAC	900



1263

CTTCTTGAAT ACTCTCTTGC CCCCAGATAA TCTCTGTCTT TTCACCATAT ATCTCACTGG	960
TTTGTAGCTGT ATTTGTATTA ACAGCTACTG TCACAACCTC TGGGAAATCT TTAACCAACT	1020
CTTTTACCAA TTGAGTTAAA TTAAGCTGGC GGTTTGTAAAC AATAATAATC TGAACCTGTC	1080
CGGTCTTTCT CGCGCGTCGG ACCATAATAG TACGGACACC TAGAACTTTT CTCTCATCCG	1140
TGATTGGAAT CTGGTGATAA GTAAGTAATT CTGCTAAGCG ATTAGCAATC ACTTGGGTTT	1200
CCTTATCTTG TACCAGGCAG TCTTTCAACT CTAATAAATA GTGAGAGTTT TGTGCATATA	1260
AGCCCCCCTT GACCTGATTT TTAAATTTTC GAGTCTGAAA TTGTAACCTA GCTCTGTAAT	1320
ATTTTGGTTC CTGCATTCCA ATAGTTGGAC GAATTTTATA ATTTTCATAT CCTGCAGGAG	1380
CAAAATTTTT CAGCGCTTGA TGAAGTAAGT CCGTCTTGAA CTCCAGCTGC TTATCATAAT	1440
GCAGGTGCAT GATTTGGCAG CCTCCGATT CATTATAAAT AGTACAAGAT GGCACAATTC	1500
GAAATTTAGA CTCTTGTG ACCTTCAGTA ATTTTGCTTC AACAAAGTTG CGTCTAATAG	1560
AAGTAATCTG ACAATAGATA TCTTCGCCTT TGAGAGCTCC TGGTACAAAG ACTAATGTTT	1620
TTTGGTAAAA GCCGATTCCC TCACCGTTAA TTCCCATGCG CTTGATTTTT AATGGTATTT	1680
TT	1682

(2) INFORMATION FOR SEQ ID NO: 242:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2524 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 242:

TTAACTTTGG TCAATTCTTT AAAGTCATCC TCTGTAAGCA TGTCTAACCA TTGATGTTTC	60
CCTTTATATGC TAAATCACC AATTCGACT ACAGCTATAT CTAAATCTTT CCAACTATTT	120
TTCAAATTTT CAAAATATCT TGATTGCAAA ATACCATCTG CTAACAATTT ATTTCTTGC	180
ACAATCGTTG CATTCATAAA TGTACACTCT CCATGAAATT TTCTAGACAT TTCATAAATC	240
AGTGATTCA CATGGTATTT AGCGTGATG TGAAGTAGG CACCTGCTAG AGGATAGAAG	300
TGAACATTTT GGACACTTTT ACTGTGAATT AAATCTACTA AATTACTTAA ACTTTTCCCC	360
CAAGAAAAGC CAATTTTCAT ATTATCATCA ATTAGATTCC TAAGGACGCC TGCTGCAACT	420
TGAGAAATTC TTTCAGATAA AATTGTTGGA GTATCATCAA ATTCATTTGG AATAATTTCT	480
AAACTTTCCA AACTGTATTT TTCTTTTACA TAATTTTCCA ACTTAAACAT ATTGGTATCA	540

1264

AAATCTCTA TTTCAATTTT AACAAATTCCT ACATTCCCTG CTTCTGTAA CATTCTACTA	600
ATAGAGGTTC TATAAATTC TAATTTTGCT GCTATTTGTG ACTGATTTAA GTTTTCAATA	660
TAATACAGAT AAGCAATTTT AGAAAGCAGT TTATTCCTAT CTTGATTCAT ACACCTAACC	720
TCTTACGAAA CTACCTTAAC CATTATCCCA GCATTTTCTA ATGTAGCTAT ATTTTGTTTA	780
GAAAGTTTTT CGTCTGTTAT TACTTCATAG ACTTGACTTA AAGCAAATCT TCTTACTGTA	840
CCTCTTTTAT CAAATTTACT TGAGTCAGTT AGGACAATGA CTTTATCCGA CACTGCTGAA	900
ATATATTGAA CTACCTCACT GCGCATTAAT TCTTTTCCGG TAAAGCCCAT CTCTTTATCG	960
TAACCATCTG TCCCAACAAA AGCTTGACAC ACATGAAAAG TCTGTATCAT TTCTTTTAAT	1020
AAAGGTCCTA CAGTCACCTG TGAATCTTTC TGAAACTCAC CACCAAGAAC AATAACACGA	1080
CATGAATCAT AAGCTCTCAC AAAATTTGCT ATAAAAACG AATTTGTTAC AATCGTAACA	1140
TTTCTTTTTT GCTTGCAAAT TTCCTCAGCA AGTAAAGCAC AGGTCGATCC AGATTCTATC	1200
ATTATTGTTT CATTATCTGA CACCAATTTT ACTGCTTCCT GAACAATTTT TCTCTTAGTT	1260
TCATAATTAA TTGACAAACG TACATTTAAG TCATCTCCAC TATTTAATAC AGCATATCCA	1320
TGCTCTCTGT GTAATAAAC TTTTGACTCT AATTTATCTA AATCTTTTCT AATCGTTACT	1380
TTCGATACAT TTAATTTTTC CGATAATGTA TTAACGTCGA TCTTTTCATA TTCTGATACT	1440
AATTTAATAA TTTGTTCCAA TCTTTTCATT TTACACCTCC GTTTTATTCT ACCAAAATAA	1500
AAAGCAAAAA ACAACAAATT AACCTTTCGT TCGTAATTGT TTTTCTTTCG TTTTGTGAT	1560
AGGATAGACT TATGAAGAGG AGGAACTCTT ATGGAAATAT CTAAAGGAAT TATTTTAAAT	1620
ATTCAACACT TTTCAATTCA TGACGGTCCG GGTATTCGTA CAACTGTTTT TTTAAAGGA	1680
TGTCCTCTGC GCTGTCCATG GTGTTCTAAT CCTGAATCTC AAAGAATGAA ACCTGAAAAA	1740
ATGAAAGATG CTCAACGAGA GAAATTCACC TTAGTCGGTG AAGAAAAGAC TGTAGAAGAA	1800
ATTATTACAG AGGTATTAAA AGACAAAGAA TTTTACGAAG AATCCGGTGG AGGTTTAACT	1860
TTATCAGGAG GTGAAATATT TGCTCAGTTT GAATTTGCTA AAGCCATCTT AAAATCAGCT	1920
AAAGAACATC ACATACACAC TGCCATTGAA ACTACTGCCT TTGTTGATCA TGAAAAATTT	1980
ATTGATTTAA TTCAATATGT GGATTTTATC TACACAGACC TAAAACATTA TAATTCTATA	2040
AAACATAAAA AAGTGACTGG GGTTTTAAAT CAAATGATTA TTAATAACAT TCATTATGCT	2100
TTTTCACAAA ATAAAACTAT CGTTTAAAGA ATCCCACTTA TTCCTAATTT TAACAATAGT	2160
TTAGAGGATG CAGAAAAATT CGCTACTCTA TTAACTCAT TAAATATCGA CCAAGTTCAA	2220
CTACTCCCTT TTCATCAATT TGGTGAAAC AAATATCGTT TATTAAATCG GAAATATGAA	2280
ATGGATGGAA TCAACGCACT TCATCCWGA GATCTTATTG ATTATCAAAA GGTATTTCTG	2340

1265

AACCACCATA TTAATTGTTA TTTCTAGTTT ATTTCCCTGA AATGCTCTAG CTATTTGCAG	2400
ATAACAAGCA TCTATAATAC ATACTTAACT TTTCAAAAGG TTTAGCTAAA AAATTTTAGC	2460
CAAACCTTTT CTATTTTACC TTGCTCTAGA ATTTTAAAC TGCTATACTT ATCACAAAAA	2520
AACG	2524

(2) INFORMATION FOR SEQ ID NO: 243:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2359 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 243:

CGTGCCTGGG GGCTTGTTGT CAAAAGGAAA GTCAGACAGG AAAGGGGATG AAAATTGTGA	60
CCAGTTTTTA TCCTATCTAC GCTATGGTTA AGGAAGTATC TGGTGACTTG AATGATGTTT	120
GGATGATTCA GTCAAGTAGT GGTATTTCACT CCTTTGAACC TTCGGCAAAT GATATCGCAG	180
CCATCTATGA TGCAGATGTC TTTGTTTACC ATTCTCATAC ACTCGAATCT TGGGCAGGAA	240
GTCTGGATCC AAATCTAAAA AAATCCAAAG TGAAGGTCTT AGAGGCTTCT GAGGGAATGA	300
CCTTGGAACG TGTCCTTGGG CTAGAGGATG TGAAGCAGG GGATGGAGTT GATGAAAAAA	360
CGCTCTATGA CCCTCACACA TGGCTAGATC CTGAAAAAGC TGGAGAAGAA GCCCAAATTA	420
TCGCTGATAA ACTTTCAGAG GTGGATAGTG AGCATAAAGA GACTTATCAA AAAAATGCGC	480
AAGCCTTTAT CAAAAAGCT CAGGAATTGA CTAAGAAATT CCAACCAAAA TTTGAAAAAG	540
CGACTCAGAA AACATTTGTA ACACAACATA CAGCCTTTTC TTATCTAGCG AAGAGATTG	600
GGCTTAATCA ACTTGGTATT GCAGGTATCT CTCCTGAACA AGAACCAAGT CCACGACAAC	660
TAACAGAAAT TCAGGAATTT GTTAAGACCT ATAAGGTAA AACGATTTT ACAGAAAGTA	720
ACGCTTCTTC AAAAGTAGCT GAAACTCTTG TCAAATCAAC AGGTGTGGGT CTTAAAACTC	780
TGAATCCTTT AGAGTCAGAC CCACAAATG ACAAGACCTA TTTAGAAAAT CTTGAAGAAA	840
ATATGAGTAT TCTAGCAGAA GAATTAAAGT GAGGAAAGAA TGAATAATTA TAAAAATAT	900
CTAGCAGGTT CAGTGGCAGT CCTTGCCCTA AGTGTGTTGT CCTATGAGCT TGGACGTTAC	960
CAAGCTGGTC AGGATAAGAA AGAGTCTAAT CGAGTTGCTT ATATAGATGG TGATCAGGCT	1020
GGTCAAAAGG CAGAAAACTT GACACCAGAT GAAGTCAGTA AGAGGGAGGG GATCAACGCC	1080
GAACAAATTG TTATCAAGAT TACGGATCAA GGTATGTGA CCTCTCATGG AGACCATTAT	1140

1266

CATTACTATA ATGGCAAGGT TCCTTATGAT GCCATCATCA GTGAAGAGCT CCTCATGAAA	1200
GATCCGAATT ATCAGTTGAA GGATTCAGAC ATTGTCAATG AAATCAAGGG TGGTTATGTC	1260
ATTAAGGTAA ACGGTAAATA CTATGTTTAC CTTAAGGATG CAGCTCATGC GGATAATATT	1320
CGGACAAAAG AAGAGATTAA ACGTCAGAAG CAGGAACGCA GTCATAATCA TAACTCAAGA	1380
GCAGATAATG CTGTFGCTGC AGCCAGAGCC CAAGGACGTT ATACAACGGA TGATGGGTAT	1440
ATCTTCAATG CATCTGATAT CATTGAGGAC ACGGGTGATG CTTATATCGT TCCTCACGGC	1500
GACCATTACC ATTACATTCC TAAGAATGAG TTATCAGCTA GCGAGTTAGC TGCTGCAGAA	1560
GCCTATTGGA ATGGGAAGCA GGGATCTCGT CCTTCTTCAA GTTCTAGTTA TAATGCAAA	1620
CCAGCTCAAC CAAGATTGTC AGAGAACCAC AATCTGACTG TCACTCCAAC TTATCATCAA	1680
AATCAAGGGG AAAACATTTC AAGCCTTTTA CGTGAATTGT ATGCTAAACC CTTATCAGAA	1740
CGCCATGTGG AATCTGATGG CCTTATTTTC GACCCAGCGC AAATCACAAG TCGAACCGCC	1800
AGAGGTGTAG CTGTCCCTCA TGGTAACCAT TACCACTTTA TCCCTTATGA ACAAATGTCT	1860
GAATTGGAAA AACGAATGTC TCGTATTATT CCCCTTCGTT ATCGTTCAA CCATGGGTA	1920
CCAGATTCAA GACCAGAAGA ACCAAGTCCA CAACCGACTC CAGAACCTAG TCCAAGTCCG	1980
CAACCAGCTC CAAGCAATCC AATTGATGAG AAATTGGTCA AAGAAGCTGT TCGAAAAGTA	2040
GGCGATGGTT ATGTCTTTGA GGAGAATGGA GTTTCTCGTT ATATCCCAGC CAAGGATCTT	2100
TCAGCAGAAA CAGCAGCAGG CATTGATAGC AAAGTGGCCA AGCAGGAAAG TTTATCTCAT	2160
AAGCTAGGAA CTAAGAAAAC TGACCTCCCA TCTAGTGATC GAGAATTTTA CAATAAGGCT	2220
TATGACTTAC TAGCAAGAAT TCACCAAGAT TTAAGTGATA ATAAAGGTCG ACAAGTTGAT	2280
TTTGAGGCTT TGGATAACCT GTTGAACGA CTCAAGGATG TCTCAAGTGA TAAAGTCAAG	2340
TTAGTGAAG ATATTCTTG	2359

(2) INFORMATION FOR SEQ ID NO: 244:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1052 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 244:

TTCTTTCTGC TATAATCGTA TAAATACTT ACTTAGGAG TTCTTATGAA AGTTGTTAAA	60
TTTGGAGGTA GTTCTCTTGC CTCTGCTAGT CAATTAGAAA AAGTTTAAA CATCGTCAAA	120
AGCGATTTCAG AGCGTCGTTT TGTAGTCGTT TCTGCGCCTG GTAAACGCAA TGCTGAAGAT	180

1267

ACTAAGGTTA CGGATGCCCT GATTAAATAC TACCGCGACT ATGTTGCGGG TAACGATATT	240
AGCAAGAACC AAAGCTGGAT TATCGACCGC TATGCTGCTA TGGTTAGTGA ATTGGGACTA	300
AAACCAGCTG TGCTAGAAAA AATTCTCTAA AGCATTCACG CCTTGGCCAC TCTTCCTATT	360
GAAGAAAATG AATTCTCTA CGATACTTTC CTAGCAGCCG GTGAAAATAA CAATGCCAAA	420
TTGATTGCTG CCTACTTTAA CCAAAATGGT ATCGATGCAC GCTATATGCA CCCTAGAGAA	480
GCTGGGATTG TGGTCACAAG TGAACCTGGT CACGCTCGCA TCATTCCATC AAGTTATGAC	540
AAGATTGAAG AATTGACAAA CACCAATGAA GTCCTTGTC TCCCTGGTTT CTTGGTGTC	600
ACTAAGGAAA ATCAAACTG TACTTTCTCA CGTGGAGGTT CTGATATTAC AGGTTCTATC	660
ATTGCTGCTG GTGTCAAAGC TGACCTCTAT GAAAACTTTA CGGACGTTGA TGGTATCTTT	720
GCAGCCCACC CTGGTATTAT CCACCAACCA CACTCGATTC CTGAGTTGAC CTACCGTGAA	780
ATGCGCGAGT TGGCCTATGC AGGCTTCTCA GTCCTTCATG ACGAGGCTCT TCTTCCTGCC	840
TACCGTGGA AAATTCCTCT GGTATCAAG AATACCAACA ACCCTGACCA TCCAGGTACT	900
CGTATCGTTC TAAAACACAG TAATGATGAA TTTCCAGTTG TGGGAATTGC TGGTGACTCA	960
GGCTTTGTCA GCATTAAATC GTCGAAATAC CTCATGAACC GTGAGGTTGG ATTTGGCCGC	1020
AAGGTTCTGC AAATCCTGGA AGAACTTAAC AT	1052

(2) INFORMATION FOR SEQ ID NO: 245:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 855 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 245:

CCCTCGAAAA CTAAGCCGAT GAAGTCAGAA CACTTCAATC CTGTTCTGTA CTGGTGGGAA	60
AATCGTGAAG AGATTCTGGA AGGTAAGTTC TACAAATCTA AATCATTTAC ACCTAGTGAA	120
TTGGCTGAGT TGAATTATAA TTTAGACCAG TGTGACTTTC CAAAAGAGGA AGAGGAAATC	180
TTAAATCCCT TTGAGTTGAT TCAGAATTAT CAAGCGGAAA GAGCAACTTT AAATCATAAG	240
ATTGATAATG TATTAGCTGA TATTTTGCAG TTGTTGGAGG ACAAATAATG ACACCAGAAC	300
AACTTAAAGC AAGTATTCTC CAAAGAGCGA TGAAGGGAA ATTAGTGCCG CAAAATCCCA	360
ATGACGAACC TGCAAGTGAA TTATTAAAGA GAATTAAAGC TGAAAAAGAA AAACCTATCA	420
GTGAAGGAAA AATCAAACGA GATAAAAAGG AAACCTGAGAT ATTTCTGTTG GATGATGGGA	480

1268

AACATTATGG GAAGTTTGCT GATGGAAGCA CTCAGAAAT TGATGTCCT TATGATATTC	540
CTGATACTTG GGAGTGGGTG AGGATAAAAT CAATTTATTG GAATTTTGGG CAAAATAAGC	600
CAGAGAAATC CTTTAGGTAT ATAGATACGT CTAGTATTGA TAGAAAAAG AACATAATCA	660
ACTACAAAA TCTACAATAT CTTTCACCTG AACAGCGCC TTCCCGTGCT AGAAAATTAG	720
TTTCGCAGAA TAGTGCTTA TTTTCAACAG TTAGACCATA TCTAAAAAT ATTGCTGTAG	780
TTAGAGAACT TAAAGAGTAT TTGATAGCTA GTACAGCATT TAATGTTTTG GGATACTTTA	840
CTTAACGAAA CATAT	855

(2) INFORMATION FOR SEQ ID NO: 246:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 660 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 246:

TTTAGGAAGG CTATCCGTAA TTTTACAAAG GATTTAGATA TTACAGAGGA ACATTTAGAT	60
ATTATCAAAA GAGAGATGTT TGGCGAATTT TTCAGTAGCA TGAAGTCTCT TGAATTTATT	120
GCAACGCAAT ATGATGCTTT TGAAAATGGT GAGATAATTT TTGATTGCC GAAAATTTTA	180
CAGGAAATTA CTTTAGAGGA TGTCCTTGAT GCTGGACATC ATTTAATAGA TGATGGTGAC	240
ATAGTTGATT TTACAATATT CCCATCGTAG TAACCTATTA TAATAGACAC TAGAAAGAAG	300
GGATGACAAG TATGAGAAAA AAAACAATTG GAGAGGTTT ACGATTAGCT AGAATCAATC	360
AGGGATTGAG TTTAGATGAA TTGCAGAAAA AGACAGAAAT CCAGTTAGAT ATGTTGGAAG	420
CAATGGAAGC AGACGATTC GATCAACTTC CAAGTCCTTT TTACACGCGT TCTTTCTTGA	480
AAAAATATGC ATGGGCTGTT GAGTTAGATG ACCAAATTGT TTTGGATGCT TATGATTCTG	540
GGAGTATGAT TACTTATGAG GAAGTAGATG TTGATGAAGA TGAGTTGACA GGTCGTAGAC	600
GTTCAAGTAA GAAAAGAAG AAAAAACAT CATTTTACC TTTATTTTAT TTTATCCTGG	660

(2) INFORMATION FOR SEQ ID NO: 247:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1805 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 247:

1269

CCGGTTGCAC AGGATCGTGC ATAGTCAACT CTTCAAGTAT AGCATATCTC CTATTTTCTT	60
ACAAAGTAATA ACACCTAAAA TGAAGCTTTT TCTTTTACTT TTTTCTGCCA AGAGGCAAAA	120
AGCATGCTGA GGTAAAAAAC GCTCATCATA ATAGGAACAC CAAGAATGGT CTTTTCATGA	180
TAGAAAATCG TCAAATAGGC TGAAAAGACA ACGCCAAGGA CAAAACTACT AAGCAGGCTA	240
ACAAATATGA ATCCTTCACG CAAAAAAGGA GTGTGCTTGG TTCGGAAATA ATCTCCAAAA	300
GCCAGCATGG TCCGTTTGAT ATTCCCTGTC ATAAAAGCGT TATTATAGGC AATACCCGAC	360
ACTTCTCCAA AAGCAGTTGT CACCAGTCCC ATACAGAAGG CCAAGGGCGG CACTAGATAG	420
ATATTATCCA CAGTTTGCGG CACAAAAGCA ATAATGATTG ATAAGATTGC CAAGGGAATC	480
AAGGACAGAA TAGGTTTTTT CACAATTCTC AATTTTTCTT TATAAATCGT TAATAAAAAG	540
ACTCCCATCA TAAACGCTAG CAAGGTGAGA ACCTTGTCCT TAACATCCGA AACATTATTT	600
TTAATTAATT CTACTGAAAG AAAGACAACA TTTCCAGTTT GTCCAGCTAC AAGGGTATTC	660
CCGCGAACAA TAAAAGTGTA AGCATCCACA TATCCAGCAC AAAACGTCAA AAAAAGTGCT	720
AACCTTTTAG ACTGACGTGA TATTTTTCTT ATAGGTAATA ACCTCATTTT ACCTCCCAT	780
GTATTTTCTC TTAGAAATAT TGTACCATT TCTTTCTAAA AAATCGTAGG CTACCATTTA	840
GATTTTACTA TTAGCATAAA AATAATAATA GACAACTATT TATCCAAAA TAGATAGATG	900
TAACATGTTT GCAAACAAAG CATACGAACC TTTAGTAAAA TCATTTCCAT GAAACTAGAA	960
TAGAGCCCTC TTAGCAAAA TCATTATTTT AATTATTTTC TAATCACTCC TTGACATAAA	1020
TAACTCTCAC CAATAAAGA CTATGTCTTA AAAAAATGGT ATAATAAAAT CAATACTTGG	1080
GCTTGATGGC TATGCTACTA ATAACAATTA GGAGAGAAAA TCAGGCACTT GTTAACAACA	1140
AGGATTATCC CCTTGAGATG AAAGGAACTT TAGAAATCTT ATGATGAACA TGCAAAACAT	1200
GATGCGTCAA GCACAAAAAC TTCAAAAACA AATGGAACAA AGCCAAGCTG AACTTGCTGC	1260
TATGCAATTT GTTGCAAAAT CTGCTCAAGA TCTTGTCCTA GCGACCTTAA CTGGCGATAA	1320
GAAAGTTGTC AGCATTGATT TCAATCCAGC TGTCGTTGAC CCAGAGGACC TTGAGACTCT	1380
TTCTGATATG ACCGTTCAAG CCATCAACTC TGCTCTTGAA CAAATCGATG AAACTACCAA	1440
GAAAAAACTG GGTGCTTTTCG CTGGGAAATT ACCTTTCTAA AAACAAGGAG CTAGAACAAT	1500
GCTTGTCGAT AACAAAGGCT AAGAAAGGTG CAAAAATGAC TCTATAATAT TTGTAGTGGG	1560
TAAATCCCTT ATGGATATTA TGGAGCCTAT TTTTGTGTAG AAAAAAGTCC CATATGACCT	1620
ATAATGAAAA GCGACAAAAC AACTCATTAG AAAGAATCAT ATGGAACAAT TACATTTTAT	1680
CACAAAATTA CTAGACATTA AAGACCCTAA TATCCAGATT TTAGACATCG TCAATAAGGA	1740

1270

TACACACAAG GWAATCATCG CCAAACCTGGr CTATGAAGCT CCATCTTGTC CTGAGTGCGG 1800  
AAGTC 1805

(2) INFORMATION FOR SEQ ID NO: 248:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 2516 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 248:

CTGCATCTAG TTTGTTTCTC CCTACAGTTT TAGCTAGACA GATTGGAGAT TATGATTAA 60  
CGTCGCCGCG TTGGGGTTTCG GATACAACCTA GTGAGCTTGA GAAAGAAAAC TCCTCTGCTG 120  
GAATTAATAA TAATGACAGC ACTGGTGGCG GTAAAAGGTT AAATACCTCT ATTCGTAGCG 180  
CCTATAGTGG GTCAGATATT ACCCCGGTAT ATTCATTGGG GTCTGGCTCT AGGATTGTCA 240  
TGTACTATAA TGGAGGTGGT GACAATTATA TTGTTCTCG TACTAGATTA GCTATGGCGC 300  
CACAAATTGG AAATCATGTA AGAATTCATA CTTCAGGTTT TTGGAATCCA GATTCCTATT 360  
AACTTACTTG TCAGAGTAAG CCTTAAAGAT GGTGATTGT GGGTGTAGCA TGAAAAAAGA 420  
ATGCTACACC CTATTTTAT TATAAGGAGG AGTAAGGATG GAATTTTCA TTTGTAATCT 480  
TGTACGAGTC GTTCAATCAC CTCGATTTTA TAGTCTTTA TTTTGACCC TTCTTTGCAT 540  
GAGTTTAGGA AATTTCCTTG CTTTCAATGG TATTTATAAA ATTGAAGGTT TATCGATTTT 600  
TTTTGCCGCT TCTTCTATTC GAGGATTTTC ACCGATTAGC CTAGTAGCTG CACTTATCTG 660  
TACACTGCCC TATTCTAGTC AGATAATAGA GGATGCTGAG AGTCATTTTC TAACAGCACA 720  
ATTGTGTCGA ATTTCTAAAA AGAAGTATCT GGCTATTGTG GGTAGTACTG TAATPATTTT 780  
TTCTTTTCTA GTCTTTTTC TCCCTATTT ATTATTATTA GGAATTAATC TTTTAGTGAC 840  
TCCTTATCAG GAAATTTATA TTGGAGATTA TAGTGGTGCC TTAAGAAGAT TATTTGATTC 900  
CAATCAGTTT CTCTATAGTC TTGTAACGAC TCTCTGGTAT GGAGTTTGGG GCGCTGTGTT 960  
CTCTATTTTT GGAAGTACTA GTGCTTTGCT AGTGAAGAAA AAAATAGGAG CTATTTTCAT 1020  
CCCAGTTGCC TATATGATGG TTGCTGGTAT TTTTGGGCT ATTTTAGGGC TATCTTACTT 1080  
AGAACCTGTG ACAACGCTAG CTTTGGGATA TCAGAAAGAT ATCAGTCTTT CCTTAGTTAG 1140  
TGCTCATCTT GCTTTTATTT TATTTGTAG TTGTTGGTT GTTTATGCTA CATTTTCTT 1200  
ACATTCAGAG GACTATGTAT AATGAAACAA TTTGTTCAAT TTTATAAAAA AGATTTCTTA 1260  
GCAGTATTGG TTTATTTTAT ATTACTGCTA TCCTGTGTTT TATCTAGTAC AGTATATTTA 1320



1271

TTGCGCtGTC GCCAATATTC AATCCATCCA AATGTATTAG AATGGATCTT AGTTTTACTT	1380
CAAGATATGA CGACTGGAGT ATATTGCTTT CCGTTCACAT ATATATTGTT CTTTTTTTAT	1440
TTGATGAATA ACTATTTTAA TAGGTTGGAG TGTCGCATTC GTCTGAAATC AATTAAGCAC	1500
TTTACCAGTT TTAGTTTCAA ATTAGCAGCT CTTAGTACGG GGATTGAGAC GCGGACTTTA	1560
TTTTTATGA TTTTCTAAT TGCATTTAGT AATGGTTTTA GCTTCTCTTT GGAGATAAAG	1620
GAGGTTGATT TTTTAAGAGA ATTTTATGGT ATAAGTATTG CAAACAATGC TAGTTTCTTT	1680
ATAGGATTTT TTTTCTCTTA TATAGCATAC TATTTCTTTT TATCCTTACT TACTATTAGC	1740
AGTTTTTCTT GGTTTAAAA ATCAAACATG AGCTTAGTAT TTCTGTTTAC TTTTTTATTT	1800
GTAGAATCCT TATTCCTGGAT TTATCAGTTG GACAATGGGA TAATTGGATT ATTGCCAATT	1860
TTTCAGTATA TGGTAAATTC CAATCCGTAT GCATTTGATTT ATTGGCTTAC ATTACTATCT	1920
ATCATAATTC CATTGACTGT ATTTTCTGTT CATAGAACT GGAGGAGAGT GTAAAAGTTG	1980
GAAATGGGAA AGTTAAGTAG TCACATGTGG AGGTTGAATC AGATAATCTA TACCAAGTAC	2040
TTTGTGGGTT ATGTTCTTTT TTGGATATTG ATTTGTTTAG GATTATGGTA TTGGTTAGAA	2100
GGAAATGATA GACTTGTAT AGAAATTTTA AAAGGGCCTA ATCTGAGTCA AAACCTTTT	2160
TTAGTCTTAT CTATATGGTT GCTTCATTGG TTTATTATTC ATACATTTT TCTAGCAGTT	2220
GTATATCGTA GAAGAGCATC CGATTTCTTT ATGGAAGTGA TTCGATTTTC TTCTATTAAG	2280
CTCTGGATTA GGTATCAGAT TTGGACCTGT TTTCTTTATG GACTCATTTC AATCATGGTA	2340
AAAGTTCTAG TGATTCAATT TATGTTACAG TTACCAAACT GGGATATAGG AGTTTGTGTT	2400
ATAGTTGATT CTTTGAATGC TTGTGTGTTA GTCTTGTGTT GCTTTATGTT ATACGCACTA	2460
GGAGCGAATG TACAAATGAA CTTTGCTTGC GTTAGTTTCT TTTTACTCAT GATTGG	2516

(2) INFORMATION FOR SEQ ID NO: 249:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1364 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 249:

CGGTGTTTT TTGTAAATTT TCTAGCACTT GTATGGTAAA ATAGATACAG GTGTTCAATTA	60
AACTAGACTA AAAACCTATT TAAGCAGGCA AAATGAAGAA ATACCAACAA TTATTTAAGC	120
AAATCCAAGA AACCATTCAA AACGAGACTT ACGCTGTCGG AGATTTCCTT CCTAGCGAGC	180

1272

ACGACCTTAT GGAGCAATAT CAAGTGAGTC GTGATACCGT CCGAAAGcCC TGTCTCTCCT	240
CCAAGAGGAA GGATTGATCA AAAAGATAAG AGGGCAAGGT TCTCAAGTCG TCAAAGAAGA	300
AACCGTCAAT TTCCCTGTAT CCAACCTAAC CAGCTACCAA GAACTAGTTA AAGAACTTGG	360
ACTGCGCTCT AAAACCAACG TGGTCAGTCT GGACAAGATT ATTATTGATA AAAAAATCCTC	420
ACTGATAACC GGTTTCCCAG AGTTTCGGAT GGTTTGGAAG GTGGTCCGCC AGCGTGTGGT	480
GGATGATCTG GTATCCGTTT TGGATACGGA CTATCTGGAT ATGGAAGTCA TCCCAAATCT	540
CACTCGCCAA ATTGCTGAGC AGTCTATCTA TTCTTATATA GAAAATGGCC TCAAACCTCT	600
TATTGATTAT GCTCAGAAGG AAATCACCAT TGACCACTCA AGCGACCGAG ACAAGATTCT	660
CATGGACATT GGCAAAGACC CTTATGTCGT TTCGATTAAA TCAAAAGTCT ATCTCCAAGA	720
CGGACGCCAA TTTCAGTTTA CCGAAAGTCG CCATAAGTTA GAGAAATTTA GATTGTAGTA	780
TTTGTGAAAA CGCAAGAAAT AAAAGACTGA GACACCAGAT CTCAGCCTTT TTCGGCTCTA	840
TAATATTGT AGTGGGTAAC CCCCTATGG ATATTATGGA GCCTATTTTG TGTAAGAAAA	900
AAGTCCCATTA TGACCTATAA TGAAAAGCGA CAAAACAACT CATTAGAAAG ATTCATATGG	960
AACAATTACA TTTTATCACA AAATGCTCG ATATTAAAGA CCCAAACATC AAGATTCTAG	1020
ACATCATCAA TATGGATACC CACAAAGAAA TTATCGCTAA GCTGGATTAT GAGGCTCCAT	1080
CTTGCCCTGA TTGTGGAAGT CTAATGAAGA AATATGACTT TCAAAAACCG TCTAAGATCC	1140
CTTACCTCGA ACAAAGTGGT ATGCCTACTA GAATTCTCCT TAGAAAGCGT CGTTTCAAGT	1200
GCTATCATTG TTCTAAATG ATGGTCGCTG AAATTCTAT CGTCAAGAAG AATCATCAAA	1260
TTCTCGTAT TATCAACCAA AAAATTGCGC AAAAGTTGAT TGAGAAGATT TCTATGACCG	1320
ATATTGCTCA TCAGCTGGCC ATTTCAACTT CAATGTCAT TCGG	1364

(2) INFORMATION FOR SEQ ID NO: 250:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1227 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 250:

CCATGAAGAC CGCTTGAAT TGGAATGGCA CAAGTCTTTG TTGAATGGTC TATTTCCATT	60
GACAATCGGT GGAGGAATTG GACAATCTCG TATGGCCATG TTCCTACTTC GCAAGAGACA	120
CATCGGAGAA GTGCAACAA GTGTTTGGCC TCAAGAAGTC CGCGATACTT ACGAAAATAT	180
TTTGTAGAGA ATCGAACCGC AAGGTTCCGT TTTCTTTCTC TTTTGTCTA TAATTGGTA	240

1273

TAATAAACAG TATGAAAATC GTATCAGGAA TCTATGGGGG ACGTCCCCTC AAGACACTAG	300
AAGGCAAGAC GACAAGACCT ACTTCGGATA AGGTTAGGGG AGCCATTTTT AACATGATTG	360
GTCCCTACTT TGAAGTGGGA CGAGTCTTGG ACCTTTATGC AGGTAGTGGT GGTTCATCTA	420
TCGAAGCAGT ATCGCGTGGC ATGTCCAGTG CTGTTTGGT GGAGCGAGAC CGTAAGCTCA	480
GACCATCGTG GCTGAAAATA TCCAGATGAC CAAGGAAGTT GGAAAATTTC AACTCCTCAA	540
GATGGATGCA GAAAGGGCAT TGGAACAGGT ATCTGGGGAA TTTGACCTCG TTTCTTAGA	600
CCCTCCCTAT GCCAAGGAAC AAATCGTAGC AGATATTGAA AAAATGGCTG AGAGAGAGCT	660
TTTTTCTGAA GATGTTATGG TTGTGTGCGA GACGGATAAA GCCGTTGAAC TTCCAGAAGA	720
AATGTCCTGT CTGGGTATCT GGAAGGAAAA GATTTATGGA ATTAGTAAGG TGACAGTCTA	780
TGTCAGATAA GATTGGCTTA TTCACAGGCT CATTTGATCC GATGACAAAT GGGCATCTGG	840
ATATCATTGA ACGGCGGAGC AGACTTTTGT ATAAGCTTTA TGTGGGTATT TTTTAAATC	900
CCCACAAACA AGGATTTCTC CCTCTTGAAA ATCGTAAACG GGGGTTAGAA AAGGCTGTGA	960
AACATTTGGG AAATGTTAAA GTCGTGTCTT CTCATGATAA ATTGGTGGTC GATGTCGCAA	1020
AAAGACTGGG GGCTACTTGC CTAGTGCAGG GTTTGAGAAA TGCCTCGGAT TTGCAATATG	1080
AAGCCAGTTT TGATTACTAC AATCATCAGC TGTCTTCTGA TATAGAGACT ATTTATTTAC	1140
ATAGTCGACC TGAACATCTC TATATCAGTT CATCAGGCGT TAGAGAGCTT TTGAAGTTTG	1200
GTCAGGATAT TGCCTGCTAT GTTCCCG	1227

(2) INFORMATION FOR SEQ ID NO: 251:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 3652 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 251:

CCGGTCAAGT TAAAAACGCT ATTTCTTCCC ATTTTATTTA TTTTITAGGA GTGGTAACGT	60
ATCAAAATAG CCCAAGCGTT CTCACCCGTG TGAGTTTGAA TAATGGAACC CGTTTCCAAA	120
ACAGAAATTG GCTTTTCAAC ATAAGCTTGT AAGCTTTCIT TCATCTCTTT TGCCCAATCA	180
TCACTACCAG AATATGAAAT TCCAATCTCT GCTACAGCAC GTTCAGAAAG CGATGTTATC	240
AACTCATCTA ACCATTTTTT AAATGTTTTA GTTCCACGAC CTTTAACCAT TGGCTGCAAT	300
TCATGGTCTT TCATTTGCAT GACAGCACGG ATATTGAGAA GAGAGCTCAA CAAGCCAGTT	360

1274

ACACGGCTAA	TTCGTCCACC	TTTGACAAGA	TTTTCCAAAG	TGAAACACC	AATATAAAGC	420
TCTGTATGGT	TTTAAACCTC	TTCTACATGA	GATAAAATTG	CCTCCATATC	TTTACCTTCT	480
TGAGCTAACT	TCGCAGCCTC	AACAACCTGG	AATTTCAAGG	CTTGGTCAGT	GAAGGAACTA	540
TCAACAACAG	TCACATCTGC	AGTAGATAGG	CTAGCACCTT	GGCGTGCTGC	TTCTACCGTA	600
CCCGAAAGAG	CATGGGACAT	ATGAATAGCA	AGAATCTGGC	CACCATCTTT	GCATAGGTCT	660
TCAAAAATCT	CAGCAAAGAC	ACCTACAGGT	GGCTGACTTG	TTTTCGGAAG	ATTCTTACTT	720
TCTTGCAATCA	ACTGAAGAAA	TTTACCTTCT	TCTTTCAAAT	CCGCATCAGA	ATAAACAACA	780
TTATCAATCA	TTACAGATAA	TGGAACAATT	GTAATATCTA	ATTGCTTTAC	TAGTTCAGGT	840
TCAATAGTAA	CAGATGAATC	GGTTACAATC	TTAATTTTGG	TCATAGTATC	AATCTTTCTA	900
TTTTAGGATT	CAGATTGGTT	TCCTTACTTC	TAATTATATC	AAAAAAAGA	TTAAAAATCC	960
TAATGGAGTC	AATCAAATTT	TCCGTAAAT	TTGATATAAT	CAACTTATAA	GAAAAGAGGT	1020
GTCTATGAT	TAAAAAATT	TACCCCATTT	TTACCATTTT	ACTAGGTGCT	GCTATTTATG	1080
CTTTGGACT	GACTTATTTT	GTAGTTCCCC	ATCATCTCTT	TGAAGGAGGG	GCGACAGGCA	1140
TTACCCTCAT	CACCTTTTAT	CTTTTAAAA	TCCCTGTTTC	CCTCATGAAC	CTGCTGATTA	1200
ATATTCCTCT	TTTCATCCTA	GCTTGGAAGA	TTTTTGGAGC	CAATCCCTC	TATTCCTAGTT	1260
TACTAGGAAC	CTTAGCTTTG	TCCGGCTGGT	TAGCTTTTTT	TGAGCATATT	CCCCTTCATA	1320
TTGATCTTCA	AGGTGATTTA	CTAATCACAG	CCCTTATAGC	GGGAATCCTA	TTGGGAATTG	1380
GCCTTGGAAT	TATTTTAAAT	GCTGGAGGTA	CAACTGGCGG	AACTGATATT	CTAGCTCGTA	1440
TTCTCAACAA	ATACACTCAT	ATATCCATAG	GAAAACGCT	CTTTATCTTA	GATTTTGTGA	1500
TTCTCATGTT	GATTCTCCTA	ATCTTCAAGG	ATTTGAGATT	GGTTTCCTAC	ACGCTTTTGT	1560
TTGATTTTAT	TGTTTCTCGT	GTTATTGATT	TGATTGGTGA	AGGAGGATAT	GCCGGCAAAG	1620
GCTTTATGAT	TATCACAAAA	CGTCCTGACC	AACTTGCTAA	GGCGATTAAAT	GATGACCTCG	1680
GAAGAGGTGT	TACTTTTATT	TCTGGTCAAG	GCTACTATAG	TAAAGAAAAT	TTGAAAATCA	1740
TCTACTGTAT	TGTCGGAAGA	AATGAAATTG	TGAAAACGAA	GGAAATGATT	CATCGAATCG	1800
ATCCTCAAGC	CTTTATAACT	ATTACAGAAG	CCCATGAAAT	CCTAGGAGAA	GGCTTCACCT	1860
TTGAAAAAGA	ATAAAAAGAG	GTAATGTCGT	GACCTCAAAA	GTTAGACTAA	ATCATCTATC	1920
TTTTGGGTTA	CAGACAACCT	CTTTTATTAT	TTATTTACTC	AAGCTCTTAA	GACCAATTCC	1980
GAGTTACTTC	TTCATCAGCC	TTTAACTGAT	CCACTAATTG	GTCAACTGAG	TCAAATTTGG	2040
TCATATCTCG	AATGCGATCA	AGCCAATAAA	CCATGACGGT	TTCCCCATAA	ATATCTTGAT	2100
TAAAATCAAA	AATATTGACT	TCAAAACGTG	CTTCTTCTCC	ATCAAAGGTC	ACATTTTTC	2160

1275

CGACACTAGC CATAGCACGA TACTTCTGTC TTGGAATCTC AACATCAACA ACATAAACGC	2220
CATCTGCTGG CATATAAGTA CGGTCTAAAA GCACTAAATT CGCTGTCGGA TAACCAATTG	2280
TACGACCACG AGCATTACCA TGAACCACCA TACCTCTTGA TGGAGCGGT GCCCCAAAA	2340
GTTTTCCTGC TTCTTTCACA TTTCATCTA AAATAGCTTG ACGGATACGA GTTGAACATA	2400
TCTTTCCTTT CTCATCTTCT ACAGGTGGAA CAATGATAAC TTCTCCATCA AAGTAATTCT	2460
TTAAATCTTC TGCTGTTTTT TTGTCAGAAC CAAATGTATA ATCAAAACCT GCAACAATAA	2520
TTTTGGCATT CATAGCCTTG ATATAAGTTG CAAAGAATTC TTGTGCAGTG AGACTAGCGA	2580
ATTGACTACT AAAATCAAGG AGATATAATT CTCTACACC TTCGCGCTTT AATTTCTTT	2640
CACGTTCAGC AGGGTTCAAA ATATGCAAAA ACAATCTGG ATGATAAGGC TCTAAAGCGA	2700
TCTTTGGAGA TTCATTAAGG GTCATAACGA CGATAGGCAA CAAATCCTTT CTCGCAGCCT	2760
TGTTGGCAAC ACGAAATAAT TCTTGATGCC CTTATGTAT GCCATCAAAA TAGCCGAGAA	2820
CAACGACTGA ATCAGATGGT GTGCCAATAT CTTTTGGTT TTTTATAGGA ATAGTAATAA	2880
TCATAAATA ATTATATCAT AGCGATAGCT ATTTCTGGAA CAGAAAATCT GAAATGTTGT	2940
TTTTTTCACA TGAAGTGAC CTGTTTCAA AAAGCACTTT ATTCTATCGT TGCTTAACTA	3000
TGAACCTTGC AATATTCTTC TCAAAAACCT GTAGGACATC TTCAAAATTT TGCAAGGAGT	3060
GATTAGACTT GTTCGGTAAC CATAAAGTGT CATACTATGC TTATGTATGA AAAAGCAATG	3120
CAACTAACTC CTGAGAACTT TAAATTACTA ATTTGGTCCG AAAAGGTAGA ATTTAGAATC	3180
GAGGTACACC TATGGCTGTA AAATTTACAA AATGAGACAA CTTGGGCAAG ATGTTTGAAG	3240
AATTTCTTAA ACTCCCTGAT TTGAAGCAAG TCACCTTCCC TAATGACAAA GAAAAAGCC	3300
AAAACAGCAA AGAAAACTA GATGACTGCT TTCCAACAAC TCCCATCTAG TGTGCTTCAG	3360
ACTGGGCTAT TTTTCTCTCC ATCTGTTAGC TTGGATTCTC AGACCGTTTC AGCTAAAGAA	3420
TATCTTTTCC CTTATCAGAA GGAACGGCTC AAGCCATTCA GACAAGTGAA GGGACGACAA	3480
GCCAATATTT GAAACCAGAT AGCAGTTCTT ATAGTCAATT GAAATAAAAT CTGAAGAAAT	3540
CGAGTAGGAA ACTCATATCA ATGTTTAACA GTGTTCTATT CCAGATTCAT ACTCAATGAW	3600
AATTAAGTG CAACTAGGA AGTTAGCCGC AGGTGATACT TTGGGTACGG CA	3652

(2) INFORMATION FOR SEQ ID NO: 252:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 743 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

1276

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 252:

GTACCGTGGT GCCAAAGTAC AGCAAGGTTG GCTTTTGTGAC AAACAATACC AATCTTGGTT	60
TTACATCAAA GAAATGGAA ACTATGCTGA TAAAGAATGG ATTTTCGAGA ATGGTCACTA	120
TTATTATCTA AAATCCGGTG GCTACATGGC AGCCAATGAA TGGATTGGG ATAAGGAATC	180
TTGGTTTAT CTCAAATTG ATGGGAAAAT GGCTGAAAA GAATGGGTCT ACGATTCTCA	240
TAGTCAAGCT TGGTACTACT TCAAATCCGG TGGTTACATG ACAGCCAATG AATGGATTG	300
GGATAAGGAA TCTTGGTTTT ATCTCAAATC TGATGGGAAA ATAGCTGAAA AAGAATGGGT	360
CTACGATTCT CATAGTCAAG CTTGGTACTA CTTCAAATCC GGTGGTTACA TGACAGCCAA	420
TGAATGGATT TGGGATAAGG AATCTTGGTT TTACCTCAA TCTGATGGGA AAATAGCTGA	480
AAAAGAATGG GTCTACGATT CTCATAGTCA AGCTTGGTAC TACTTCAAAT CTGGTGGCTA	540
CATGGCGAAA AATGAGACAG TAGATGGTTA TCAGCTTGA AGCGATGGTA AATGGCTTGG	600
AGGAAAACT ACAAAATGAAA ATGCTGCTTA CTATCAAGTA GTGCCTGTTA CAGCCAATGT	660
TTATGATTCA GATGGTGAAA AGCTTTCCTA TATATCGCAA AGTAGTGTCTG TATGGCTAGA	720
TAAGGATAGA AAAAGTGATG ACA	743

## (2) INFORMATION FOR SEQ ID NO: 253:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4010 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 253:

TTTGGTTGA TGATACGAGG GATTGGTGA TTCTTCTTGA CGATAGAAGT TTCAGCGACC	60
ATCATTTTTG AACAGTGATA GCACTTGAAT CGACGCTTTC TAAGGAGAAT TCTAGTAGGC	120
ATACCAGTCG TTTCAAGATA AGGAATTTTA GAAGTTTTT GAAAGTCATA TTTCTTCAAT	180
TGGTTTCCCG ACTCAGGGCA AGATGGGGCG TCGTAGTCCA GTTGGCGAT GATTTCCTTG	240
TGTGTATCCT TATTGATGAT GTCTAAAATC TGGATATTAG GGTCTTTAAT GTCTAGTAAT	300
TTTGTGATAA AATGTAATTG TTCCATATGA TTCTTCTAA TGAGTTGTTT TGTCGCTTTT	360
CATTATAGGT CATATGGGAC TTTTCTTA CAATAAAATA GGCTCCATAA TATCTATAGT	420
GGATTTACCC ACTACAAATA TTATAGAACC GAATTAATTT AATTAGAGAG CCAACTTTCT	480
AATATAGTAA TCGCGTCATA ACAAGGTATC TATCATTCAT GGAGTTCCTC CTGTATACTA	540

1277

TTAGTAAAGT AAAACTATTG GAGGATATTT TAATGCCACA ACCTATTGTT CCTGTAGAGA	600
TTCCACAATC TCGTCGTTTT GATTCTAAAA AGAGAAATGA TATTCTGCTT AAAATTCGTA	660
TTGGCAAGCT TGAAGTAAGT TTTTTTCAAT CTCTCAATCT CGAAATGGTA GAACAGCTTT	720
TGGATAAAGT GTTGCTCTAT GACAATTCAT CTATCTAGCC TAGGGCAGGT CTATCTCGTA	780
TGTGGGAAAA CGGATATGAG GCAAGGCATT GATTCAATTGG CTTATCTGGT TAAAACCCAC	840
TTTGAATTAG ATCCTTTCTC CGGTCAAGTT TTTCTCTTTT GTGGTGGACG TAAAGACCGC	900
TTTAAAGCCC TTTACTGGGA TGGTCAAGGA TTTTGGCTAC TATATAAACG CTTTGAGAAC	960
GGAAAACTGA CTTGGCCCAG TACAGAAAAG GATGTCAAAG CTCTCACACC TGAACAAGTA	1020
GATTGGCTTA TGAAGGGCTT TTCTATCACT CCAAAAATAA ATTTATCAGA AAGTCGTGAT	1080
TTCTATTGAA ATGAGGACTT TCTTTTTAGT TATAATAAAG TTAGGAAATA AGGAGAGGAA	1140
GCCCATGGAA GAAGATTGAA AATCATTCAA CAACAGAGTG CTACAATTGA TAGTCTCACC	1200
AATGAACTTG CCCTTCTTCG TGAACAAGTG GCTTATCTAA CGCAAAGCT CTATGGAAAA	1260
TCCTCTGAGA AAAGTGTGTTG CCCATCTGGA CAACTCAGTC TTTTGAAGA GGAACAAAAT	1320
ATGGAAGAAG ACTCTGACTT ACCCAGTTGA AAGAGAAGAA ATCACCTATA AACGTAAGAA	1380
AGCTAAAGGG AAACGTCAAG CTCTTCTTGC CCAATTGAT TCAGAAGAAG TTCATCATCA	1440
AGTAGAAGAG AGCATTTGCC CTGATTGTCA GGGAGATCTA AAAGAGATTG GAGCAACCCT	1500
TCAACGACAA GAATTAGTCT TTATTCTGTC GCAATTAAAA CGAATAGATC ATATCCAACA	1560
CGCTTATAAG TGCCAAGCAT GCAGTGATAA AAATCCGAGT GATAAAATCG TGAAAGCTCC	1620
TATTCTTAAA GCCCCTTTGG CGCATAGCCT TGGCTCAGCT TCTATTATCG CTCACACCAT	1680
CCATCAGAAG TTTAATCTGA AGGTACCCAA TTATCGCCAA GAAGAAGATT GGGCTAAGAT	1740
GGGTTTACCA ATCACACGTA AGGAAATTGC TAATTGGCAT ATCAAGGCGA GTCAATACTA	1800
TTTGAGAGCCC CTTTATAATC TTTTACGAGA AAAGTTGTTA GAACAAGCTC TTCTTCATGC	1860
GGATGAAACC TCTTATCGGG TTCTAGAGAG TGATAGTCAG TTGCCTTACT ATTGGACTTT	1920
TTTGTCTGGG AAAGCTGAGA ATCAAGCAAT CACGCTGTAC CACCATGATC AGCGTCGGAG	1980
TGGTTTAGTA GTACAAGAAAT TCCTAGGAGA TTATTCTGGC TATGTTCAAT GTGACATGTT	2040
GCGGAGTAA CTTAGGACTT TAGTCCTCTA GTTCTGCCTA TCGGATAGCA GTCCAAGGTT	2100
TAGGAGTAAG GCGACGCTAA GCTTGGTAAA CTGCGAACAG CTAGAAGCTT ATCGTCAACT	2160
GGAAGAAGCT GCACTTGTTG GATGTTGGGC GCATGTGAGA AGGAAGTTTT TTGAAGTGCC	2220
CCCCAAGCAA GCAGATAAAT CATCCTTAGG AGCTAAAGGT TTAGCTTATT GTGATCAGTT	2280

1278

ATTTTCCTTG GAAAGAGACT GGGAGGCTTT GCCAGCTGAT GAACGACTAC AGAAACGTCA 2340  
AGAACATCTC CAGCCCCTAA TGGAAAGACTT CTTTGCTTGG TGCCGCCGTC AGTCAGTTTT 2400  
AGCAGGTICA AAAC TAGGAA GGGCAATTGA ATACAGCCTC AAGTATGAAG AAACCTTTAA 2460  
GACTATTTTG AAAGACGGAC ATCTGGTCCT TTCCAATAAT CTAGCTGAAC GCGCCATTAA 2520  
ATCATTGGTT ATGGGACGGA GTAAAAGAGT CCAGTGGACT CTTTTAGCCT GAGCTCAGTT 2580  
TAAAAAAGCG AGGGTGGTTA TTTTCTCAAA GTTTTGAAGG AGCTAAAGCA AGAGCTATTG 2640  
TTATGAGCTT GTTGAAACA GCTAAACGTC ATCAATTATA GTGCGTTGAA TCTATAACAG 2700  
TACGCATCGA CTGCTAAAAC ATTTCTATAA ATCAATTTTC CTTTCCTAAT CGATTTGTTC 2760  
ATATCTTATT TCAATCCATT ATAAATAGCG AGAAATATCT ATCCTATCTT CTAGAATGTC 2820  
TTCCAAACGA GGAACTCTC GTAAACAAAG AGGTTTTAGA GGCCTATTTA CCGTGGACTA 2880  
AAGTTGTACA AGAAAAGTGC AAATAAGAAA TCTCCAGATT AGGAACTATC CGTGAGTTCT 2940  
CTAGTCTGGA GATTTTTCOA TAGACTTCGT TATTGGACGG TTACAATTTA TTATATGAAA 3000  
ATCCCATATT ATTCTCCAAT TCTATATTTT ACCTTTCTAA ATGTATAGAT TAACTACCTA 3060  
ATTATAGCAT ATAACGCAGA TTCCTTTCAA TCGTATGATT TACTGCATTA AATTAAGTAA 3120  
AAAAATAAAG GCAGTCCGAA GACTGCCGAT ATTTATCTCT CATCTCTTTA ATTATGGTAA 3180  
GTAAATAAAT AATTTCCTA AAGATATGGA AATTATTAAT ACTATAAATA CATATTATAA 3240  
AGTTTATAAA TACTGTAAAA ATCCTGAAGT TAATTTTCTA ATAAATATCA ATATGTGTTA 3300  
GTATCTTTTA AATTTT TAGA CAATTTACTA GTTCTATAGA CATGTTTAAC AGACTCTATT 3360  
TTACAATTCA AAAATTTTCA CTGCCACTTC ATTTAAAAAT TCTATATCAT GGGAAACAAT 3420  
AAAAATTATT TTATCCATGG TTTTATACTT ATTAATCAGT TCAGATATTT TTATCATATT 3480  
GGAATAATCC ATACCACTTG AAGGTTGCTC AAAAAAGACA AATGGAGAAT TCTTGACAT 3540  
AACAGATGCT ATTGCAAGCC TTTGCTTTTG CCCTCCTGAT AAAC TCATCG GATGCCTTTC 3600  
AATAAATTCG TCCAGGCATA AATCTTTTAA CCCAAATCAT TCATACCTCT CTCAACTAGA 3660  
TGTAACCTAC AAAACCCCTG ACCTCATGAG CCACTTTCTT CCTCCTCATG AGGTCAGTTT 3720  
TACTTTCTGC TGTTCAGTA TCGTTTTTCC TCGCTAGATT TCCTCAAAAG GGCAGACTCC 3780  
TCCCTTG GTT CGTCACACGA TTTTTCATC TCGACTGTTT TTTAATGCAT CATTAAACGAC 3840  
GCTTTTCTTC TAGGTGGTTC ATAAGGAACA GGAAGATTCA GGTGACTTTT TCTAATCCTA 3900  
GAATAAAGTG CTGAAAACAA TTCGGAATAG GCATAGAGAC TAGACAATTT GAGGAGCTGC 3960  
TTGCGTCTGT TTCGAACACA TTTTCCACC ACGTGAAGAA AAAGATGGCG 4010

(2) INFORMATION FOR SEQ ID NO: 254:



1279

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 2789 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 254:

ATGCATCCGT TTGTCAAGCC TAAATTGTAA TTTT'TTTC'CAA TT'TAAAA'ACAG AAAAACCCAG	60
GAAAATGACA TAAAAATATC ATTCCTAGGC CTATTTATGC TATTTCTCTC TGAAAAATAT	120
GAGTATTCAG TCGGTCAAAT GAAGCTGAAC GAACTCATT TCCCTCGCCT AATTCAATGA	180
TTCGATGACA TTGTTGGGCT ACATAAGCAT CGTGGGTCAC GATAATGACT GTTTTCCCCT	240
CTCGATT'CAT CTCTAAGAGA AACTTCAAGA CCAAATCTCT ATTTTCAGGA TCCAGAGAAC	300
CTGTCGGTTC ATCGGCTAAA ATCAGCTGGC TGGGTTT'TAA GATGGCTCTA GCAACTGCAA	360
TTCGTTGTTG TTCGCCCCCA GACAACTCGG AGACCC'TTG ATGCAAAGTA GCTGATAAAC	420
CTACTCTCTC TAAATCTCT TCCACCTTTT TGAGCTTGTC TTTCTTAGGC AATTTCACAT	480
ATTT'CA'GCGC CACATGAGAT TGTACTCGAC CGTTTCATCA TCAATCAGGG CAAAATTTTG	540
AAACAGATAA GAGATATGTT CACGGATTAT TGTTTGC'GAC TTAGCAGAAT TAACCGCTAG	600
ATTTGTCTGA CCAAAAATCT CATACCGTCC GCTATAATCA CCATCTATCA AACCCAATAA	660
ATTTAACAAG GTCGACTTCC CACTACCACT CTTACCAACA ATAGCTACCA AATCCCCCTG	720
ATCAATCCTG AGAGATAAGT TATCCAAAAT CACTTTTCCC CCAATGGTTT TGGTAATATT	780
TTTCAACTCA ATCATAAGAT GCCCCCTTTC AATAACTCTA CTAGACTTCT TTTCTCCATC	840
CTAGAAGCTA AGCCTAGCAC AAATAGTATA TCCAGACATG TAAAACCTGC AAACAGTAGA	900
AGTGGTAAGA ACGCATGGGC AAAGAAAATC AAGACTAGAA GAGGGAAACT ATAGCCCAGC	960
AAGAGCAGAA CGAGGAGAGG ACGGTAGCGA TCGACCAGTT TCCACCCCAT AA'ACTTCTTG	1020
GTAATGATAT CCCTGCGCTT CAATAAGAAA GTTGT'TACTA GTAAGAAGTA GGAAATCATC	1080
ATGCTAAGGA GACCAAA'CAA AGCAAAGAGT AGGT'TAAAA TCCGAACAGC ATCTCGATAA	1140
GAATCCACTT TCTCTTGTTG AATGGCTTGA ATAGATGAAA ATTTTAAATA ATTTCCATCT	1200
GACAATTCT CAACTAACTC TGTAATCTCT TTTTGATGTT GAACCGTATT TTCAATTTTA	1260
ATCGGATTAT TTAAGCCAGT TGTTGACAGG GAGGCTTTCT CATCCACAT CATATCAGAA	1320
TCATTGACCA AGCTAATAAT TGGATTGGAG AGATTTTCC TTCGCTTATC ACTATATGGG	1380
AAAAATGACC AATCTCCTTC ATAATAGGCA ATCTCGACAT CCATCTCCTC TATCGTTCGT	1440

1280

TTTTGCTGCT CTTCACTT CATCGAATGA AAGGCAATTA ACTTCCCCAA GAGCTGATTT	1500
TTATCTTCTT CACCTTTCGT ACTTGCTGGC ATCAAAATAA CTTTTTTAAT ACCGGTATTT	1560
GGTAGCTTGA ATCCCTTGCT CTTTAGAAAA TTGCGATTGG CATAGTAAAC ATCCACCGTA	1620
TCTGTAACT GATATTGCTG AATCTGTTCT GATTGGACAA AATTTTTTAC AGGAAGACTG	1680
CTACTCTGCA CATAGCCCGC CTGCGTTTTT TCTACCAAAT CCTGATAAAA TCGATAGAAA	1740
TAATCTGTAG ATTTCCCTGA CCCTGCTAGC TCTTCTTGCC ACAGATTATC ATTGAGTTTG	1800
AAGGTTTCTA AGGTCAGGTA ATTACCTTGA CTTACCCACT GTTGCTGATA AGCAAGTTCT	1860
TTGTTTTCTT GTTCTAACT TCTGCCCACC CCAATCAGTA AGGCCGTGAG TAAATAGTTT	1920
GTCCCTATTT TCATCACATA ATTGAAGATA AGACCAAAT TGAAAGATGA AAAACCTTTC	1980
AGCAGAGAGC TGATTGTCAT TTTTGGATT AAGAGGTAAG TCAACCAACT GATAAAGAGA	2040
TAAAGCTGCA ACAGCAAAAA ATGAGACAAC CACAGCATAG GAAACAAATC TTTTGGCTTA	2100
TAATCAAGCA AGAAAAACAC GCCTAGATTG ATCACAAGAG CCCCACCTAG GAGGAGGTAA	2160
AGGTTGCCTT TTACAACATC AGCTAAACA GCCCTATCTT GAAACCAAG TAATTTTGT	2220
ACCCCAACTC TTTTCATCTC CATCATCGT TGATACACTG TCACTAACAC AAGAAGCAAA	2280
ATAGCCAAGA CAAAAAAT GGCAGATAAA AGCAAATCTC GATTTATGAC TTCCACTGCA	2340
CTTTGTAGG TCGGCTCTAG CAAGGTAGCC TGGTCTATCT TGAAAAATC GCTCCATTTC	2400
TGTACAATCC TATCCTTGTC CATCTCTGT GTAGAAGTTA TCGTATAGCG ACCATTTAAA	2460
CTACGAGATG TATCCTTGAT ATAGGTTTGA AAAGTCATAA GCTGAATAGG TTTGGCTTTT	2520
AGAAAGGTCG GAATCGTACC AAGTTTATTG GAAATTTCTT TATTACTATA GACTCCTTCA	2580
CCATCTGTGG TAAATCAAG AGAAGAAATC CCAACTCTT GGTAGGGGAA GGTATCTTTA	2640
TCAAAAACAC CAGACTTGAC CACCTCATCA CCACTGTCTG TTTTGATGAT GGAGACTTTA	2700
TACTCCTTGG ATACATCCTC AAAAAATCGA AGAACAGACG CTGCAGGTTC GTTAATATCT	2760
TTCAATACA AATCCAAAGA ATCTACAGG	2789

(2) INFORMATION FOR SEQ ID NO: 255:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2495 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 255:

CTGCGAATTT TATTAAAGAT AATGTGTTAA TTACAGCGGC TCACAACTAC TACAGACATG	60
---	----

1281

ACTATGGGAA AGAAGCGGAT GATATTTATG TTCTTCCGGC TGTTAGTCCA AGTCAAGAAC	120
CATTTGGAAG GATCAAAGTA AAGGAAGTTC GTTATTTGAA GGAATTTAGA AATTTAAATT	180
CTAAGGATGC AAGGGAATAT GACTTGGCTT TATTAATTCT AGAAGAGCCC ATTGGTGCAA	240
AATTAGGGAC TTTGGGTCTT CCTACTAGTC AAAAAAATTT GACAGGAATA ACTGTGACTA	300
TCACAGGCTA TCCATCATAT AATTTTAAAA TTCATCAAAT GTATACAGAT AAGAAACAAG	360
TTTTAAGTGA TGATGGCATG TTCTTGGATT ACCAAGTTGA TACTTTAGAG GGGTCTAGTG	420
GATCTACAGT TTATGATGCT AGTCACCGTG TAGTAGGAGT GCATACTTTA GGAGATGGAG	480
CTAATCAAAT TAACAGTGCA GTTAAATTAA ATGAACGAAA TTTGCCATTT ATTTAWTCGG	540
TTCTTAAAGG TTAATCTCTT GAAGGATGGA AGAAAAATAA TGGTAGTTGG TACCATTATA	600
GACAACATGA TAAACAAACG GGTGGGCAGG AGATAAATGA TACCTGGTAT TATTTAGACA	660
GTTCCGGTAA GATGCTTACA GATTGGCAAA AAGTCCATGG AAAATGGTAT TATCTCAATT	720
CAAAATGGAGC AATGGTTACA GGTAGCCAAA CTATCGATGG TAAAGTTTAT AACTTCGCTT	780
CATCTGGTGA GTGGATTTAA TGTGGGAGGA TATATAAAAT GAAGCTTTTG AAAAAATGA	840
TGCAAAATCGC ACTAGCCACA TTTTCTTCG GTTTGTTAGC GACAAATACA GTATTTGCAG	900
ATGATTCTGA AGGATGGCAG TTTGTCCAAG AAAATGGTAG AACCTACTAC AAAAAGGGGG	960
ATCTAAAAGA AACCTACTGG AGAGTGATAG ATGGGAAGTA CTATTATTTT GATCCTTTAT	1020
CCGAGAGATG GGTGTGCGC TGGCAATATA TACCTGCTCC ACACAAGGGG GTTACGATTG	1080
GTCCTTCTCC AAGAATAGAG ATTGCTCTTA GACCAGATTG GTTTTATTTT GGTCAAGATG	1140
GTGTATTACA AGAATTTGTT GGCAAGCAAG TTTTAGAAGC AAAAATGCT ACGAATACCA	1200
ACAAACATCA TGGGAAGAA TATGATAGCC AAGCAGAGAA ACGAGTCTAT TATTTTGAAG	1260
ATCAGCGTAG TTATCATACT TTAATAACTG GTTGGATTGA TGAAGAGGGT CATTTGTATT	1320
ATTTACAGAA GGATGGTGGC TTTGATTTCG GCATCAACAG ATTGACGGTT GGAGAGCTAG	1380
CACGTGGTTG GGTAAAGGAT TACCCTCTTA CGTATGATGA AGAGAAGCTA AAAGCAGCTC	1440
CATGGTACTA TCTAAATCCA GCAACTGGCA TTATGCAAAC AGGTGGGCAA TATCTAGGTA	1500
ATAGATGGTA CTACCTCCAT TCGTCAGGAG CTATGGCAAC TGGCTGGTAT AAGGAAGGCT	1560
CAACTGGTA CTATCTAGAT GCTGAAAATG GTGATATGAG AACTGGCTGG CAAAACCTTG	1620
GGAACAAATG GTACTATCTC CGTTCATCAG GAGCTATGGC AACTGGTTGG TATCAGGAAA	1680
GTTCGACTTG GTACTATCTA AATGCAAGTA ATGGAGATAT GAAAACAGGC TGGTTCCAAG	1740
TCAATGGTAA CTGGTACTAT GCCTATGATT CAGGTGCTTT AGCTGTTAAT ACCACAGTAG	1800

1282

GTGGTTACTA CTAAACTAT AATGGTGAAT GGGTTAAGTA ATGAAGGCTA ATTGTAAACT	1860
GTGATGGATA CTTAACTTTG TATAATAGGT GGATAAAAGT CTTCAACAATC AAAAAACGCA	1920
TAGTATCAAG GTTTTTCTGT ACTGCCCTCA AACAGTTAGA CAATTAATTT ATCCGAAGGA	1980
TTTAGTTCTG TATTGCACAG GGCTAAGTCC TTTTAGTTTT ACCTTAATTC GTTTATTGTT	2040
GTAGTAATCA ATATAGTCTA TAATGGCTTG TTCCAATTGC TTAAGCGACT GAAACGACTT	2100
CTCATAACCG TAAACATTT CCGATTTCAG AATCCCAAAG AAGGACTCCA TCATACTATT	2160
GTCTGGGCTG TTTCCCTTAC GTGACATGGA TGCTTGAATT CCCTTACTCT CTAGGAACCG	2220
ATGATAAGAA TCGTGTGGT ATTGCCAGCC TTGGTCACTA TGGAGAATCG TATTCTCGTA	2280
GTGCTTCTCT GTGAATGCCT GTTCCAACAT TGTTCGTACT TGTTCCTAAGT TGGGTGAAGT	2340
TGAAAGATTA TAGGCGATAA TTTCGCTATT AAAGCCATCT AAAACTGGTG ATAAGTAAAG	2400
CTTTTGAGTA CTGTCTGGAA TGGCAAATTC TGTCACATCT GTGTAGCACT TTCCATTGT	2460
TTTAGAGCCT TCAAATTGGC CTTGAATGAG ATTCTG	2495

(2) INFORMATION FOR SEQ ID NO: 256:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 870 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 256:

TACCACCGTA TTCATCCAGC AAGATTGCCA TTTGTCTTTG GGTATTTTCGC AGTTCTTTTA	60
GCAAGTCATC CACAAAAATA GTTTCAGGTA CAAAAGTGG ATCTTGTAAG ATTCTCTTCC	120
AAACAATATT GTCAAAACCG TCCACAAAGC CTGCCTTAAG GAGACTCTTG GTGTGAATGA	180
TTCCAATTAC ATTGTCTTCA TCCCCATCAT AAACCGGGAT ACGAGAATAA TTTTGTTTTA	240
AAATACTTTG GATAATGGCT TGACTATCAT CCTGAATATC CACCATAAAG GCATCCGTTT	300
GAGGAACCAT AACCTCTCGT GCCATCAGTT CATCGAGCGA AAAGACACCT TGTAGCATCT	360
CAATCTCATC AGCATCCAAT GTTCTTTCAC TATTTGTCAG CATATAGGCA ATTTTCATCAC	420
GGGTCACTTT TTCATCCGCA TCATCGAATG ACATAGGAGT CAAATGGCTC AAGAAATTGG	480
TCGAAGCAGC TAAAAGCCAA ACAAAGGAC TGAAGTAGTT TCCGATCCCA ATGATAATCG	540
GCGCTGTACG AATTGCCAAG GCATCCTTTA GATTAAGAGC GATTCTCTTA GGATATAATT	600
CCCCAAAAAC GATGGAAATA TAGGTCAAAA ATGCCAAGGA TAGAAAAGTT GCCACGGCTT	660
GTGCTGTTTC GCCATTCCCA AGCCAAGAGG CAATCACACG TCCTAGAGTA TCAGTTAAAC	720

1283

TCGCCCCTGA TAAGATTGTA ATCAGGGTGA TTCCTACCTG GATGGTTGAT AAAAAAGTGGT	780
TAGGATTTTC TAGTACCTTC AGCAGGCGGA TGAGCGTCT GTCTCCTTCT TCCGCCTTTT	840
GTTCAACTCG GGCACGATTA AGAGAAACGG	870

(2) INFORMATION FOR SEQ ID NO: 257:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1245 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 257:

CGTTCCCGA AGCCCGCATT CTCATCGCCA ATGTCGTGAT TGATTTGGCC CTTTCTCCAA	60
AATCCAATC AGCCTATGTA GCTATGGATA AGGCACTTGC TGACCTCAA ACATCAGGGC	120
ACTTGCCAT TCCGCGACAC CTGCGTGATG GGCACCTACAG TGGAAGCAAG GAACTGGGGA	180
ATGCCCAAGA CTATCTCTAT CCACACAAT ATCCTGGAAA TTGGGTCAAG CAAGACTATC	240
TGCCAGAAAA AATTCGTAAT CATCACTATT TCCAAGCAGA AGATACTGGT AAATATGAAC	300
GGGCTTTGGC TCAAAGAAAG GAAGCTATCG ACCGTTTGGC AAAAACTGA AATCCTTTTC	360
AAAAAATTGC ACTTTCCTCT TGATTTTTTT TGA AAAAGTG GTATCATATA AATATAGAAA	420
CGCTGTGGTG TACGACTTCA CACTTAAGTG TTGACCGACT ATTTTTTGTA TTATTAGGGA	480
AACAAAAGTC TTCTAACAGC ATGTAGGCCG TCTCACACGG AAACAGCTTC AGTTAGAGCG	540
AGTTGCCAC CTGCTTAATT GCGCGGGTTC AATACAAACC GTGAAGTTTC GGCACCAATA	600
CAGCTTTTTT CTTTGCCTCC TTAGCTCAGC TGGCAGAGCA GCGGACTCTT AATCCGTGGG	660
TCACAGGTC GATCCCTGTA GGGGGCATAT AAATAACA CA GGAAAGCCT TATAATATAG	720
GGCTTTTTTT GCTTTCCTTT TAAAAATTGT CGTGCAATTT GCCGTGTTTT TACAACAAAC	780
TTTTCACAGC CATAAACTCC TCACTAATTT TTTCCTCCAA GGTATGCCCA TAAACGTCAA	840
TCAACATGGA GATATCTTTA TGTCTAAAA TTTGGCTCTT TGCAACTGT AGTGGGTGGA	900
AGTCAGCTAA GCTCGAGAAA GGACAAATTT TGTCCTTTCT TTTTGTATAT TCAGAGCGAT	960
AAAAATCCGT TTTTGAAGT TTTCAAAGTT CCGAAAACCA AAGGCATTGC GCTTGATAAG	1020
TTTGATGAGA TTATTGGTCG CTTCCAATTT GCGCTTAGAA TAGTGTAGTT GAAGGGCGTT	1080
GACGATTTTC TCTTTGCTCT TTAGAAAGGT TTAAAGACA GTCTGAAAA GAGGAGGAAC	1140
CTGCTTTAGA TTGCTCTCAA TGAGTCCGAA AAATTTCTCC GGTGCCTTAT TCTGAAAGTG	1200

1284

AAACAGCAAG AGTTGATAGA GCTGATAGTG ATGTTTCAAC TCTTG

1245

(2) INFORMATION FOR SEQ ID NO: 258:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1684 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 258:

ATGCCTATGT AACTCCACAT ATGACCCATA GCCACTGGAT TAAAAAAGAT AGTTTGTCTG	60
AAGCTGAGAG AGCGGCACCC AGGCTTATGC TAAAGAGAAA GGTTTGACCC CTCCTTCGAC	120
AGACCATCAG GATTGAGAA ATACTGAGGC AAAAGGAGCA GAAGCTATCT ACAACCGCGT	180
GAAAGCAGCT AAGAAGGTGC CACTTGATCG TATGCCTTAC AATCTTCAAT ATACTGTAGA	240
AGTCAAAAAC GGTAGTTTAA TCATACCTCA TTATGACCAT TACCATAACA TCAAATTTGA	300
GTGGTTTGAC GAAGGCCTTT ATGAGGCACC TAAGGGGTAT ACTCTTGAGG ATCTTTTGGC	360
GA CTGTCAAG TACTATGTCG AACATCCAAA CGAACGTCCG CATTCAGATA ATGGTTTGG	420
TAACGCTAGC GACCATGTTT AAAGAAACAA AAATGGTCAA GCTGATACCA ATCAAACGGA	480
AAAACCAAGC GAGGAGAAAC CTCAGACAGA AAAACCTGAG GAAGAAACCC CTCGAGAAGA	540
GAAACCGCAA AGCGAGAAAC CAGAGTCTCC AAAACCAACA GAGGAACCAG AAGAATCACC	600
AGAGGAATCA GAAGAACCTC AGGTCGAGAC TGAAAAGGTT GAAGAAAAC TGAGAGAGGC	660
TGAAGATTTA CTTGGAAAAA TCCAGGATCC AATTATCAAG TCCAATGCCA AAGAGACTCT	720
CACAGGATTA AAAAATAATT TACTATTTGG CACCCAGGAC AACAATACTA TTATGGCAGA	780
AGCTGAAAAA CTATTGGCTT TATTAAAGGA GAGTAAGTAA AGGTAGCAGC ATTTTCTAAC	840
TCCTAAAAAC AGGATAGGAG AACGGGAAAA CGAAAAATGA GAGCAGAATG TGAGTTCTAG	900
TTCTCATTTT TTTCATGAAA ATGTGCAAAA TATAGTAGAT TGAAACTAGA ATAGTATACC	960
TCTACTTCTA AACATTGTT AGAAATCGAT TTGACTGTCC TGTCTTATT TCATTTTACT	1020
ATATCTTAAC AGATAGTGTA AATAAGATA AACTATTAC TGGCTAATTA ATCAGTTAAA	1080
CACTAGTTAA GGAGTAATGA TGAAAAAAG AACAATACTA TTATTGATGG CCAGTCTGTT	1140
AGCTCTTGTC TTAGGAGCAT GTGGTTTCTT GGACATATTG ATCCTGGATC ATTCTCATCA	1200
GGATTACTCT TTACTGCTAT TTTAGAACT GGGGTGGTTT GATGGAAAGT ATTGGTCTTG	1260
TTATCGTTTC ACATTCCAAA CACATTGCAG AAGGTGTTGT TGAAGTATT AGTAAAGTAG	1320
CTAAAGATGT TCCGATTACT TATGTAAGAG GAACCGAGGG CGGAGGAATT GGAACGAGTT	1380

1285

TTGAACAAGT AGATAGGGTT GTTCCGAAA ATCCAGCAGA TACTTTACTT GCCTTTTTTG	1440
ACCTAGGTTC TGCTAAAATG AACTTAAAAA TGGTGACTGA TTTCAGTGAT AAAAGTATCA	1500
TCATCAACAG GGTTCCAATT GTAGAAGGTG CCTATAATGC AGCTGCTCTT CTTCAGGCTG	1560
GTGCAGAACT GTCAGTTATT CAAACACAGT TaGCGAgCt TGAAATCAAT AAATAAGGAA	1620
TTTACTATA ACTCTTTTTA TAGATAAGCT ATTGaTTATC TCAACTATAA TAATGTTAAG	1680
TnAA	1684

(2) INFORMATION FOR SEQ ID NO: 259:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 970 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 259:

AGGAGTGGAG AaATATGAAG ACACAAATTT TCACATTATT GAAATCGTT GCTGAGATTA	60
TTATTATTTT GCCATTCTA ACTAATCTAT AAGTTCTTTA TATTGCTGAA AACGCAATTC	120
AAAAAGGGCT ATTAATTGTG GATTTTCTAA TACCTGCAGA GATTGGATAA AGCGTCAAT	180
CTCTTTTGA TTGCTTCCTT TTGTTTGAAG AAAGACACTC ATCTTCTTTA AAAATTGCCA	240
CGATACTTTT TCAAAAACAT CATACGGTCG TAACATCCTC TCCAACTCGG CTTCGAAGAT	300
TGGGATGTAG GAGAAAAGTT TTCGCTCCAT GAGTTCTGAT AAGATATTTA AGAGTCCTTG	360
CTTCATATAC AATCGATTGT GTACTAACTC TTTAAATTCT TTGGATTTTTC CGAGTAAGGA	420
GGTTGATAAA AAAATCAGAT CTTGATTGCT CAAGAAGGGC ATGGTATTGC AAAAGAGATA	480
GAGTTCAAAC CAGGTCCAAG ACTCGATAGC ATAGAGATAG GTGGTCAAAA ACTCGCTATC	540
CTCCTCTGCT AGTGGGTAGC TTTTATTTAG TGAATGGATG GCATCTTTAA TCACGATGGC	600
ATTCAAACGA CGATAGGTCT GCGCCATCTG TTCTTGATCG ACTTCTCCA ATAGCTGCTC	660
TAAAGCAGCT ATATCCTGAT GGGCAAAGCG ATTCACAACC TTTCGACCGA TTCGCATATG	720
TGGAGATTCT TGATAGTTGT TGAGCTTGTG CCCAAACTCA TCAAAGGTCA CATTTATACC	780
TTGGATAGCT AGAATCAACT TATCCGAGA CAGCATAGAC TGCCCTAGTT CAAACTTGGA	840
CAACTGAGAA GCTGTTAGAC CCTCACAAGC CACATCTGAC TGCTTGAGCT TTCTCGCCAA	900
ACGTAATTCC TTGTAAAATT CCCCAGTTC CATTCTCTCA ATCATCTGAC CACCTCCTAG	960
CTTTTGCAGG	970

1286

## (2) INFORMATION FOR SEQ ID NO: 260:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2996 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 260:

```

GTTGACCACG GGTAAACTA CCCTAACTGC AGCTATCACA ACTGTTTGG CACGTCGCTT      60
GCCTTCATCA GTTAACCAAC CTAAAGACTA TCGCTCTATC GATGCTGCTC CAGAAGAACG      120
CGAACGCGGT ATCACTATCA AACTGCGCA CGTTGAGTAC GAAACTGAAA AACGTCACCTA      180
CGCTCACATC GACGCTCCAG GACACGCGGA CTACGTTAAA AACATGATCA CTGGTGCTGC      240
TCAAATGGAG GGAGCTATCC TTGTAGTAGC TTCAACTGAC GGACCAATGC CACAACTCG      300
TGAGCACATC CTTCTTTCAC GTCAGGTTGG TGTTAAACAC CTTATCGTCT TCATGAACAA      360
AGTTGACTTG GTTGACGACG AAGAATTGCT TGAATTGGTT GAAATGGAAA TCCGTGACCT      420
ATTGTGACAG TACGACTTCC CAGGTGACGA TCTTCCAGTT ATCCAAGGTT CAGCACTTAA      480
AGCTCTTGAA GGTGACTCTA AATACGAAGA CATCGTTATG GAATTGATGA ACACAGTTGA      540
TGAGTATATC CCAGAACCAG AACGTGACAC TGACAAACCA TTGCTTCTTC CAGTCGAGGA      600
CGTATCTCTA ATCACTGGAC GTGGTACAGT TGCTTCAGGA CGTATCGACC GTGTATCGT      660
TAAAGTCAAC GACGAAATCG AAATCGTTGG TATCAAAGAA GAAACTCAAA AAGCAGTTGT      720
TACTGGTGTT GAAATGTTC GTAAACAACT TGACGAAGGT CTTGCTGAG ATAACGTAGG      780
TGTCCTTCTT CGTGGTGTT AACGTGATGA AATCGAACGT GGACAAGTTA TCGCTAAACC      840
AGGTTCAATC AACCCACACA CTAAATTCAA AGGTGAAGTC TACATCCTTA CTAAAGAAGA      900
AGGTGGACGT CACACTCCAT TCTTCAACAA CTACCGTCCA CAATTCTACT TCCGTACTAC      960
TGACGTTACA GGTTCATCG AACTTCCAGC AGGTACTGAA ATGGTAATGC CTGGTGATAA     1020
CGTGACAATC GACGTTGAGT TGATTCACCC AATCGCCGTA GAACAAGGTA CTACATTCTC     1080
TATCCGTGAG GGTGGACGTA CTGTTGGTTC AGGTATGGTT ACAGAAATCG AAGCTTAATT     1140
CGATTTAGTT CCCAGAAGAA CAATTATTTA AGTTAGACAC TAAAAGAATC TTGCTTGGCA     1200
AGGTTCTTTT TTTAGATATT GAACTAATAC TCAATGAAAA TCAAAGAGCA AACTATAATA     1260
TATTGAAACT AGAATAGTAC ACATCTACTT CTAAACATT GTTAGAAATC GATTTGACTG     1320
TCCTGATCGA TTTGTCTTGT TCTTATTTCA TTTTACTATA GAAAGTTAGC TACAGACTGC     1380
TCAAACATT GTTTTtaggt TGTAGATAGA ACTGACGAAG TCAGTAACAT CTATACGACA     1440

```



1287

AGGCCGAAGCT GACGCGGTTT GAAGAGATTT TCGAAGAGTA TAATACTAGA CTAAAATCAA	1500
AAAGCATTAT ACAATAGTAA TATGAAATCA ATTAAAGAAG AAATCCAAAC CATCAAAACA	1560
CTTTTAAAAG ACTCTCGTAC AGCTAAATAT CATAAACGCC TTCAAATCGT TCTATTTCGT	1620
CTGATGGGCA AATCTTATAA AGAGATTATA GAACTTTTAT AGTGGTTTGA AATAAGATGT	1680
GAACAACTCT ATCAGGAAAG TCAAATAAT TTATAGAAAT ATTTTAGCAG CCAAGGTGTA	1740
CTGTTATAGA TTCAATACAC TTTAGACTGT AATCAAACAA CGATTGGCG AAATGTAAAA	1800
AATATGAGGA GTTCGGACTC GACTCTCTCC TTCAAGAAAC ACGTGGTGGT CGTAACCATG	1860
CTTATATGAC GGTGAGCAA GAGAAAGTCT TTCTTGCCCG CCATTGAAG GCTACAGAGG	1920
CAGGAGAATT TGTTACAATT GATGCCTTAT TTCAGGCTTA TAAAAAGGAG TTAGGTCGTT	1980
CCTACACACG TGATGCCTTC TATCAACTGT TGAAGCGCCA TGGTTGGCGA AATATTACGC	2040
CACGTCCAGA ACATCCTAAG AAAGCAGATG CTCAAAACCAT TGTCGCGTCT AAAAAATAAG	2100
TCTCAATTCA AGAAGACAAG TGAAGTGCAC CCCAAAAGTT AGACAGAAAA AATCTAACTT	2160
TTGGGGTGTT TTTATTATGA AATTAACCTA TGATGATAAA GTTCAGATCT ATGAACTTAG	2220
AAAACAAGGA TATAGCTTAG AGAAGCTTTC AAATAAATTT GGGATAAACA ATTCTAATCT	2280
TAGGTACATG ATTAAATTGA TTGATCGTTA CGGAATAGAG TTCGTCAAAA AAGGAAAAAA	2340
TCGTACTAT TCTCCTGATT TAAAACAAGA AATGATTCAT AAAGTCTGAC ATGAAGGCTG	2400
GACTAAAGAT AGAGTTTCTC TTGAATACTG TCTCCCAAGT CGTACGATAC TTCTTAACTG	2460
GCTAGCACAA TACAGGAAAA ACGGGTATAC TATTGTTGAG AAAACAAGAG GGAGAGTACC	2520
TGAGAGCCGA GAATGCCATC CTAAAAAAGT TAAGAGAACT CCGATTGAAG GAGGAAAAAG	2580
AGAAAGAAGA AAGACAGAAA TTATTCAAGA ATTAATGACT GAGTTTTCGT TAGATATTCT	2640
TCTAAAAGCC ATTAACTAG CTCGTTTGAC CTACTACTAT CACTTGAAAC AGCTAGATAA	2700
ACCAGATAAG GACCAAGAGC TTAAAGCTGA AATTCAATCC ATTTTATCG AACACAAGGG	2760
AAATTATGCT TATCGTCGGA TTTATTTAGA ACTAAGAAAT CGTGGTTATC TGGTAAATCA	2820
TAAAAGAGTT CAAGGCTTGA TAAAAGTACT CAATTACAA GCTAAAATGC GACAGAAACG	2880
AAAATATTCT TCTCATAAAG GAGACGTTGG CAAGAAGGCA GAGAATCTCA TTCAAGGACA	2940
ATTGAAGGC TCTAAAACAA TGGAAAAGTG CTACACAGAT GTGACAGAA TTGCCG	2996

(2) INFORMATION FOR SEQ ID NO: 261:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 837 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double

1288

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 261:

CTTATCAACT CCCGACATGG CTCTCAGACC AATCCAAATC CCTAAAAAA TCAGAACAAG	60
GATGGTGGTC AAGATCAAAC TCTCGAAATA TAAAGAAAAT AGTTGCAGTA GCATGATTTC	120
TCTCATTTCT ATCTTTTTTA AAGAGTAAAC TCAGCTAGTC CAACTAACTG AGTTTTCCTT	180
TATCTATTAT ATCAAATATA AGTCCGTTTG TAACTAGCGA AGAATTCTTT TGTCGCTCT	240
TCTTTAGGGG TGTGGATAAT CTCATCCGGA GTTCCAGACT CGATGATTTT CCCCTTATCT	300
AAGAAGAGAA TTTTATCCGC AACTTGGGCT ACAAAGGACA TGTCATGACT GACCAAAATC	360
ATGGTCTGAC CTGACTTAGC AGCATCTGCA ATAGACTTTT CTA CTTCACC GACCAATTCT	420
GGGTCAAGGG CTGAAGTTGG TTCGTCTAAG AGCAAAACAT CTGGTTTCAT AGCAAGCGCA	480
CGCGCTAGGG CAACCCGTTG CTTCTGTCCA CCTGATAAAT GCGGAGGATA ATGGTTTTC	540
CGGTCCGAAA GCCCAACCTT AGCCAACCTT TCCTTGGCAA TCTTAGTCGC TTCCTGGTCA	600
GATAATTCTT TGACAACAAC CAAGCCTTCT TTCACATTAT CAAGTGCTGT TCGGCGTTCA	660
AACAAATTAA ACTGTTGGAA AACCATAGAC AACTTACGAC GTAGGGCAAG GATTTCTTCT	720
TGAGTGATTT TAGAAAAATC AACTGAAAA CCATCAATCT GAATAGAGCC ACTGTCAGGT	780
GTTTCTAGAT AATTGAGACT GCGAGAAAGG TTGATTTTCA GCTCTGAAGA CCAATCA	837

## (2) INFORMATION FOR SEQ ID NO: 262:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 868 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 262:

CCGAACAAAA TGGGCTAATT AGATTATAGT AAGAAAGGTA AGTTAAAAAT GAGAATTGCA	60
ATTGGATGTG ACCACATCGT AACTGATGAA AAAATGGCGG TTTCAGAATT TTTGAAATCA	120
AAAGGATATG AAGTCATTGA CTTTGGTACC TATGACCATA CACGGACTCA CTACCCAATC	180
TTTGGTAAAA AAGTAGGGA AGCTGTAAC AGCGGTCAAG CTGATCTTGG AGTATGTATC	240
TGTGGTACTG GTGTTGGTAT CAACAACGCT GTAAATAAAG TTCCAGGTGT TC GTTCTGCC	300
TTGGTTCGTG ATATGACAAC AGCCCTTTAT GCTAAAGAAC AATTGAACGC TAACGTTATT	360
GGTTTGGTG GTAAATTAC TGGTGAATTG CTTATGTGTG ATATCATCGA AGCTTTCATC	420

1289

CATGCTGAAT ACAAACCAAC TGAAGAAAAC AAAAAATTGA TTGCGAAAAT TGAACATGTT	480
GAAAGTCACA ATGCTCAACA AACAGACGCA AACTTCTTTA CAGAATTCCT TGAGAAATGG	540
GATCGTGGAG AATACCACGA CTAAGAGGTG ACCTATGATT TTAACAGTCA CAATGAACCC	600
ATCCATCGAT ATTTCTATC CCTTGGATGA GTTGAAGATT GATACTGTCA ATCGTGTGGT	660
GGATGTAACC AAAACGGCTG GTGGTAAGGG ACTCAATGTT ACCCGAGTAC TTTCAGAATT	720
TGGCGATTCT GTTCTTGCTA CTGGTTTAGT GGGTGGCAAA CTTGGTGAGT TTTTGGTTGA	780
ACATATCGAT AATCAAGTAA AGAAAGATTT CTTCTCAATT AAGGGAGAAA CTCGTAACGT	840
TATCGCTATT CTCCACGGAG ACAACCAA	868

(2) INFORMATION FOR SEQ ID NO: 263:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 3744 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 263:

CCGTTCAAAG TCTTCATAAG ACTCGAAAGT CACAGTTCTT TCGTTCTTGC TGGCATCTAT	60
ATAGGTAATT TCAATCATGT TAAAACTCC TTTGTTTAAT GCTAACTTTA TTTTACTCCT	120
TATAAAAGAG AATGTCAAGA AAAATGATTG CGCACGCAAC TTTTTTTAAA ATCATCTTAA	180
ATCAAGAAAT CCAAACCTGC TTCCAAGCTT TCTTCGACAG TCTTTTGTAG CGAGGCCAGT	240
GTCTTTTGCC CATCATTTGT CAGGCAGATA AACTAGAGC GTCTATCTTG ATGGCAACAC	300
ATGCGACTGA GTAGACCGCA ATTTTGTAGT TCCAAGCGAG CCACCATCCT AGAACTGCG	360
CTCGGGCTCA GATGAAGCTT ATCTGGCAGG TCAATCTGGC GTAGAGATT TTTCTCAGCC	420
AAGTCCAGAT AGTAGAGCAG GTAGAACTCT TTCAAGGTCA GACTTTGCTC GCTCTGTTGG	480
GCAATGGTCT CTTCCAAGAG ACTTTCAATT TCTTCTGAC GCCGATTGAA GTCAAACCAT	540
TTTCCAAAT AGGTCATAGT GTCTCCTTTC TTTTGTAGT CATAAATAGA AGAAAGTCCA	600
TTAACGGGCA GTCTCTGCGT CACAAGATGA TTGCGCATGC AATAATTATA CTACTTTTCA	660
AGAATGCTGG CAAGCTCTGT TTTTGTAGT TTTTATTTT GTGTGAATAA TGGGGGAATC	720
CTATTGTTTC AATTTCTAAC TCCTTATCAC ATTCGAATTC AGATTTTATT TCATTTCTCT	780
ATCTATAGTT GCTTAGTTTA AAATAAGCAT GGTCTAATAA AGCTATGCAT ATAGTACTGA	840
TTTTAAACAA GGAGCATTAG ATTCCATTAA AGGAGGGCAC AGACATGTCG AGGCGGCCAA	900

1290  
AGTTTGTGAT GTCGGCCTCA GAACTCTCTT CACGTGGGAA AAGAAAGACG TAAACAAGGG 960  
AACTTAGAGC GGAAAAAGCG AGTCGTCAAA AAGCGTAAGA TCCCTTTAGA AGAATTGAAA 1020  
GCCTTTGTAG AGGCTCATCC AGACGCTTTT TTACGGGAAA TTGCGGCCCG TTTTGATTGT 1080  
GCTTTGCCCT CCGTATGGGC AGTTTAAAG CAGATTAAAG TCATTTTAAA AAAGACGACC 1140  
AGTTTATAGG AACAAAAGCC TGAGAAAGTT TCTGAGTTTC TTGATATTTT GGATAACCTA 1200  
AAAGATTTAC CAGTCCTATA TATTGACGAA ACGGGAATCG ACCGCTACCT CTATCGTCCT 1260  
TATGCAGGGG CTCCTAGAGG GGAGAAAGTC TATGGCAAGA TTAGCGGACG GCGTTTGTAG 1320  
CGGACTAATG AGGTGGAGCA AAAACTCAAT GGTAGTTTTC TAATCAGATA TATTGATTCA 1380  
CAAATTAGAG AATGAAAGAA TAATTATGCA TAAAAATAGG AATATAAACC AAAAATTAGC 1440  
TGATTTATAC TCATTTGCGT GTCTTTATAA AAACTTATC TTATAATATA TATATATATA 1500  
TATACAAAAT AGTAAAATGC TTTTTTTTTT TAGCAAAAAT ACCTCAAGTT TCTTGCTATT 1560  
TTGGGTCCC TATCTATAA TTATAGTATG GTAATTTATT TATATCCATA CATGAAAATA 1620  
ATACTCGAAA GGAAATTTCA AAATATTTT TAGACGTGAG AAGGGTGAAT ATAGAGAAAC 1680  
AGACCGAGTA ACTCGGTCA AATTAATCAA ATCAGGGAAG CATTGGCTAC GGCCTCGAC 1740  
TTCTCTTTT GGCTGTGTTA AGGTCTTGC AGGTGGTGT GATACTACTC AGGTCATGAC 1800  
CGAAACGGTA GAAGATAAAG TAAGTCATTC AATTACTGGG CTTGATATCC TCAAGGGGAT 1860  
AGTTGCTGCG GGAGCTGTCA TAAGTGAAC CGTTGCAACT CAAACGAAGG TATTTACAAA 1920  
TGAGTCAGCA GTACTTGAAA AAAGTGTAGA GAAACGGAT GCTTTGGCAA CAAATGATAC 1980  
AGTAGTTCTA GGTACGATAT CTACAAGTAA TTCAGCGAGT TCAACTAGTT TGTCAGCTTC 2040  
AGAGTCGGCA AGTACATCTG CATCTGAGTC AGCCTCAACC AGCGCTTCGA CCTCAGCAAG 2100  
TACAAGTGCA TCAGAATCAG CAAGTACATC GGCTTCGACA AGTATTTCTG CATCATCTAC 2160  
TGTTGGTAGT TCACAAACAG CTGCCGTAC AGAAGCAACT GCTAAGAAGG TCGAAGAAGA 2220  
TCGTAAGAAA CCAGCTAGTG ATTAATGTAGC ATCAGTTACA AATGTCAATC TCCAATCTTA 2280  
TGCTAAGCGA CGCAAGCGTT CAGTGGATTC CATCGAGCAA TTGCTGGCTT CTATAAAAAA 2340  
TGCTGCTGTT TTTTCTGGCA ATACGATTGT AAATGGCGCC CCTGCAATTA ATGCAAGTCT 2400  
AAACATTGCT AAAAGTGAGA CAAAAGTTA TACAGGTGAA GGTGTAGATT CGGTATATCG 2460  
TGTTCCAATT TACTATAAAT TGAAAGTGAC AAATGATGGT TCAAAATTGA CCTTTACCTA 2520  
TACGGTTACG TATGTGAATC CTAAAACAAA TGATCTTGGT AATATATCAA GTATGCGTCC 2580  
TGGATATTCT ATCTATAATT CAGGTACTTC AACACAAACA ATGTTAACCC TTGGCAGTGA 2640  
TCTTGGTAAA CCTTCAGGTG TAAAGAACTA CATTACTGAC AAAAATGGTA GACAGGTTCT 2700

1291

ATCCTATAAT ACATCTACAA TGACGACGCA GGGTAGTGGG TATACTTGGG GAAATGGTGC	2760
CCAAATGAAT GGTTCCTTTG CTAAGAAAGG ATATGGATTA ACATCATCTT GGA CTGTACC	2820
AATTACTGGA ACGGATACAT CCTTTACATT TACCCCTTAC GCTGCTAGAA CAGATAGAAT	2880
TGGAATTAAC TACTTCAATG GTGGAGGAAA GGTAGTTGAA TCTAGCACGA CCAGTCAGTC	2940
ACTTTCACAG TCTAAGTCAC TCTCAGTAAG TGCTAGTCAA AGCGCCTCAG CTTCAGCATC	3000
AACAAGTGCG TCGGCTTCAG CATCAACCAG TGCCTCGGCT TCAGCGTCAA CCAGTGCCTC	3060
AGCTTCAGCA AGTACCAGTG CTTCAGTCTC AGCATCAACA AGTGCTTCAG CCTCAGCATC	3120
GACAAGTGCC TCGGCTTCAG CAAGCACATC AGCATCTGAA TCAGCGTCAA CCAGTGCTTC	3180
GGCTTCAGCA AGTACCAGTG CTTCAGCTTC AGCATCAACC AGCGCCTCGG CCTCAGCAAG	3240
CACCTCAGCT TCTGAATCGG CCTCAACCAG CGCCTCGGCC TCAGCAAGCA CCTCAGCTTC	3300
TGAATCGGCC TCAACCAGCG CCTCAGCCTC AGCATCAACG AGTGCTTCGG CTTCAGCAAG	3360
CACAAGCGCC TCGGGTTCAG CATCAACGAG TACGTCAGCT TCAGCGTCAA CCAGTGCTTC	3420
AGCCTCAGCA TCAACAAGTG CGTCAGCTCA GCAAGTATCT CAGCGTCTGA ATCGGCATCA	3480
ACGAGTGGCT CTGAGTCAGC ATCAACGAGT ACGTCAGCCT CAGCAAGCAC CTCAGCTTCT	3540
GAATCGGCC CTCAACAGTG GTCACCTCAG CATCGACAAG CGCCTCAGCT TCAGCAAGTA	3600
CCAGTGCTTC AGCCTCAGCG TCGACAAGTG CGTCGGCCTC AACCAGTGCA TCTGAATCGG	3660
CATCAACCAG TCGCTCAGCC TCAGCAAGTA CTAGTCATC GGCTTCAGCA TCAACCAGTG	3720
CCTCGGCTTC AGCGTCAAAC AGTG	3744

(2) INFORMATION FOR SEQ ID NO: 264:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 795 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 264:

CGATAAAGAG GCCTTGAGTA ATCTCAATTT GCAGATTGAA AATGGAGAGA TTATGGGCTT	60
GATTGGTCAT AATGGGGCTG GAAAATCGAC CACTATAAAA TCCCTAGTCA GTATCATTTC	120
ACCCAGCAGT GGTGCTATTT TGGTAGACGG TCAGGAGTTA TCGGAAAATC GCTTGGCTAT	180
TAAACGAAAG ATTGGCTACG TAGCAGACTC GCCTGACTTA TTTTACGCT TAACGGCCAA	240
TGAATTTTGG GAATTGATCG CCTCATCCTA TGATCTGAGT AGATCTGACT TGGAGGCTAG	300

1292

TCTAGCTAGG CTATTGAACG TTTTGTGATT TGCTGAAAAT CGCTATCAGG TTATTGAAAC	360
TCTTTCTCAC GGAATGCGTC AGAAAGTCTT TGTCATCGGA GCACTCTTGT CTGATCCCGA	420
TATTTGGGTC TTGGATGAAC CCTTGACTGG TTTGGATCCC CAGGCTGCCT TTGATTGAA	480
ACAGATGATG AAGGAACATG CACAAAAAGG GAAGACAGTC TTGTTTTCAA CTCATGTCCT	540
AGAGGTGGCA GAGCAAGTCT GTGATCGGAT TGCCATTTTG AAAAAGGGGC ATTTGATTTA	600
TTGTGGTAGT GTAGAGGACT TGAGAAAAGA TTACCCAGAC CAGTCTTTGG AAAGTATCTA	660
CCTTAGTCTT GCTGGTAGAA AAGAGGAGGT TGCGGATGCG TCTCAAGGTC ATTAATAAAT	720
TAGTTGATAT CAATATCCTT TATTCATCTC AAGAAGCTAA TCTGGCTAAT CTACGAAAGA	780
AGCAGGCTAA GAATC	795

(2) INFORMATION FOR SEQ ID NO: 265:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2231 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 265:

TGGTAATGTG CTTGGCAGCw TCCTTGACAC TGCTACTACC ATTTCCCATTA GCGACCGACA	60
TACCAACGCC AGCCAGCATT TCAAGATCAT TATCTGAGTC ACCAAAAGCC ATGACTTGGT	120
TGAGGTCAAA GCCATATTCT TTCCCAACTC GGCGAATGCC TTCTAATTTA GAATTTCCCT	180
GATTGATGAC ATCCGATGCA AAAGGATGTC TACGTGTCAA TTTCAAGTCT TCAAAATCAG	240
CTGCCGCCTT CTCAGATTCT TCTGGTGTC A CAGCATCAA AACTTGGTAG ATAGGCTGAT	300
TCATCAGGTG AAGCAGGTCC TCTTCCTTTT GGGGAACAAC CTTGCTGACC ATGCGATTAA	360
AAGACTGACT CACCGTCCGA GTTAAAACAG AGGGAACGAA GCGACTAATT CGTTGGGAAA	420
AAGAACCAG ACCAAAGGAC ATGATTTTAG AACCCAACAT GGCATCCTTG GTCCCTAGAG	480
CAATCTCCGT GCCCTCTTTT TTAGCATAGC TAATTAGATG GCGCAAATGT AACTTGGAAA	540
TAGGGCTCGT GAACAAGACT CTGTCTTTAC TAAAGATATA CTGGCCATTA TAGGTTACCG	600
CAAAATCCAG ATCCAAATCG TCCATCAATT CCTTAACAAA AAAAGGTCCT CGCCCTGTCG	660
CTACGCCAAC TAGTACCCCT TGTCTTTGA CAATCTTAAT CGCATCCTTA GTGGATTTC A	720
AAACACTCTT GCGATTGTTG ACCAAGGTTC CATCGATATC AAAAAAACA GCTTTGACTT	780
CCATCTATC CCAATCTCCC CTTTGTGAT ACAATGATTA TACCACATTT CAGAAAGAGT	840
GAGTAAATCA TGCTAAGAA AATCCTTGTT TTACATACGG GTGGAATAT TTCCATGCAG	900

1293

```

GCCGATGCTT CTGGCGCTGT TGTGACGAGT TCAGATAATC CCATGAACCA TGTGTCCAAC      960
CCACTTGAAG GAATCCAAGT CCACGCCTTG GACTTTTTTA ACCTTCCAAG TCCCCATATC      1020
AAACCCAAAC ATATGCTGGT CCTCTACCAG AAAATTAAAG AGGAAGCAGA TAACTACGAT      1080
GGAGTGGTGA TCACACACGG AACCGATACT TTAGAGGAAA CAGCCTATTT CCTTGATACC      1140
ATGGAAGTTC CCCATATGCC TATCGTTCTA ACAGGAGCCA TGCCTACTCC AATGAGCTCG      1200
GTAGTGATGG TGTTTATAAT TACCTAAGTG CTTTACGAGT GGCCAGCGAT GACAGGGCTG      1260
CTGACAAAGG AGTTTGGTC GTTATGAACG ATGAAATCCA CGCTGCCAAG TATGTCACCA      1320
AAACACATAC GACTAATGTC AGCACCTTCC AGACTCCAAC ACATGGCCCC CTGGTCTCA      1380
TCATGAAACA GGAAATCCTC TACTTCAAAA CAGCTGAACC TCGTGTTCCG TTTGACCTTG      1440
ATCACATACA AGGTTTAGTC CCTATCATCT CGGCTTATGC TGGTATGACA GATGAGCTGA      1500
TTGATATGCT GGATTTAGAA CACTTGGACG GTTTGATTAT CCAAGCCTTC GGAGCTGGTA      1560
ATATTCCTCA AGAAACGGCT CAAAAATTAG AAAGCCTTCT GCAAAAAGGA ATTCCAGTCG      1620
CTCTGGTATC ACGATGCTTT AACGGTATG CCGAGCCTGT TTATGCATAC CAGGGTGGGG      1680
GCGTACAGTT GCAAAAAGCA GCGGTTTCT TGTTAAAGA ACTCAACGCC CAAAAGCTC      1740
GCTTGAAACT CCTCATCGCC CTCAATGCCG GACTAACAGG ACAGGCTTTG AAAGACTATA      1800
TGGAAGGCTA ATACTCTTCG AAAATCTCTG CAAACCACGT CACGTCGCCT TACCGTATGT      1860
ATGGTACTGA CTTCTGTCAGT TTCATCTACA ACCTCAAAAA CATGTTTTGA GCTGACTTCG      1920
TCAGTTCTAT CTACAACCTC AAAACATGT TTTGAGCTGA CTTCTGTCAGT TCTATCTACA      1980
ACCTCAAAAA CATGTTTTGA GCTGACTTCG TCAGTTCTAT CTACAACCTC AAAACATGT      2040
TTTGAGCTGA CTTCTGTCAGT TCTATCTACA ACCTCAAAAA CATGTTTTGA GCTGACTTCG      2100
TCAGTTCTAT CTACAACCTC AAAACATGT TTTGAGCTGA CTTCTGTCAGT TCTATCTACA      2160
ACCTCAAAAA CATGTTTTGA GCTGACTTCG TTAGTTTCAT CTACAACCTC AAAACATGT      2220
TTTGAGCTGA C

```

(2) INFORMATION FOR SEQ ID NO: 266:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1310 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 266:

1294

GAGTCAAAGG CTCCGAGGTT GACTTTTTAC AAGGGGACAG GTGAATATTA TCTAGACCTG	60
TCAGAAATTC TCTTCTTTGA AACAGAAGGG AGCAAGATCT ACGCTCATAA CCAGAAGGAA	120
GCTTATGAGG TTCGCCTCAA GCTCTATGAG TTGGAGTCTA TCTTGCCTCG CTATTTTAAT	180
CGAGTTTCCA AGTCAACGAT CGCAAACATC CGTCAGATTT ACTCAGTGGA CAAGTCCTTT	240
TCAGGAACGG GCACCATTTC CTTTATCAG ACGCACAAGG AGGTTTCATGT CTCACGGCAT	300
TACCAATCCC TCCTAAAAGA AAATCTAAGA AACATGAGGT AAAAAACATG AAAAAGAAAG	360
CATTGGTAT TGTTTTATTG GTTTTAGCAG CTTGGATCTT GCTGCAAGGG AATTTTGGA	420
TTCTTCTTTT GGATGGTAAA ATATGGCCTT TACTAGGTAT TGTTTTTTTT GCTTATAAGT	480
CCATTGAGTC CATCCTTAGA CGTCATCTCA CTTCCGCAGT TTTTACAGGT TTAGTGGCGC	540
TCATCATTCG AAATTACGCT TATGACTTGT TACCAGTTAC CAATCATTCT CTTATTTGGG	600
CTAGCATCTT GGTGGTACTT GGTGTTGGTT ATCTGACGCA TTCAAGTAAG TTCTGGAATG	660
AAAAAAATG GTGGTACAAT GGGAAAAAAA CAGTCGTCAC GGATAAGGAA GTCGCTTTTG	720
GTAGCGGAC CTTCTATAAG CAAGATCAAG ATCTCGTAGA TGACCAAGTG GAAGTCGCTT	780
TTGGGGATGC TAAATCTAC TATGATAATG CAGAGATGCT AGGTGATTTT GCAACTTTAA	840
ATATTGAAGT GGCCTTCGGG AATGCAACCG TCTATGTTCC ACAACACTGG CGTGTAGATT	900
TGAAAGTAGA AACCTCCTTT GGTGCAGCTA AGGCTGACGC TCCTGTAGCC CCAACCAGCA	960
AAACCTTGAT TATCCGTGGA GATGTGGCTT TTGGGAAGTT GGAAATTGTC TACGTTAAAT	1020
AAAAAATCT TCACTTCAAC CATCAAAATA GACGTACTAA GAGTAGGAAA TTGATGCCTT	1080
GCTCTGATTT CAGTTCTATG GTTGTTAGAC TTTAAAAAT GAAATGCTGC CTTTAAAAGT	1140
TGTATATTTT TCGATATTTT GGCTTTTACG TTTGATGTAT CTATGTACTA CAGCGTAGAT	1200
GATGTAGTGT CAAATGCTTT TAAAAACGG ATGATATGCG ACAGTTTTTT TGCCTTTAAT	1260
TGCTCAGGAA CCAATGAAAGT CAGTACCTGG GTTTATGACA AGGGAGAATG	1310

(2) INFORMATION FOR SEQ ID NO: 267:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 5922 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 267:

ACTCTGATTT GATTGGAACG ACAGTCGGTG CCATTGCAGT TACTTCAAAC GTAACGACTT	60
ATGTTGACTC TGCTGCTGGT ATCGGTGCAG GTGGACGTAC TGGTTTGACA GCCTTGCTTG	120



1295

TAGCTATCTG TTTTGCGATT TCAAGCTTCT TTAGCCCACT TCTAGCGATC GTACCAACAG	180
CGGCTACAGC TCCAATCTTG ATTATCGTTG GGATTATGAT GCTTGGTAGC TTGAAAAATA	240
TCCATTGGGA TGATATGTCT GAAGCAGTTC CTGCCTTCTT CACATCTATC TTTATGGGAT	300
TCAGCTACTC TATCACTCAA GGGATTGCAG TTGGTTTCTT GACTTACACT TTGACTAAGC	360
TTGTAAAGG TCAAGTTAAA GATGTTTCATG TCATGATTTG GATTTTGGAT GCCTTGTTTA	420
TCCTTAACTA CATCAGCATG GCCTTATAAT AGAATGACCC AGGGGGATT CCCCCCTTTT	480
TTAATACAaG GAGATAGGTG ATGAAAGAGA AAAATATGTG GAAAGAAATTG TTGAATCGTG	540
CAGGCTGGAT TTTGGTCTTT TTAAGTGGCG TCCTTTTATA TCAGGTTCCT CTAGTGGTTA	600
CCTCTATTTT GACTTTAAAA GAAGTAGCCC TGCTACAGTC AGGGCTGATA GTTGCTGGCC	660
TTTCAATTGT GGTTCCTGGT CTATTTATTA TGGGAGCTCG TAAAACCAAG TTAGCTAGTT	720
TTAATTTTTC TTTTATTAGA GCTAAAGATT TGGCAGTTT GGGCTTGAGT TATCTAGTTA	780
TTGTCCGGTC AAATATACCT GGTTCCTTT TATTGCAACT GTCAAATGAG ACGACAACAG	840
CTAACCAGTC TCAGATTAAT GATATGGTTC AAAATAGTTC GTTGATTTC AGTTTCTTCT	900
TGCTAGCCTT GCTTGCTCCG ATTTGTGAGG AAATCTTGTG TCGTGGGATT GTTCCTAAAA	960
AGATTTTCCG AGGCAAGGAG AACTTGGGAT TTGTAGTCGG TACGATTGTG TTTGCTTTAT	1020
TGCATCAACC AAGTAATTTA CCTTCTTTAT TGATTTATGG AGGTATGTCG ACAGTTCTAT	1080
CTTGGACAGC CTACAAGACC CAACGTTTGG AAATGTCGAT CTTGCTTCAC ATGATTGTTA	1140
ATGGGATTGC TTTCTGTTG TTGGCTCTTG TGGTGATTAT GAGTCGGACA TTAGGAATTT	1200
CTGTTTAAAA GTTTTATGT AGGAACCGAC CTCTTCTAC CAGGAAAGA TGAATGCAAT	1260
CGTGTCATC TTTTCTTTT TATGGTAAAA TAGAAAAATA ATATGATGAA AATCCTTGAG	1320
GGAGTGACCG ATATGTCAAG TAAAGCCAAT CATGCAAAGA CAGTTATTTG CGGAATTATC	1380
AATGTAACCC CAGACTCCTT TTCGGACGGT GGTCAATTTT TTGCTCTTGA GCAGGCGCTC	1440
CAGCAGGCTC GTAAATTGAT AGCAGAAGGA GCCAGTATGC TAGATATCGG CGGAGAATCG	1500
ACTCGGCCGG GAAGTAGCTA TGTGTAGATA GAAGAGGAAA TCCAGCGTGT TGTTCAGTG	1560
ATCAAAGCGA TTCGCAAGGA AAGTGATGTC CTCATCTCTA TTGATACTTG GAAGAGTCAA	1620
GTAGCAGAGG CTGCTTTGGC TGCTGGTGCC GATCTAGTCA ATGATATCAC TGGTCTTATG	1680
GGTGATGAGA AAATGGCTTA TGTGGTAGCT GAAGCGAGAG CGAAAGTGGT CATCATGTTT	1740
AACCCAGTTA TGGCTCGACC TCAGCATCCT AGTTCGCTTA TCTTCCCTCA TTTTGGTTTT	1800
GGTCAAACCT TTACAGAAAA AGAGTTAGCT GACTTTGAAA CATTGCCAAT CGAAGACTTG	1860

1296

ATGGTGGCTT TCTTTGAACG AGCACTAGCG AGAGCGGCAG AAGCTGGTAT TGCACCAGAA	1920
AATATCCTGT TGGATCCAGG AATTGGCTTT GGTCTGACCA AGAAAGAAAA TCTGCTTCTT	1980
TTACGGGACC TGGATAAACT ACATCAGAAG GGCTATCCAA TCTTTCTCGG AGTGTGCGGC	2040
AAGCgATTG TCATCAATAT CCTAGAGGAG AATGCTTTG AAGTCAATCC TGAGACAGAG	2100
CTTGGTTTCC GAAATCGGGA CACGGCTTCG GCTCATGTAA CTAGTATCGC TGCAGACAG	2160
GGTGTAGAAG TGGTGC GCGT GCATGACGTA GCTAGTCACA GGATGGCAGT TGAAATTGCC	2220
TCTGCCATTG GTCTGGCTGA TGAAGCGGAA AATTAGATT TAAAACAATA TAAATAAGAT	2280
GAAAGAAATT GAAACAATC AGTGGATTGC TAACTACCGG ACGGATCAAC CGCATTTTGG	2340
CTTGGAACGA ATGGTGAAC TGTTAGCTTT GCGTGGCAAT CCCCATCTCA AACTCAAGGT	2400
CCTCCATATC GGAGGGACTA ACGGCAAGGG CTCGACTATT GCTTTTTTGA AAAAGATGCT	2460
AGAAAAGCTA GGGTTGAGAG TTGGCGTGTT TAGCTCGCCC TATCTCATTC ATTACACAGA	2520
CCAGATTAGC ATCAATGGGG AATCGATCTC AGAAGCGAGG CTAGAAGCTC TCATGGCAGA	2580
CTATCAGTCT TTGCTGGAGG GAGAAGCGGT CGCCAATTGA CAGGGCACAA CCGAGTTTGA	2640
GATTATCACA GCCCTGGCCT ATGACTACTT TGCCTCAGAG CAAGTAGATG TGGCCATCAT	2700
GGAA GTTGGC ATGGGTGGAC TTTTGGATAG TACCAATGTC TGTCAGCCCA TTTTGACAGG	2760
AATTACAAC ATTGGCTTGG ATCATGTGGC TCTACTTGGT GACACCTTGG AGGTCATAGC	2820
AGAGCAGAAG GCAGGTATTA TCAACAAGG GATGCCCTTG GTAACAGGGC GTATTGCTCC	2880
AGAAGCCTTG GCTGTGATTG ACCGCATTGC GGAAGGGAAA GATGCGCCGA GACTTGCCTA	2940
CGGGACAGAT TATCAGGTTC GTCATCAAGA AAGTGTGGTG ACAGGGGAAG TCTTTGACTA	3000
TACAAGTGCT GTCAGACAAG GTCGCTTCCA GACTAGCCTG CTTGGTTTGT ACCAAATAGA	3060
GAATGCTGGG ATGGCCATAG CTTTACTTGA TACTTTTGT CAAGAAGATG GTCGAGAGCT	3120
AGCAAGCAAT GATTTTCTTG GTCAAGCCTT GGAAGAAACA AGTTGGCCAG GGC GTTTGGA	3180
AATCGTGTCA AGAGATCCCT TGATGATTTT GGATGGAGCC CACAATCCCC ATGCTATCAA	3240
GGCCTTGTTG GTAACCTTGC AAGAACGTTT TCGGATTAT CATAAGGAAA TCCTCTTAC	3300
TTGTATCAAA ACCAAGGCCT TGGAGGATAT GTTGGACTTG CTGGGAGCCA TGCCAGTTAC	3360
CGAGCTTACT CTAACACATT TTGCGGATAG TCGGGCGACG GATGAAAACG TGCTGAAAGA	3420
GGCAGCTAAG TCTAGAAATC TCAGCTACCA AGATTGGCAT GATTTTCTAG AGCAGAATTT	3480
GACAGATAAA AAAGAAGAGA AACAAACAGT TAGGATTGTC ACAGGTTCTT TGTATTTCTT	3540
GAGCCAAGTG AGGGCTATC TGATGGAGAG GAAGAACGAG AATGGATACA CAAAAGATTG	3600
AAGCGGCTGT AAAAATGATT ATCGAGGCTG TAGGAGAGGA CGCTAATCGC GAGGGCTTGC	3660

1297

AGGAAACACC TGCTCGTGTA GCCCGTATGT ATCAAGAGAT TTTTTCAGGT CTTGGTCAAA	3720
CAGCAGAGGA ACATTTGTCA AAATCCTTTG AAATATTGA CGATAATATG GTGGTAGAAA	3780
AGGATATCTT TTTCCATACC ATGTGTGAAC ACCACTTCTT GCCATTTTAT GGTAGAGCGC	3840
ACATTGCCTA CATTCAGAT GGTCTGTGG CAGGCTTGT TAAGCTAGCC CGTACGGTTG	3900
AAGTTTATTC GAAAAACCA CAAATTCAAG AACGTTTGAA TATCGAAGTG GCCGATGCCT	3960
TGATGGACTA TCTAGGTGCT AAAGGAGCCT TTGTTGTCTAT TGAGGCGGAA CATATGTGTA	4020
TGAGTATGCG TGGTGTAGA AAACCAGGCA CTGCAACCTT GACGACAGTA GCTCGTGGTC	4080
TATTTGAAAC AGATAAGGAT CTCCGTGACC AAGCTTATCG TTTAATGGGG CTATAAAAAG	4140
AAATCCGCTTC AAGCGGATTT TTCTAGAAAAG GAATCATTTAT GGATCAACTG CAGATTAAAG	4200
ATTTGGAAT GTTTGCCTAT CATGGTCTTT TTCCTAGTGA GAAAGAATTG GGGCAGAAAT	4260
TTGTCTGTTT AGCCATCCTA TCCTATGATA TGACCAAGGC AGCTACAGAC TTGGATTTAA	4320
CAGCCTCTGT CCATTACGGA GAATTGTGTC AGCAGTGGAC GACTTGGTTT CAGGAAACGA	4380
GTGAAGATTT GATTGAAACG GTAGCCTATA AACTGGTGA ACGTACCTTT GAGTTTATC	4440
CTCTTGTCCTA AGAAATGAAG TTGGAAGTGA AAAAACCTTG GGCACCGGTG CATTGTCTAC	4500
TAGATACTTG CTCGGTAACC ATTCATCGCC GCAAGCAACG AGCCTTTATC GCCCTAGGAA	4560
GCAATATGGG AGATAAACAA GCAAACCTGA AGCAAGCCAT TGACAAACTG CGAGCTCGTG	4620
GCATCCATAT TCTCAAAGAG TCCAGTGTCT TAGCGACGGA GCCTTGGGGT GGAGTGGAGC	4680
AGGATAGCTT TGCCAATCAA GTGGTTGAGG TGGAACCTG GCTACCAGCA CAAGACTTGT	4740
TAGAAACCTT GTTAGCCATT GAGTCAGAGC TGGGACGGGT GAGAGAAGTG CATTTGGGAC	4800
CTCGTTTGAT TGATTTGGAC TTGCTCTTTG TGGAGGACCA GATCCTTTAT ACAGACGACC	4860
TCATATTGCC TCATCCTTAC ATAGCGGAAC GCCTTTTGT CTTGAGTCT TACAGGAAAT	4920
TGCGCCTCAT TTTATCCATC CGATATTAAA ACAACCGATC CGCAACTTGT ATGATGCTTT	4980
GAAAAATAG AAAAATCTA GTTTTCAGTT ACTTGCAACT GAAGGCTAGA GTTTTATAC	5040
TCTTCGAAAA TCTCTTCAA CCACGTCAGC GTCGCCTTAC CGTACTCAAG TACAGCTTGC	5100
GGCTAGCTTC CTAGTTTGCT CTTTGATTTT CATTGAGTAT TAAAATAGGT CATTTCCTTC	5160
TGGGAGGAGG ATAGTTTCTC TACCGTCCAT GTCTAAAACC AGTACTCTTG GGGGATAACG	5220
AGGGTCGAAA GGATGGTTAA AGTCAAAATC AATGGCTGTA GGGAGGTGTT GACTTGAAAA	5280
GTGGAAGGTA ATCTTTCCTT GGTATTAAAG CAATTGAAAC TCGAGTTCTT CTTCCAATTC	5340
AAAGACATTT TTTAAGAAAT GGTCGATGAT ATACCAAAAA GAGTCAATGA TGTCATCAGG	5400

1298

CAAGCTGGTA ACAATACCAA AACTAGCAGA TCGCATGTGG GTATTGGTAA AAGCCATATC 5460  
TCTGTCCCTT TTCTTTTCCC TTATCATACA GCAAATAGGA TTAATAATCA AGAAAAGGTG 5520  
ATTTTTTGAA AAGGATTTTA GTTACAGGGA GAAATAGGGA AAAAATTCCT AAAAATCTAC 5580  
CGAAGTTAAT AGGTAAATTC CCAAATTAAC TTGATTATAT AACTTTCAGT TACTTTGAGA 5640  
AGTTACCGAA AAATATTTTT CATATCTATT GACTTTTAGG GGTAAAAATTT GGTATGATAG 5700  
TAGGCGGTAT TGTTTACCCC ATTTGAAAGG CCCCGGAACC TTCCAAATAC TTTTCGATGG 5760  
GAAGGAACAC CCATCACCGT AAACAAAAAT CGAACTATAT ATAGGAGAAA TCATGAACAA 5820  
AAACAACATT ATGGCTAAAC CAGGCCAAGT TGAACGTAAA TGGTACGTAG TTGACGCAAC 5880  
TGATGTACCA CTTGGACGTC TTTCTGCAGT AGTTGCTAGC GT 5922

(2) INFORMATION FOR SEQ ID NO: 268:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1988 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 268:

TAACTATCTA CGATGAGCTG TTGTGATICT CATTAGTICC CCTTTCCTCA GAGGCATAGG 60  
GGTGCGCATA ATAGATGTGC TCCTCAGAAA ATATATCAAA CAAGCGATTG AATTCCGTTC 120  
CATTATCTGC CGTGATGGAA AGAATCTTGT GTTGTTTTAA GATGAGTTTT AGAGCCTGAT 180  
TGACCACCTC AGCACTTTTA TTGGAATCA ATCGGATGAT CTGATGTCTA CTCTTTCGAT 240  
CCGTCAAGAC AATCAAGCAG TAGTTTTTTCG ATCTCGTAAG TAGAACCGTA TCAATCTCAT 300  
AATGCCCATT CTCCAAGCGA AGATTGATAG CTTCAGGCCG CTGTTCCGATG GATTGACCAG 360  
CAGGTTTAAA GTTGGTGCTA GCCTGTTTCT TAAGCGCTTT TCCTTTTCTA GGTAAAGCA 420  
AATCCTGCTT GCTTAACCCC AATTTTCCAT GATGAATCCA ATAGTAAATG GTTGAAATTC 480  
CCACGTAAAC CCCTTTAGCC ATAACCATCA TTTCAGGCGA AAATTTTGG TTATGATAGT 540  
GGAGAATCTT TTCCTTAGT TCCTTGGTCA AGCTTGATTT CTTGACCGAG CGCTTGCAT 600  
TGTTTTTATA AGACTGTGA GCGTAGTCGG CAGAATAAAC CTCTTGAAG CGCCCTTTTC 660  
CAAGACATTG TCGGACTGTC CCACGCTTGA TTTCAGTGTG ATAGTTTGAG GAGCTTTTCC 720  
AAGTAGAGAG GCAATTTCTC TATTTGATTT TCCTTCTTTT TTCCATCTTT CGATTAAGCG 780  
ACGGCTATCG ATTTGCAAAAT GTTTGGCTTT TGTAGTATAA TTGTCTTGCA TCTCTGTGCC 840  
TTTCTTGTGT TTGTGGTTGA ACAACAAGTA TAACACAGAG GTGCTTCTTT ATGCCTACAA 900

1299

GAGCTTTCAT TATTTCCATT TTCTTTTGA TTCTACTCTA TTCTGAAAAA CTGTGTATA	960
TTTACTGAAG CTAGCAAGTC TTACCTGTAA ATTTAATGAA AGCAACACAA AATCCGAGAG	1020
GGGAATCTCG GATTAATAGA TAGAGAGTTT TTAGTTTAAA TAAATTGTTT AAAATATCAA	1080
CAACATCACT TCTTTTCTTA ACCTGATAAG TCTTGATTCC TAATTTTGGG GCTACGATTA	1140
TATTGTCTC AATATCGTCT AGAAAGACAC AATTTCTAGG TTATAACTGG TATTTATCGA	1200
TAGTTACTCA TATACATCAG TCCACCTCCA TACTTATGTG CGAGCCTCTC TTTGTATTAT	1260
ACCTCCATAC TCACCTTACA GATTCTTTTG GTAATAATAT CTTTGCCTAA TGTAGAGACA	1320
GTCTTGCAA GAAAAAATT CCTTGTAGCC ATGTTTCTGA TAAAAGTCCG GTGCCTGGAA	1380
CTGGTAAGTA TTGACAAAGG CAAAACAACA ATTTGATTC TTAGCTTAC TTTCTGCCTG	1440
TTGCAATAGT TTTGAACCGA TTCCTTGCCC TCGCAGTCC TCTTTTACAA ACAAACTC	1500
GATTCTAGC CAATTTCCAA AAGTCTCTGC TATCAAACCT GCCAGGAGAT TGCCCTTTTC	1560
ATCTTCGACA TAAAGATTAA GTGGCTCACT TTCAGCCTCT TCTCTTTTGG AACGGTTATA	1620
AACAGCAATC AGATTCCCTA TTTCTTGCGA TTTATGTGAT TCCTTATTTT CCAATCTAAA	1680
GTATAGTGAA ATGAAATAAA ACATGCGCAA ATCGATTAAG GAATTTAATC TAATTCTAA	1740
CAATGTCTTA GAAATCAAAG TGTACTATTT TAACTTCAAT GCACTATACA TCTAATACTC	1800
AATAAAAATC AAAGAGCAA CTAGGAACT AGCCGCAGGT TGCTCAAAAC ACTGTTTGA	1860
GGTTGTAGAT AGAACTGACG AAGTCAGCTC AAAACATAGT TTTGAGGTG TAGATGAAAC	1920
TGACGAAGTC GGCTCAAAAC ATGGTTTTGA GGTGTAGAT GAAACTGACG AAGTCAGCTC	1980
AAAACAGG	1988

## (2) INFORMATION FOR SEQ ID NO: 269:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 709 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 269:

CCGGATATTT GTTTATGTA ATTTCTTGC AAGTTTCTTC TTAGTAGCTT GTCAGTCAGG	60
TTCTAATGGT TCTCAGTCTG CTGTGGATGC TATCAAACAA AAAGGGAAAT TAGTTGTGGC	120
AACCAGTCCT GACTATGCAC CCTTTGAATT TCAATCATTG GTTGATGGAA AGAACCAGGT	180
AGTCGGTGCA GACATCGACA TGGCTCAGGC TATCGCTGAT GAACTTGGGG TTAAGTTGGA	240

1300

AATCTCAAGC ATGAGTTTGT ACAATGTTTT GACCAGTCTT CAAACTGGTA AGGCTGACCT	300
AGCAGTTGCA GGAATTAGTG CTAAGTACGA GAGAAAAGAA GTCTTTGATT TTTCAATCCC	360
ATACTATGAA AACAAAGATTA GTTTCTTGGT TCGTAAGGCT GATGTGGAAA AATACAAGGA	420
TTTAACTAGC CTAGAAAGTG CTAATATTGC AGCCCCAAAA GGGACTGTTC CAGAATCAAT	480
GGTCAAGGAA CAATTGCCAA AAGTTCAATT AACTTCCCTA ACTAATATGG GTGAAGCAGT	540
CAATGAATTG CAGGCTGGAA AAATAGATGC TGTTCATATG GATGAGCCTG TTGCACTTAG	600
TTATGCTGCT AAAAACGCTG GCTTAGCTGT CGCAACTGTC AGCTTGAAGA TGAAGGACGG	660
CGACGCCAAT GCCGyTGCTC TTAGAAATA GTGATGATTT GAAAGAAGT	709

(2) INFORMATION FOR SEQ ID NO: 270:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1680 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 270:

TATAAAATGT TAAGTTAAAT GATTTCAAAA TTCAGAAAGG GATTGCTTTA TGCAGTTCCT	60
TTTTATTTTA ACAGGAGTGA AACTATAGTG TTTCTAAATT GTGAATCAAT CAAAAGTAT	120
TGTGATGGGG CTATTCTAGC TTTAGAAACC TTCAAAAATT AAAATTTAAG GCAATCAATT	180
ACTTGAAGA GTATGAAAGC ATTTAGTTTA TAGGAATTCT AGGTCTAGAA TTACATATAT	240
ATATTTATGA AGACGGGGTG TTCGATAGTT AGTATTGTTT TATTCTGAAA GATTTGAGCT	300
GTCAGTTGTA TAGAAAGTGT TCGAATTTTT TTAAGTGATT AAATTAGTTA ATTGTATGAG	360
GTGCTTTATG ATATAATGTT CTTAATGAAT TTTCAGAAAG GAAAACCTCA AATTGTTCTA	420
CAAAATTTCTA CTCTTCGACC TCGACCACAC TCTTCTTGAT TTTGATGCTG CTGAGGATGT	480
GGCTTTGACC CAACTTCTAA AAGAAGAAGG AGTTGCGGAT ATTCAGGCTT ATAAAGATTA	540
TTACGTTCCCT ATGAACAAGG CTCTCTGGAA AGACTTGAG CTGAAGAAAA TCAGTAAACA	600
AGAGCTGGTT AACACGCGCT TTTCTCGTTT ATTTGCTCAT TTTGGACAGG AAAAAGACGG	660
TAGTTTTCTT GCCCAGCGTT ACCAATTTTA CCTCGCCCAG CAGGGACAAA CACTATCGGG	720
CGCTCATGAT CTCTTGACA GCCTCATTGA GCGTGATTAT AACTTGATG CTGCGACAAA	780
TGGCATTACT GCCATTGAGA CAGGACGTTT GGCTCAATCT GGTCTAGCAC CTTATTTCAA	840
TCAAGTCTTT ATCTCAGAAC AGTTGCAAAC TCAAAAGCCG GATGCTCTTT TTTATGAAAA	900
GATTGGCCAG CAAATTGCTG GATTAGTAA AGAAAAGACG CTGATGATTG GAGATTCTCT	960

1301

AACCGCCGAC ATTCAAGGTG GCAATAATGC GGGGATTGAC ACTATCTGGT ATAATCCTCA	1020
TCACCTCGAA AATCACACAC AAGCCCAGCC GACTTACGAA GTCTATTCTT ACCAAGACTT	1080
GCTGGATTGT TTAGATAAAA ATATTCTTGA AAAGATCACA TTTTAAAGGA GACGAGCTAA	1140
TGACTACAAA AAAGCTAATA TTAATTATTGA AGAGTACATT GAAATGTCTG AAGTTGATTT	1200
TAATGAAGCT GTTAATTATG AATTTACATC TGACACTTGT CAATTAGCAA ATAGTATTTA	1260
TCAATCTCTT TTTAAGTTTT TTGATAAGAA AAATTTCTCT GCGGATTAA TTTTACTTG	1320
GAAATCTCCA TCATTAGTCA AAGAAGGGGA TTATATTGGG AGAAGGGATT CACAAGTAGA	1380
TAATCTTAGA GTAATAGGAA ATATATTTCC GAATTATCTT ACTAATCGAA AATATAGCCT	1440
CAATATGAAT CGTAATGGCT GTATGGGAGA TTTTCCTCAT GACTTTTTTG ATATATACCT	1500
AGATCATGTA GCAAAATATG CCTACGAACA AAAAGTTAAT AATATTAAAG AGTATTATCC	1560
TTTAAAAAGA GCGATTTTAC ACCAAGAGAA TGCATTGTAT TTTCGATTTT TTCTAATTT	1620
TGACGACTTT TTAGAAAAAA ATTATTAAAA GACTATATGG CAAGTTTCTA AAGAACTCC	1680

(2) INFORMATION FOR SEQ ID NO: 271:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 598 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 271:

AGCTCGGTAC GTAGTATnTG TGGTGCATAA ATGAGTGAAA AGAGGATAGA GAGGATGAGG	60
CCGATAAGAA CACCGGTAGC TGCATCGTGA AATACTTGTT TTTTCATAGT TCTAATTTCT	120
CCTTGATGGT TTTTAGATAA CGGCGTGAAG AGTAGGTGAA GCTTTCGTTT TTCAAGAAAA	180
TTTCTACCAG ACCGTTTGGC GTGagCTTGA GGTGAGAGAT GGAATCGATA TTGATGATTT	240
CTGATTGGGA AATTGGGATA AAATTGGTTG GCAAGAGTTT AAGAACCTGA TAGAGTCGCA	300
AATCAATGCT GTAGGTCTGA CTCGCCGTTT CTGCTAGAAC CTTCCGATTG TCGATATAGA	360
AGCGCTGAAT CTTGCCAATC TCAACTAGAT AGACCTGATC ATCGATTTTT CTTTGATTT	420
TTTCTCTTTG GTCCAGATTT TCTGCGAACT CGATGACTTT CTGGACTTTT TCGGTTTCTT	480
GAGGTGCTTG GACAATCAGC TTTTCCTCCT CGTAAGTCTC ACTAATCTGT AGTTCTACTT	540
TCATAGTTTT CTCTCCTTTT CAGTTATACA AGGTTGTGAT CACTTCCTGT ATATCCGG	598

(2) INFORMATION FOR SEQ ID NO: 272:

1302

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 1099 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 272:

CCAGCAAATC AATAACTGCA ATTGCTATAA AATGGATTCT ATAGAGTTT TTCATGACAA	60
GACCTCCCTC TTTTATCTAA CTTCAATCTA CTCCAAAAGA ATGGGAGTTA CAACTAAAAT	120
GATAAAAATA GCAGAAGGA GATTCTCTTA AGTTGGCTAG TATTCTTTAT TTGAGTTTCC	180
TTCTATTATC TAACTTCTTC ATCATTCCAG ACAAATAAAG CTCCGATTGC ATTGAGGATA	240
TAAAGATGT ATTTACCGAT ATTGCCGAAG TTTCTTGAA TACCAGCTTT TGTCAGCTGA	300
ACGAAATGT AAATCAACCA AAAGCCCCAC TGAGTTGTTA GTTTTAATGC ATTCAAAGCA	360
TTGGCAATGA GGGACAGTGC AAAGGCAATA GTTGTTACGT AGGCAAGGAG ATTCATCTTG	420
CCCCCATATC CGATATAGTT GGTACAAAAG GCAAAGAGGA AGGCGATGAT GGAAATGATG	480
ATGGCCGCCA ATTTTACCTG TTTTGGCTC ATTTGGTTGG GTCTGCCTTC TTGCGAAGCT	540
TCCCACTTCT TTATAGCAAA GGTATAAATG AGGAAGGTGA CGGATAGGT AATGATGGCC	600
GCCTTATTTC CAAGGATATA ATCAATAGCA CCGGACAAA TGGTATTAAAC AATACCAAAG	660
TAATTTCCCA ATTTGCTTAA TTTCCCGTG AAACGAGTGG ACAACATGGA AATCCCAACG	720
TTGGTTACGG AAATCAATCC AAAGGTACA AGAGCTGTCC ATGATCCCCA GTCTACAAAT	780
TTATCGAGGT GTGAGTTGAG GTAACCAGAT GCAATCGCAA TCCCAACGAC CAAAGCAACC	840
CCGAAGAGGT CAACTATTT AGATGTAGCA AAAATTTTGA GTGATTTTTT CATAGGTTAA	900
ACTACCTTTC TTTTTTCAA ATATTCTCCC ACCAAATGAA AGTAAATAA AATGATAGAA	960
ATAAAACCCG GAAAATAAAG GTTCTATAAT ATTTGTAGTG GGTAAATCCA CTATAGATAT	1020
TATGGAGCCT ATTTTATTGT AGAAAAAAG TCCCATATGA CCTATAATGA AAAGCGACAA	1080
AACAACTCAT TAGAAAGAT	1099

## (2) INFORMATION FOR SEQ ID NO: 273:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 2723 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 273:



1303

CTGGGATTCA CGTGAAAAGG AAGCCCAGAG AGTAGCCAGG TGTACTGCTA GAACAGTGAG	60
TGAAATTGAA TATTACCATA GAGAGTCAAC CCAGATAGCT CAGGCTTTAG TTGAAAATCA	120
AGCTCGTATC GAGGGAATCT ATAAATACTT TAGCCTTAGC ATGCCAGACT ATTTTACTG	180
GCAATTAGAG CGGAAAGCTT CGCCTTATAT ATCAGTCTCT CTGTATGAAA ATGTTGATGA	240
CCTCTATGTT CGAAATGATT TTGTAAGTGG GGTGGCCATT GCTTTTCAAG ATTACAAGGA	300
AGTCTATGTT TCTACTAAAG ACAACGCTAG GkKAGAAAAA ATCAGGGCTG AGGATTTCOA	360
ACCAGCAGGA AATAGTTTGG CCATTCCAGT GTCAGATCCA GTGTCAGATC AAGACTTAGG	420
AGTGATTTAC ATCTCCTTGG ATCCTGCTGT TTTATACCAT GCCATTGATA ATACTAGAGG	480
TCATACTCCG ATGGCAGTAA CAGTGACCTC ACCTTTGTAT ACGGAGATTT TTCATATGGG	540
TGAGACAGTT GATAAGGAGA GTGAAAATG GCTAGTTGGC TTAAGTCTC ATGGATATCA	600
GGTTCAGGTG GCAGTTCCTA AAAACTTTGT TTTACAAGGA ACAGTGAATA GCTCTGCTTT	660
GATTGTGGGT TTGAGCCTTC TCTTTATTGT CATTCTTTAT CTGACTTTGA GGCAGACTTT	720
TGCTAATTAC CAAAAGCAGG TAGTGGATTT AGTAGAATCC ATTCAGTCA TTGCTCAAGG	780
CGAAGAGGGG CGTCGGATTG ACATTTCCGA GAAAGATCAG GAATTACTCC TAATCGCGGA	840
GACGACCAAT GATATGTTGG ATCGATTGGA AAAGAATATC CATGATATTT ACCAGTTAGA	900
GCTTAGTCAA AAAGATGCCA ATATGCGAGC CTTGCAGGCG CAAATCAATC CTCATTTTAT	960
GTATAATACG CTGGAGTTCT TGCGCATGTA TGCAGTTATG CAGAGTCAAG ATGAGTTGGC	1020
AGATATCATT TATGAATTCA GTAGTCTCTT GCGTAACAAT ATTTCCGACG AAAGAGAGAC	1080
CCTCCTCAAA CAGGAATTAG AATTTTGCCG TAAATACAGC TATCTCTGCA TGGTTCGCTA	1140
TCCCAAGTCC ATTGCCTATG GTTTCAAGAT AGATCCAGAG TTAGAGAATA TGAAGATTCC	1200
CAAGTTTACC TTGCAACCGC TGGTAGAAAA CTATTTCCGCG CATGGTGTGG ACCACAGGCG	1260
GACAGATAAT GTGATTAGCA TCAAGGCTCT TAAACAGGAT GGTTTTGTGG AAATTTTGGT	1320
GGTCGATAAT GGTAGAGGAA TGTCGGCTGA AAAGTTGGCA AATATCCGAG AAAAATTAAG	1380
TCAGAGATAT TTTGAACACC AAGCCAGCTA CAGTGATCAA AGGCAGTCTA TCGGGATTGT	1440
CAATGTACAC GAGCGTTTGG TGCTCTATTT TGGAGACCGC TATGCCATTA CTATAGAGTC	1500
TGCAGAGCAA GCCGGTGTTC AGTATCGTAT TACAATTCAA GATGAGTAGA AAGGGAGAAA	1560
ATGTATAAAG TATTATTAGT AGATGATGAG TACATGGTGA CAGAAGGTCT GAAGCGTTTG	1620
ATTCCCTTTG ATAAGTGGGA TATGGAGGTC GTCGCAACAG CCAGTCATGC CGATGAAGCT	1680
CTAGAATATG TTCAGGAAAA TCCTGTCGAT GTCATCATTT CCGATGTCAA TATGCCAGAC	1740

1304

AAAACAGGGC TTGATATGAT TCGGGAGATG AAAGAGATCT TACCAGATGC TGCCTATATC	1800
CTGCTCTCAG GTTATCAGGA GTTTGATTAT GTAAAAAGAG CAATGAACCT TAGTGTGGTG	1860
GA CTATT TGG TCAAGCCTGT TGATAAGGTA GAGCTGGGAA ATCTGCTGGA GAAGATTGCA	1920
GGTCAGCTCG GCGAGAGAGG GAAGAAAAGT CAGACTCTTA GTCAAGAATT AGACGAGGCT	1980
GGATT TGT TA GTTATTTAGG GGATAAGGAG AATTGGTGGA TAGGTCTATC CAAGGAAAAA	2040
CAAGGTTCC T CACCATTC CTACTATGTC TTGGGTCAAG ACTGGCAGAT TTTCATTTCT	2100
GGCCACCCCC TAGATGGTTT AGTCGTTACA CCTTTTGAAG CTCCTTATCA AGAACACTTT	2160
GAACGCTGGA AGCTGAATGC TGAGAAAACC CTCTTTTACG GTTCTGTAAA TCTGCAGCAG	2220
TCTGAGAGTC TCTTGCCTA TTACGAACCG ATTTATAGGG TTATCATPCA GGGAAATCTC	2280
AATCAAAATCG TAGAAGAGTT AAATCTCTTG GAGAAGGTAG TTCTTGAAAA TACACCTCGT	2340
GTTCGATTA CTAACAGCT TTTTATCCAG TTGTGCATGG ATGTTTCCA TTTATTTGAA	2400
CATCTCAAAG CTGATGATAT GACGGACATT GTCAAAACCA TTCATGCTAT TCAATCCTTC	2460
GATGAATTGG TTTCTTATAT CAAGGAAACT CTGATCAGCT TTTTCGGTCA ATACCGTATG	2520
AATGAAAATG TGGTCAGTGT GCTGGAAGTC ATTGGTCGTG ATTACCAAAA AGAGCTTTCC	2580
CTCAAGGATA TCAGTAAGGC CCTCTTTATC AATCCTGTCT ATCTAGGGCA GTTGATTAAG	2640
CGTGAAACCG ATTCGACCTT TGCAGAGTTA CTAACAAAAC AACGTATTAA GGCTGCCAG	2700
CAGCTCTTGC TTCAACTAG TGA	2723

(2) INFORMATION FOR SEQ ID NO: 274:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 836 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 274:

CCGCAGTTTT TTAAACCGT ATATAAGTAT AGCATAGTCA AAAAAAGAAT GCAAGATTTT	60
TGCAAACTTT TTAAATTT TCGTAATTT TTCTTTAAA GTTCTACTGT CAGGACTTGA	120
CCTTGCTTAA CAACCTGTT TCCGGCGATA TAAACATCAT CTACATCACT AGATTTAACT	180
GCATAAACCA GGTGAGACAG CATATTTTCC TGAGGTGGA GATGAATTTT CCCTTGTTGGT	240
TGAATGACCA GAAAATCTGC TTGCTTGCCG ACTTCCAGAC TTCCTATCTG ATTTCCATT	300
CCAAGGACCT TAGCCCCTTC GATTGTCAGT ACCTTGAGAG CTGTTTCGAT TGGAACTGG	360
CTGGCATCCC CACTTTTCAT CTTCTGAAGA AGAGCTGCAG TCCTTCCTTC CTCAAACATA	420

1305

TCTAGATTGT TATTGGAAGC AACCGAGTCA GTCGCAATTC CGACTGCTAC TCCCGCTTTT	480
TGGAGCTGGA TAATTGGAGC AATTCCTGAT GCCAGTTTGA GGTTACTGAT AGGATTGTGG	540
GGGATAGCnA CTTGAGAAGA TGCCAAGCGT TCAATTTCTC TCTCGTTTAA TTCGACCCCG	600
TGAGCAAATA CGGACGGATG ATCTAAATAA CCCAGTTCTT CAAGAAAAGC AAGGGGGCGT	660
TTGCCGTATC GTTTGAGGAT AATTCCTGAC TCCTCCTTGG TCTCCGCCAC ATGGACATGG	720
AGCGGAATAT TTAGCTCTTT TGCCATTTC AACTCGCTT CCAGCAAGTC TCTACTGCAG	780
CTATACGGAG AATGAGGTGC TACCATAACC TTGAAATTTG GATTTTATA TTTTAA	836

(2) INFORMATION FOR SEQ ID NO: 275:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2335 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 275:

ATTTTATTTT ACTTTTAGG TGGTCTGGG CTATTCTTAT ATAGCnTCAA GACCATGGGA	60
GACGGTTTAC AACAAAGCTGC TGGAGATCGC CTGGGTTTTT ACATTGACAA ATATACTAGT	120
AATCCTTTGT TTGGAGTTCT GGTGGTATT GGGATGACTG CTCTAATTCA GTCTAGTTCT	180
GGTGTAACAG TTATCACAGT CGGCCTGGTC AGTGCCGGTC TCTTAACCTT ACGTCAGGCT	240
ATCGGGATTG TCATGGGTGC TAATATTGGG ACAACTGTCA CATCCTTTCT CATCGGTTTT	300
AAATTAGGTA ACTATGCCCT ACCTATGCTC TTTATCGGTG CCGTCTGTCT TTTTTTACG	360
AAAAATCGGA CAGTCAATAA TATCGGACGC ATCCTCTTTG GTGTCGGTGG TATCTTTTTT	420
GCCCTCAATC TCATGAGCGG CGCAATGGCT CCACTCAAGG ATTTACAGGT CTTTAAGGAC	480
TATATGATTG AGCTAAGTAA GAATCCTGTT TTGGGTGTCT TTGTCGGTAC TGGCTTGACC	540
TTGCTAATTC AAGCTTCTTC GGCTACCATT GGGATTTTAC AAAACCTCTA CGCCGGCAAT	600
CTAATTGATC TACAGGGAGC TTTGCCAGTT CTATTTGGTG ACAATATCGG GACAACCATT	660
ACAGCCATCA TTGCCTCTTT AGGGGCTAAT ATTGCAGCTA AACGGGTAGC AGGAGCTCAT	720
GTGCTTCA ACGTTATCGG AACAGTTGTC TGCCTATTTT TTCTAGTTCC TTTTACTGTC	780
CTGATTCATT GGTTTGAAGC TACGCTAAAT CTAGCACCGG AAATGACCAT CGCCTTTGCT	840
CACGGAACCT TTAATATTAC CAACACCATT GTCCAATTTT CATTTATCGG AGCTCTGGCT	900
TACTTTGTAA CCAAGATTAT TCCTGGAGAG GACGAGGTTG TCAAATACGA ACCCTTATAT	960

1306

CTTGATGAAC ATTTTCATCAA ACAGGCCCCA TCTATCGCTC TAGGAAATGC TAAGAAAGAG	1020
CTCTTGCACT TAGGAAACTA CGCTGCTAAA GCCTTTGACC TTTCCTATAA GTACATCATT	1080
GACTTGGATG AAAAAGTTGC TGAAAAAGGG CATAAAACCG AAGAAGCAAT TAACACCATC	1140
GATGAGCAAT TAACACGTTA TCTCATTGCC CTTTCAAGCG AAGCTCTCAG CCAAAAAGAA	1200
AGTGAAGTGC TTACCAATAT CCTTGATTCC TCCCCTGATT TGGAACGGAT TGGAGACCAC	1260
ACGGAGGCTC TACTCAATCT GACTGACTAT CTTCAACGGA AAAATGTTGA ATTTTCTGAT	1320
GCCGCTTGA AAGAATTAGA GGAAGTTTAC GCCCAAATA GTGACTTTAT CAAAGATGCT	1380
CTGGATAGTG TGGAAAACAA TGATATTGAA AAAGCACGCA GTCTGTAGA ACGTCATGAA	1440
GCAATCAATA AGATAGAACG TGTCTCTAGA AAAACCCACA TCAAACGCCT CAACAAAGGC	1500
GAATGTTCAA CACAAGCTGG GGTCAACTTT ATCGACATCA TCTCACACTA CACTCGTGTA	1560
TCAGACCACG CTATGAACCT TGCTGAAAAG GTTTTTCAG AACAAATCTA AGAACCAAGA	1620
AGCTATCCAT CATAATTGGA TGGCTTTTTA CTTTTCCTA AGCAAGACTA GGATGAATGA	1680
AACTGAAAGA GTATTCTGCA GATATATAGT CCCCAATTAT TCACCCCAA TCTAAAACC	1740
ATCCAGAATC CTTGCCTTAG CTTAGATCCT GGATGGTTTC TTTTTCACC CAATGGGTGT	1800
TTTTTACTAG ACAAAAAAGA GTTCCCTT TATGGTATAA GTGTAGAAAA AAACACAAAA	1860
AGAAAGGAAA CTCACATGAA CAGTTTACCA AATCATCACT TCCAAAACAA GTCTTTTAC	1920
CAACTATCTT TCGATGGAGG TCATTTAACC CAGTATGGTG GTCTTATCTT TTTTCAGGAA	1980
CTTTTTTCCC AGTTGAAACT AAAAGAGCGG ATTTCTAAGT ATTTAGTAAC GAATGACCAA	2040
CGCCGCTACT GTCGTTATTC GGATTCAGAT ATCCTTGTC AGTTCCTCTT TCAACTGTTA	2100
ACAGGTTATG GAACGGACTA TGCTTGTAAG GAATTGTCAG CTGATGCCTA CTTTCCAAAA	2160
TTGTTGGAAG GAGGGCAGCT TGCTTCACAG CCAACCTTAT CCCGTTTCT TTCCAGAACT	2220
GACGAGGAAA CAGTCCATAG TTTGCGATGC CTCAACCTTG AATgGkCGAA TTCTTTTAc	2280
AGTTTCACCA GCTAAACCAA CTCATTGTAG ATATCGATTC TACCCATTTC ACAAC	2335

(2) INFORMATION FOR SEQ ID NO: 276:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 752 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 276:

CGGATTCACCT GTTGTGACT AATCAATAAC ACAGTAGAAA ATCTCACAGC AGTCTATTAG	60
---	----

1307

TTGCTTTTCA TACTAGGCAA GTGACTGAGG CTTGTACTTG GGTACAGCAA GGGAGCTTAA	120
GGCCGTAGAA GAGAAAAATA GTAGACTGAA AACCCGCAAG ACTTCATCAT TTCGAGAAGT	180
GACGTGGGAG ATGAAATCG ATTGAACCAC TTACAAGGAG AATAGAAAAT GGCTAAAAAA	240
AGCAAACAAC TTCGTGCTGC TCTTGAGAAA ATCGACAGCA CAAAAGCATA CAGTGTAGAA	300
GAAGCTGTAG CACTTGCAAA AGAACTAAC TTTGCAAAAT TTGATGCAAC TGTAAGATT	360
GCTTACAAC TGAACATCGA CGTTAAAAA GCTGACCAAC AAATCCGTGG AGCAATGGTA	420
TTGCCAAACG GTACTGGTAA AACTTCACGT GTTCTTGTTC TCGCACGTGG TGCAAAAGCT	480
GAAGAAGCAA AAGCTGCTGG TGCAGACTTT GTTGGTGAAG ATGACCTTGT TGCTAAATC	540
AACGACGGTT GGTGGACTT CGACGTAGtT ATCGCTACAC CTGATATGAT GGCTCTTGT	600
GGACGTCTTG GACGTGTCCT TGGACCACGT AACTTGATGC CAAACCCTAA AACTGGTACT	660
GTAACAATGG ATGTTGGCAA AGCGGTTGAA GAGTCTAAAG GTGGTAAAT CACTTACCGT	720
GCTGACCGTG CAGGTAACGT TCAAGCAATC AT	752

(2) INFORMATION FOR SEQ ID NO: 277:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2643 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 277:

GTCAACATTG ATTTCAAGGC TGTTTGCTTT CTATCTCCCC TTTTCATAA TGTATAATAA	60
AATGAAATAA TAACAGGACG AATTGATCGG GACAGTCAA TCGATTCTA ACAATGTTTT	120
AGAAGTAGAG GTGTACTATT CTAGTTTCAA TCTACTATAT TTTCGTACAG GTGCTTCAAC	180
CATTTGAACG ATTTCAAATC CTTCTTTTTG GTAAAGATTG TGAGCTCTTT GATTTCCTC	240
GAAGACATTT AGAGAAATAC TGTCTATATC TCTATTTTCA AATGCTAAAC TAACAAATTT	300
CCTTAAAGCC TTGCTACCTA AGCCTTGCTC CTGTTTCTGG GGGTTGATAA AAAATCTCCC	360
GATATGAAGA TTGCTGTCTT CTAGCCTGAT TTTCTGGATA AATCCACAA ACTCTTGTTT	420
ATCAAAGATT GAAAAGACTC CTTCCAAGGC TTGAAGTGT AGTAGAAAAG GAATCCTTGG	480
TCCCATCCAT TGTTCTTGAA AGGATTTGCC TAGGGAGTTG GACCACTGGC ATACAAATTG	540
AGCGTTTCT GTGCTCACCT TTTCTTCAA ACGAATTGTC ATCTTTTCT CACCACCTTA	600
TCTATGTTTC TCCATTATAC TATTTCTCCC ATTTTTCAG AATAGATAAG TATGATTGAT	660

1308

TTTATTTTT TTCTCGTCGG GAGCATTCTA GCTTCCTTTC TTGGTTTGGT CATTGACCGT	720
TTTCCAGAGC AATCCATTAT CAGTTCAGCC AGTCACTGCG ATTCCCTGTCA GACTCCCTTG	780
CGTCCCTTAG ATTTGATTCC GATTCTCTCA CAGGTCTTCA ATCGCTTTCG CTGTCGCTAC	840
TGCAAGGTC GCTATCCTGT CTGGTATGCC CTCTTTGAAT TAAGCTTAGG ACTCCTCTTT	900
CTGCTTTACT CTTGGGGATG GCTCTCCTTG GGGCAAGTCG TCCTAATCAC CGCTGGTTTG	960
ACCTTGGGTA TCTACGACTT TCACCATCAG GAATATCCCT TACTGGTCTG GATGACTTTC	1020
CAGCTAATCC TAATAGCTTC CTCTGGCTGG AATCTGGTCA TGGTCTCCTT CCTCATACTT	1080
GGAAATTTGG CTCATTTTAT CGATATCCGC ATGGGTGCAG GGGATTTCCCT CTTTTTAGCT	1140
TCTTGTGCTC TCGTCTTTAG CGTAACGGAG TTA CTGATCT TGATTCACTT CGCTTCTGCG	1200
ACGGGTATCC TGGCCTTTCT CCTGCAAAAG AAAAAGGAAA GACTTCCTTT CGTGCCTTTC	1260
CTCTTACTTG CTACTTGTTT GATTATTTT GGTAAGCTAC TGCTTGTCTG ATAAATCCA	1320
ATTTCTGCCA TATATCCTTC ATGAAATTAT TTCACAGTTA AATTATAAAT TATTTCTTTT	1380
GTACAAAGGG ATGATGTTAT CAAATCGATC TGTCTCTCTA TCCTCTTGAT ACTGATCAAA	1440
AAATTTTATT TCGACTGAAA ATATTTCTGCT TATAAACTGT AAACGAATAC TTTGTTTAGA	1500
CATTATAGTC GCTAGACTGA CTAGATGATT ACTCAAAACG ACGTCCAGAA TACTCTTTAC	1560
TTTGCTTGGT TTTTAAACAA AAATTTGATC ATCCAAGGT TCAATCATTT TGTAACCTTT	1620
TTGCGCAATT TGACGATAAA AGTAAGAATG TTGCTTTGGA GTCAATAATC CTAACCTAAA	1680
AGCTCGATAC TCTAAAGCCT GTATCGAAAC ATTCAAATCC GACTTCAATA AAATATAACT	1740
ATCAGGATTG CTGACACGCT TGCCAACCCT CTCCTCAAAT TTGACTAAAA ACTCTTCTTT	1800
TGGCAATAAA AAACATGATG CAAAATAATT TGCTTCTTGC TCCAAACGAT CGCCATCTTC	1860
ATTCATATCT TTATATTAT GTAAAAGAAT ATGTCCTAGC TCATGAGCTA AGTCAAAATT	1920
TCGACGTACA GATGATTTAT TCGTTCCTAA CACAATATAA GGTCTTCCCA ATTTTGACCA	1980
TGCGCTATAA GCATCAGCTT GGCCATTAAT TAATCGTTCC ACGATATAGA TGCCTGAACG	2040
TTCTAATTTA TAAAGCAAAT CATGATTATC TTTTGAAATA CCTAATTTTT CCCTGGCATA	2100
AAGAGCCAAT TCCTCAATGG ATTCTCCCTT ATGATAAGAT TCACTCACTA CATTACTTAG	2160
GTATGAATT ATAATATTAG GTATAATTAC AAAACTTTCA AAATAATCAA TCAAACTATC	2220
TACCTTATGT AAATACATAG TTTGAATATC TATTGTTTTT CGTGTGCTA GGTCTGCATT	2280
TCTAAAGGCA ATTACAGAAG AATCAAATCG AATGCTCTCT TCTTCCTGTT CAAAATAAGT	2340
TAAATCAACA TGAAATTGGT TGGCCAAATG CATTTTGGTT GATAATTTAG GTTTCGTTTC	2400
GTTGGACTCA AACTGCCAAA TGGCTTGTTT CGTTAAATTA ATTCTCTGAG CTAATTCCTGC	2460

1309

TCTACTTAAA CCATTTAACA GCCGTAATTC TTCAATACC CGACCATTA ACATTTACAT	2520
ACTCCTTACT ACTTTTGACC TTCTTGTTTT TCTATCTTG GAATAATTC AAAATCTTCT	2580
GTTCGATA ATTCTGAAAA ATTAGGAATA TCTTGATATT TAGCTTCTTC GAAATGGTAC	2640
GGG	2643

## (2) INFORMATION FOR SEQ ID NO: 278:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 582 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 278:

TGACCAGTGG CAAAATGGCT ATCCAAATGC AGATGTTATT ATCGATGATA TCATCTCAGG	60
GCAAGCCTAC GTAGCCTTGG AAGAGGGAGA ACTGCTAGCC TATGCTGCTG TGACCAAGAG	120
TCCAGAGGAG GCCTATGAAG CTATTTATGA GGGAACTGG CAAGCTGGAG AGTCAGAGTA	180
TCTAGTCTTT CACCGTATTG CTGTGGCAGC AGATGTGCAG GGAAaAGGAG TTGCTCAAAC	240
CTTCTTAGAG GGCTTGATTG AAGGTTTTGA TTATCTTGAT TTTCGCTCAG ATACGCATGC	300
TGAAAACAAG GTTATGCAAC ATATTTTTGA AAACTTGGT TTAAACAAG TCGGTAAGAT	360
GCCAGTAGAT GGCGAACGCT TGGCCTATCA AAAATTAAAG AAATAATGCA AAAGAAGTAT	420
GTAAAAATCC TCTACTCCTC ACCAATTGGT ATTCTATCAC TTGTAGCTGA TGACCATTAT	480
TTGTATGGAA TTTGGGTTCA GGAGCAGAAG CATTTTGAGA GGGGACTAGG AGATGAAACG	540
ATAGAAGAAG TTGTWAGTCA TCCTATTTTA GACCCAGTTA TT	582

## (2) INFORMATION FOR SEQ ID NO: 279:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 554 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 279:

CCCAAGCTAC TAAGAGACTA AAAGTTGCTA GAGAAGCAAG AGAAAGTGTG AATCTTTTTA	60
ATTTTCATGAT GAATTCCTT TCTGCTACCA ATTTAGAGAA ATTTTCTCTA ACCAGCAATT	120
CCCCTAGTAT AACAAGTTCA AAAAATGGAG TCAATTTATC TGCTCACGGT CCAGCAGGTA	180

1310

GCCCCGTACT TCTGAGATAA AATAGAGAGA CCCTGTAACG AACAGCAAGT CTTGAGCGTC	240
TGCCCTTTCT TCAAAATCGC TGATAAATTC TCGGTAAGAA GAACTATAT CGTAACCTGT	300
CACATCCCTT TCGTCCAAAG CCCCTGATA GTCAAAGCCG GTCACCTTGA GTTCCACCTG	360
AGGCAATTTT TCAGTCAGAT AACCCAACAT CCCTTGATAA TCCTTACGTT TCAAGGATCC	420
AAAGAGGATT TGAGGTCGAT AGCCTTCCTG CTCTTTTCTT TTGATAAACT CAGCCAAGCG	480
AGTCAAGGCA GGGAGGTTAT GAGCACCATC CAAATAAATC TGTGGGCGAA TACGCTCCAA	540
CGGAscAGCC CAAT	554

## (2) INFORMATION FOR SEQ ID NO: 280:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 766 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 280:

CCGGTTTTC AAATGAATTT CTTGGTTGTG GCTAAAAAAT ATGCTACACT ATCAATATGA	60
AAATTTTAAT CCCAACAGCA AAAGAAATGA ACACAGACTT CCCAAGTATC GAGGCAATTC	120
CTTTAAACC AGAAAGTCAG GCCGTGCTTG ATGCCTTGGC TCTCTATTCT GCCAGTCAAT	180
TGGAGAGTTT CTACAAGGTA TCAGCTGAGA AAGCGGCGGA AGAATTTCAA AATATCCAAG	240
CTTTGAAAAG GCAAACTGCT CAACACTATC CAGCCTTGAA ACTTTTGTAT GGGCTTATGT	300
ACCGCAACAT TAAGAGAGAT AAGCTGACCG AGGCGGAACA AGATTATCTT GAAAATCATG	360
TTTTCATTAC CTCGGCTTTG TACGGTGTG TTCCAGTCTT GTCACCCATG GTCCTCACC	420
GTTTGGATTT TTTGATGAAA TTAAGAGTCG CTGGTAAGAC TTTGAAGAGC CATTGGAAGG	480
CAGCCTATGA TGAAACTCTG AAGAAGGAAG AAGTGATTTT CTCTCTCTTG TCATCAGAGT	540
TTGAGACTGT ATTTTCTAAG GAAATCAGAG CAAAGATGGT GACCTTCAA TTCATGGAGG	600
ATAGAGGCGG TCAGCTGAAG ATTCACTCAA CTATCTCAA GAAAGCGCGC GGGGCCTTTC	660
TAACAGCTTT AATAGAAAAT CAAGTACAAA CTGTGGGGGg AGCACGTCGC TTGAACCTTG	720
CTGGATTGT TTACCGAGAA GATTGTGTCAC AACCACAGGG GGATGG	766

## (2) INFORMATION FOR SEQ ID NO: 281:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 901 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear



1311

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 281:

CCGGCCACGG TTCCATCCAA CTTACAGGT GTGCACTTGA TTGTGTATGT AATTGTCACT	60
AACGGTAGAA TTTCACCTAT CCCTCCTATC TGCTCGCAGT ACCCGCAGAC TTTCTGAAAG	120
AAGAAGATAA CCTACTTATC CGTTGCTATG ATTATACTAA AGTTTCTACT TTTTTCGAAA	180
TAGATTTTTA AATTTTGGC TAATTGTCG AATCAGGGTC GGAAGTTTGA CGACCTTGTC	240
ATTGCCTAGT TTTTCGCGTG CAATTTTGAG AATGGCACCT GAGTCTTTTG AAGCAAAGAG	300
GAATTTTCCT TTGTCTGTAA AGACTTCGAA GTGGCGGCTG ATTTTGCGTC CAGTGACATT	360
GGCTCCAATC TGATTGATAT GGCTCCAAGG AATCTGGATA AATTGTTTGA CATTGACATC	420
TGGGTAAAT TCCAAAGCCT GATCTCCGAC AAGGAATTC CCAACTTTCC CAGCGATAGA	480
GAGGTAGGAA GTGCCTGTCG TACTGAGGAG TACTGTTTGG TTAAGTGATT GGGCCATGCT	540
TAGTCTTCTT TACTTTCTCC AAAAAAGGCA TTGTAGAGGG CTTTAATTGC TGCTTTCTCT	600
TGGTCTTTAT TGACAACAAA CATAATAGAA ACTTCACTAG AACCTTGAGA CATCATCTGG	660
ATGTTGATTT TGTTTTCAGA TAGAGCGCGT GTCGCAGTAG CAGTCACTCC GATATGGCTC	720
TTCATTTTTT CACCAACAAT CATAATGATA GAAAGGTCGT GTTCGATTTC TGCATGATCT	780
ACTTTAGCCT TTTGAACCAA CTGACGCAGG ATTTCTTCTT CCTTGATGGG AGTTAGTTGG	840
CGAGAACGGA GAATGATAGA AAGAWCGTCG ATACCTGTTG GCATATGTTT CCAACCGATG	900
T	901

## (2) INFORMATION FOR SEQ ID NO: 282:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1765 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 282:

CCCTGTTACG TGGATAATAG GGTAAGACTG CTCAGGATTT CCTAACAAAT CCACCGCTTG	60
CTGCATTGCA CCCAAACCTG ATCGAAAATT CAAACCAATC CGACTATGGA GCCATTCTTC	120
TACTTCAAAC ATACACATCT CCTTGACAAA AGTCCAATCA ATTATCGCAT TAAAGTATGG	180
TTACTAATAA AAACAAGGCC AGGATTTTCG TCCCGACCTC TTACCTGGTT AGCTAATAAC	240
TAGCTACTAT GAATGTGAAT ATGGGCTAAA AACATCCACT GGACGTTCCA ACTCTTCCCC	300

1312

ATTCTCTGGGA GTTGGGGTAA AAATGTTTAC TGGACGTTCC AACTCTTCCC CATTTCTGGG	360
AGTTGGGCTG ATACAGTCTC CCAGACTGTA TCACTCCTCC ATAAAGCTGT TGAAGACTTC	420
TTCAATCATG TTCCATTCTG CTCTGAGTC TTCTGGGATT GGTGCAATT CGCCTTCTGT	480
TCCATCTTCG TTTTCGATGA ATGAGTAAGC TTGGATTICA ACTTGTCCTG CTTCGTCTTC	540
TTCTGCGTTA ACTGGTACTA GAAGAACATA GTTTTTACCA AATCTCTCTT TTCCATCAAT	600
TGTCAAAAGG ATTTCAAACA AGGTTTCATT TCCTTGCTCA TCTACTAGTG TGATTAGTTC	660
ACGTTCTTCG TGGTCGTGGT TATGATCGTG TGACATAGCC TCGCCTTTAT ATTAATAATTT	720
TCTATCTAAA TAATTTTGTA AAATCAGCTG AGCTGCTAAC TTATCAATGA CTTTCTTGCG	780
CTTATTGCGA CTGATATCTG CTGTGTTCAAT CAACATGCGC TCAGCAGCCA CTGTTGTCAA	840
GCGTTCATCC TGATAGTCTA CTGGTAAACC AAAAACTCT TCTAGCTTTG CTCCGTAGCT	900
TGACTAGCTT CTACGCGCGG TCCACTTGTA TTGTTTATGT TTTTAGGCAA GCCCACTACA	960
AATCGTTCCA CCTTGTAAGT ATCAACCAAT TCCTTAACGC GGTCAAAACC AAATTGGCCT	1020
TGTTCTTCAT TTATCTGGAT GATTTCAAGC CCTTGAGCTG TAAACCAAG CGGATCGCTA	1080
ATCGCCACCC CTACCGTTTT TGAACCGACG TCCAATCCCA TAATTCTCAT AGGTTATAGA	1140
TCGACTCCTT GTCCTTGAG GTAGTAGCGA ACCAATTCCT CAACGATTTC ATCAGCTCA	1200
TACTTACGGA TTTGATTTG TGCATTATTA TAACGAGGAA CGTAGGCAGG GTCTCCACTC	1260
AATACGTAAC CTACGATTG GTTAATTGGG TTGTAaCCCT TATCGTTCAA CGAAGCATAA	1320
ACATCTGTCA AAGTTTCGCT AATTTCTTTT TTATTGGAAT CGTCCAATTT AAAACGTACT	1380
GTTTCTTCAG TAAATCCCAT TCTAACACCC TCTTTCCTTA GAATAGTACC ATTATAGCAT	1440
AATTCCTTAC CTCTACAAT TCAGGCAGTC TATTTATTTG GATTTTCTAT TGTCTGTCTG	1500
CGCCATTTGC CAATCTATCT GAAATATATT TGCTTGGTTC ATTTTTCAAA AGATTTTCCA	1560
AACCAATATT CTTAGATGT TCCAACGGG AAGCCTTCTT GACATCCAGA ACTTGAAAAT	1620
CAAACTAGT CGTTGTTTGA AGTTCCGTTG CGCTCAATAG TTTTGTTC AATTGAAAC	1680
CTGCCAATTT ACGAGCTTCA ATGATAGACT TATCCTTCTC CTCCGCTTCA AGAAGAGCTT	1740
TTTGAGTTTC CTCCACTCCA TGTTG	1765

(2) INFORMATION FOR SEQ ID NO: 283:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1346 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1313

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 283:

CTTATCCATT CACTTTCTTG TCTGTTATTC TATAAATCTT ACTCCTAAGT ATACCACATT	60
TGCCCCTAGA TGTGAACGAG AGAAACGCTC TAGACATTGC CAAGAAGGAA AAAAAAGGGT	120
ACAATGTAAC AAAATCAAGG GAGGTCTGGA ATGAAGAAAC AAAGCAAGTA CAAAGAGGTC	180
GTTTCCTATC TGAAAAATGG TATCGAGTCT GGACGATTTC CGACGGGTAG TCGCCTGCCT	240
TCTATCCGTC AACTGAGCCT TGACTTTCAC TGCAGCAAGG ACACCATTCA ACGAGCCCTG	300
CTGGAATTAC GGCACGAACA ATACCTCTAT GCCAAGCCTC AGAGTGGCTA CTATGTATTA	360
GAACAAGGGC AACATCAAGA CCTAGAAATC GAGGTTACCG ACGAACATGC CAGTGCCTAT	420
GACGATTTC CACTCTGTGT CAATGAAACC TTGATTGGCC GAGAAAACTA CCTCTTCAAC	480
TACTATGACA ATCAAGAAGG ATTAGAAGAC CTAAGACAGT CCATTACAA ACTCCTCTTT	540
GAGCAAGCTC TCTACTGCAA GGCTAACCAA CTAGTACTGA CTTCTGGAAC CCAACAAGCC	600
TTGTTTATCC TCTCTCAAAT ATCCTTTCTT AGACAAGCCA AGGAAATCTT GGTGGAACAG	660
CCAACCTACC ATCGGATGAA TCGCCTCTTG ATTGCACAGG GGCTGGACTA TCAAACGATT	720
GAACGAGGCA TTGATGGGAT TGACTTGGAG GAGCTGGAAG GCCACTTCAA AACAGGAAAA	780
ATTAAGTTTT TCTACACCAT TCCCGATT CACTATCCCC TGGGACATTC CTATTCTGAG	840
CAAGACAAAC GATCTATTCT TAACTTAGCT GCCAAGTATG ATGTCTATAT CGTAGAGGAC	900
GATTATCTGG GTGATTTGGA CTCCAAGAAG GGCCAAACCT TCCACTATCT TGATACAGAG	960
GAGCGTGTC TTTATATCAA GTCCTTCTCG ACCAGCCTTT TTCCTGCCCT TCGTATTACA	1020
GCACTCATTC TTCCAAATGC TATCAAAGAA GCATTTGTGG CCTACAAAAA TATCCTAGAC	1080
TACGACAGCA ACCTCATTAT GCAAAAGGCC CTGTCACTCT ATATTGACAG TCAATTGTTT	1140
GAAGAAAAATC GTTTGGCTCG CTTGACCAAT CATGAATCTT ACCAAAAACA AATCGAGGAA	1200
AGGATACTA AAACACCTTG TCCCCTTCCT CATTATTCCC TACAGATGG yTTATTGCTA	1260
GACCTGAGAC AGTATCCTAA AATCGCCAGT CTCAAACACA GTCAACTGGG cTTGGACTTC	1320
TTTGAAGAGG CCTATTTAAG CACCTG	1346

(2) INFORMATION FOR SEQ ID NO: 284:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 900 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1314

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 284:

CTATATTCAG AATATGCCAA AAATTCGGAA TGGTATAAAT TTGCGGAGGG TTCATTGAC	60
ATATTTAGAA AACTCCCCCA AAGAATTAAT TTAAAGAAAG ATTTTCTAG AATTTTGGCC	120
CCCTTTATTA TTAATTTGCT TAAATTAATC AATAATTATC TAGAGAATAA AGAATACGAG	180
TGGATTGACA AGAATGGAAA TATTTTTTCC TCTCTAGTAT TTTATTTAGA AGATTTAATC	240
TATCCTTGGA TTGTTAAACC TTGGTTTGA GAGATAAATT CATTGCGTGA AAAAGGTTTA	300
CTTGAAGGGG AATCGGAGCA GCAACGGTAC AAATATTTTA TAACATTGTT TGACAAGGAA	360
GAGAATATAT TAAATTTTGA TAACAAATAT CCCGTTTTAC TGAGGCAAAT ATCGGAGTCT	420
TGCTCTCGGT TCTATACTTA TTTTATAGAA ATTTTATCAA ATTTAGAAAA TGATTTTAGT	480
GTGCTAGAAG AAGAATTAGG GCTAAGGGGG AAATTAAATG ATATAAAATT TGGAAAGGGT	540
GATACACACA GCCAAGGAAA AACTGTTTTG ATACTCTTCT TTGATGACGC GAAAATTGTT	600
TACAAGCCTA AAAATTTAAT AATCAATAAC TCACTAAATA CTATTGCTGA GTATATCCGA	660
AAGGTTGATG AAAAAATTAG GATAAGAATA CCTCGAACTA TTGCTTATTC GGATCACAGC	720
TATGAAGAAT TTATTGATTA TCTACCTCTA GAGCAAAAGA AAAATTTACC TGAATATTAT	780
TATAATTTTG GTTGCTTTT AGCATTATA TATTTATTTA ATGGGAGTGA TATACATTTT	840
GAAAATTTAA TTTCCTATGG AGATATGCCT GTAATAATAG ACTTTGAAAC AATGTTACGG	900

(2) INFORMATION FOR SEQ ID NO: 285:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 862 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 285:

TTATTTAGCA GAGGCAGTTT TAAATGTGAA GGATTGCTC AGTCAAACAG TTTTATCTA	60
GCAGATTATT GGTTTAGAAA TCCTATCTCA AACGGATACA GAGGTCGTTT TGGGACTTGG	120
AGGAAAAGCC TTGGTACACT TGATTCAAGC ACAAGAGGGT GGAGAAGTAA GGGAACATTA	180
TGGTCTTTAC CATCTGGCTA TTCTTTTGCC GACACGAAAG GCTTTGGCGG ATGCTCTGAA	240
GCACCTGACG GATTTACAGA TTCTCTTGT TGGCGGTGCA GATCAGGTT ACAGTGAGGC	300
CCTTTACTTA GAGGACTTGG AGGGAAATGG CATTGAACTC TATCGAGATA AGCCAGTTTC	360
CACATGGGAT ATTCGAGAAG ATGGACGTAT TATCGGGGTG ACTGAAGTCC TTGCGGCTCA	420
GGATATCTAT GAGTTGGGGG AAAGAGTAGA GCCTTTTATC CTAGCAGAGG GTACGAGAAT	480

1315

GGGGCATATT CATCTTTCTG TCAAGGATAG TCGAAAGTCC AGACAGTTT ATCAAACGGT	540
GTAGGGCTC GAGGATAAAT TCAGTGTGCC TAGTGCTAGT TGGATCGCAG CTGGGGACTA	600
CCATCATCAT TTAGCAGTCA ACGAATGGGG AGGAAAAGGT CTGGATCCGC GTAAACAAGT	660
CCTACCAGGT TTAGCCTACT ATGTCATCGA AGTCGCACAT AAAGAAGAAC TGTAAACGAT	720
TGCCCCAACGA GCACAAGAAG TTGACGCACC AATCAAATGG ATGACATCGA TCCAATTGGA	780
AATCACAGAC TCAGATGGCA TCGTGACCCG TATTCGTTTA GCTAGATAGA TGGTATGTGA	840
TGAAGGTAGA GCATCAATTG TA	862

(2) INFORMATION FOR SEQ ID NO: 286:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 650 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 286:

TCGTTTACAA GATCGCTAAA ATGCATCTCA TGATCGCGAC CACGAATTCC AAGATAGCAC	60
GCGCTACCTC AATCATAGAT AGTTCACCTT TTTCTTGCCC AGCAAATACT TCTAATTCCA	120
AAGCGTTTCT CCTCATTTAT ACTACTATCG CCAGAGCGAA CAGACTCTGA CCTCATTTTA	180
TCATTTACTC TTTATTTTAC GATAATTTTG CGGAATAGTC AAAGGTTAAG GGGGAGAAAG	240
TGGCAGGATT AGACTAATTC CAATATAAAA CTCATTCCTT TTTCTGTTGC TCCATTTTCC	300
ACAAATCCAA GCGACTTGAA ACACCTCCTA GAAGCATGAT TGTAAGTGTA GATTTTCTTG	360
ACTCTCAATT CTTTCCATCC TTTTACTCGA GCCAATTCAA TCAAAGCACT TAGAATCTTT	420
TTTCCAAGTC CTCGATGTTG GTAAGCGGAA TTCCAATCA CAATGGGGAG ATTATCCTGA	480
GATAGTGTA TATCCCCAAT TGGAAACCAT TCTCCCTTCT CCTTGACTTC AATCCAAAAA	540
AGCTCACCAT GCCGATyCar ATAGGAATAC ATGGCTTCCA AGGTCGCTtG ACTGTAAGGA	600
AGCTTCACCC CATCTACGAG GtAacCAAGT TCACATCCGT GATACCAAGC	650

(2) INFORMATION FOR SEQ ID NO: 287:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1119 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1316

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 287:

GATAGCAATC CGCTTCAGAA ACTTCTCGCT TACCTCTAAC TCCGATCGCT AGTTTGGGAG	60
AAGATACTTC CATTCTCATA CTATCTGTTG GCTTTGCAGG CTGTAAAAAC AACTTTTCTC	120
TTGCTACTTC CTGAAAATCT GAATCTTGCA GTTCTTTGCT TTCAAAATAG TCCTGTACTC	180
GCTCCACATC AAAATTTCCA GCTAAAGACA GAGACATGTT TACAGGTTTG TAAAACTTTG	240
TAAATTTTC TTGCAAATTA GTTAGATTGA TTTGGGAAAT GGACTCCTCA CTTCCAAC TA	300
TATCAGTTGC TAAAGGTGTA CCAGGATACA AATTCGCTAA AGTTGAAAAG AATAAACACG	360
AATCTGGATC ATCTTGGTAC ATTTCTCGTT CTGTCTGAAT AATATCCTGC TCTGTCAGAA	420
TGGAAGCTTC AGTAAAGTGT GCTGATGTTA CCAATTCATC AAGTAAATCT AAATTTTCTA	480
AAAAATAATC CGTTGCTGAA AAAAGATAGT TTGTTTTTGT AAAGCTTGTA AAGGCATTAC	540
TATCTGCACC TAGACTCGTA AAAGCCGACA TCAAATCACT AGAATCTTCT CTCTCAAATA	600
ATTTATGTTT AAGAAAATGA GCAATTCCTC CAGGATATTG TTTTACATCT CCGTCAACTT	660
CTGTGACAAA CGTATCTACC GAACCAAAC GTACAGTGAC ACTCCCGTAA ACCTCTTTAA	720
ATTCCCTTTT AGGCAAAAGA GCAACTGTCA ATCCGTTGGC CAAACGAGTT CGATAAACCA	780
TTTCTTTTAC AGCTGGATAG TATTTTCTT CAAAACAAC CTTTGTCATT CTATTCCTTC	840
CATAAAGTAA ATCGCTTGTA GTTTCACATT ATTAGCTACT CTACAAATAG CATCTTTGTC	900
AATTTGTTCA AGCTTTGCAA TCCAACTTT AAAGTCTGCT GAAGATTTTC CAAATAAGGC	960
ATTTTGATAA GCACGTTCAA TCAATGAAGA ATGATTATCT TGAGAAAGTA ACAACGACCA	1020
ACGAATCATT TCCTTGGTCT GATTAACTC AACTCTGTA AAAAAACCTT TTTTAAATC	1080
AAGCCGTTGA TTATTCATCA ATTTACGAGC CTGGTTACG	1119

(2) INFORMATION FOR SEQ ID NO: 288:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 540 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 288:

ACGCCCTCGC GGGGACATGA CGAATTCCCC GTTCATCACG AAGGCCGCCG AGGAGTGGGG	60
GGTGCCCTCC AAGTCAAAAG CGGCCCCACA TCGATTCACT TCCCCGACGA ACAGCCCTTT	120
CCCCCAGCGT TCCTGGCTTT GCAACCGTTT CACAACAGCC TCGTAAAGTA GGCCGGACAA	180
GGCAGACGGA CTCAAAGGA GTTCTTCCAT CTGCAAGTGC GCCTGCGTTA TGTGATCCCG	240

1317

GTCTTTTGCA TGTGTGTGGC ATGAATGCTG TTCCCAATCC CACTCCAGAA CATTCCTCTC	300
AAAAGTGCGC AACGTCGCCC TGAATGAATC CTGCCTTGTA GTCGTGACCA TTCCTATGAA	360
GGGTCGCAGA GGATTTTCCC CGAGTGCAAG CGCATCCTCC GGCTCAAATC GGGTGCATTT	420
CACAGTCCCG CTCAACGCTA GCCCGATCCC TTTTGGCAT GGTGACTCAA GCGTCCTTTC	480
AAACAAAAGC TCCTCATCCG CTCCAACCGG CCCGACGTAG ACGCGTAGAC CGAAGTCGTC	540

(2) INFORMATION FOR SEQ ID NO: 289:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1949 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 289:

AAAGAATTCG ACCAATTCAA GGTGAGGCA TCGCAAATA TGGACTGTTC CCCCCTCAGT	60
TCTGGACAGA AAACGGGATA AGGTGGCTG TGAAGCAAGC TGCCCTCCTA CCAACAATTT	120
TGGAAAGTAG GCATCAGCTG ACAATCTTT ACAAGCATAG TCCGTTCAT AACCTGTAA	180
CAGTTGAAAG AGGAACTGGA CAAGGATATC TGAATCCGAA TAACGACAGT AGCGGCGTTG	240
GTCATTCGTT ACTAAATACT TAGAAATCCG CTCTTTTAGT TTCAACTGGG AAAAAAGTTC	300
CTGAAAAAG ATAAGACCAC CATACTGGT TAAATGACCT CCATCGAAAG ATAGTTGGTA	360
AAAAGACTTG TTTTGGAAGT GATGATTTGG TAAACTGTTC ATGTGAGTTT CCTTCTTTT	420
TGTGTTTTT TCTACACTTA TACCATAAAG GGGAACTCT TTTTGTCTA GTAAAAACA	480
CCCATTGGGT GAAAAAAGAA ACCATCCAGG ATCTAAGCTA AGGCAAGGAT TCTGGATGGT	540
TTTGTAGATT GGGGTGAATA ATTGGGGTTT TACAATATCA ACTCCCATGA TAGTCATGAG	600
ATGACTCTTC ACGAATTGAC GTGATGACTG TCCTTCCTTT TGCATAATTA CCTCCGAAAC	660
ACAAAAAAG GGGTAGACAA TCTAGTGTCT ACCCCGAAA GTTTATTAAA AAAAAATCC	720
TGCCAAAGAA TTTTGGCAG GAAACCAAAT CAATTTATCA GTTCTATCA ATCGCTTATC	780
GCTCTCAAAG ACTGGTAAAT AGGGATTCCG CAATCAAAT GCGATACTCT ATTATTTAAG	840
AGTAACTGAA GCTCCAGCTT CTTCCAATTT AGCTTTGATT TCTTCAGCTT CTGCAGTTGC	900
AACGCCTTCT TTAACAAGTG CTGGTGCACC GTCAACAAGT TCTTTAGCTT CTTTAAGACC	960
AAGACCAGTG ATTTACGTA CAACTTTGAT AACGCCAACT TTTTGTTCGC CTGCAGATGT	1020
CAATTCAACG TCGAATGAAT CTTTAGCAGC ACCAGCATCA GCTGCATCAG CTGCAGCAAC	1080

1318

AGCTACAGGA GCAGCTGCAG TTACACCAAA TTCTTCTTCG ATAGCTTTTA CAAGGTCGTT	1140
CAATTCAAGG ATTGAAGCTT CTTTAATTTT AGCAATAATG TTTTCAATGT TCAATGCCAT	1200
TGTTATTTCC TCCAAATAAG TTTTAAATTT TATAATAGTT TTTTTCGTAG CTAGksTACG	1260
CTGTGTAGCT TAAGATTAAG CCGCGTCTTC TTTGCTTTCT GCAACCGCTT TGA CTGCAAG	1320
AGCAACGTTG CGCACTGGCG CTTGAAGTAC AGAAAGGAGC ATAGAAAGAA GTCCTTCGCG	1380
GTTTGAAGA GTTGCAAGTG CAAGAATCTC TTCTTTAGAT GCGACAGCGC CTTCGAATTGC	1440
ACCACCTTTA ATTTCAAGTG CTTCAAGCTT TTTAGAAAAG TCGTTCAAGA TTTTCGCTGG	1500
TGCGATAACA TCTTCATTAG AAAATGCTAC TGCAGATGGT CCAACAAATA CAGATGCAAG	1560
ATCTTCAAGA CCAGCTTTTT CAGCTGCACG ACGCAAGATT GAGTTTTTAA TAACTTTATA	1620
CTCAACTTCG CTCCACGAA GCTCAGCAGC AAGAACTGTA TCTTGCTCAA CTGTCAAACC	1680
ACGAGCGTCT ACAACGACGA TAGATGCAGC AGCTTTCATT TTTTCAGCTA TACGTCAACT	1740
AGTTCGCTT TTTTAGCAAT AATTGCTTCA CTCATTAGTG TGTTACCTC CGTAATTATT	1800
TTGCTTGGGG AATTTTTCAA AAAGAAAAAC GCGCCCAATC CTAGACACGA AAGTACAATA	1860
CGCTTCTTTT TACATGATAC GTTTTGTCCT CGGTAGGATA TTTATGAGTC GAGCTCCCCT	1920
ACTGTCTTAG GCAGTTTTTT TAGATACGG	1949

(2) INFORMATION FOR SEQ ID NO: 290:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1023 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 290:

GGACTGTTTG ATCTTATACA GTAGCTGCTT GATCCAAGCT TTCACCGATA GCGGCTAGGC	60
GCTCGATAAC TTCAGCTTGT GTCAATTCAT TTTTGAAC ATAGCGGTTA CGTGGGTGA	120
CACGGCACTC GTGTAGCAT CCACGAAGGT ACTTGCTTC ATTTTCTTCT GATGTCAAGA	180
TACGACGGTT ACAGAATGGA TTCCACAGT TGACATAACG TTCACATGGT GTTCCATCAA	240
ACCAGTCTTT CCCTACGATA GTTGGGTGA CATGGTTGAC ATCAACGGCA ATACGCTCGT	300
CAAAGACGTA CATTTTCCCA TCCCAAAGCT CACCTGAAC TTCTGGGTCT TTACCGTAAG	360
TTGCGATTCC TCCGTGCAAT TGGCCGACAT CTTGTAGCC TTCACGGACC ATCCAGCCTG	420
AGAATTTCTC ACAGCGAACG CCACCTGTAC AGTAAACCAC GACACGCTTG TCCATGAATT	480
TTTCCTTGTT ATCACGGACC CATTGTGGTA ACTACGGAA GTTGCGAATA TCTGGGCGAA	540



1319

TAGCTCCACG GAAATGTCCT AGGTCGTACT CATAATCGTT ACGTGTGTCA AGGACAACGG	600
TATCTTTATC AAGAAGCGCT TCTTTGAACT CTTTGGGAGA CAAGTAAGCA CCTGTTGTTT	660
CAAGTGGGTT GATGTCATTG TCAAAGTCGT TGTCTTCCAA ACCAAGGTGG ACAATTTCTT	720
TCTGTAGCG AACAAACATC TTCTTGAAGG CTTGTTCAAT TTCTTCGTCA ATCTTGAACC	780
AGAGTTCCTC CATTCTCGA AGGCTGTGAA CGTAGTCCAT GTATTTTGA GTTGTTCAT	840
AGTCACCTGA AACTGTTCCG TTAATTCCTT CGTCAGCGAC TAGGATACGG CCTTTAAGGn	900
CGATTGATTT ACAGAAAGCC AAGTGGTCTG CAGCAAATG CTCTGCATTT TCAATTGGAG	960
TATAAAGSTA GTAAAGTAAG ACACGAATAT CTTTgkCaw AAGATTGTA TCTCTTTATC	1020
TAT	1023

(2) INFORMATION FOR SEQ ID NO: 291:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 3831 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 291:

ACTATGAACA AGACCCAGAA AAAGTAGCCT TATTTCTTAA GAATTTTAAT AGTTTAAAGC	60
ACCTAGCACC TGTTTAGATT GACGAAACAG GATTCGATAC TTATTTTAT CGAGAATATG	120
GTCGCTCATT AAAAGGTCAA TTAATAAGAG GCAAAGTATC TGGAAGAAGA TATCAGAGGA	180
TTTCTTTGGT TGCAGGTCTA ACAAATGGTG AATTAATCGC TCCAATGACT TACGAAGAGA	240
CGATGACGAG CGACTTTTTC GAAGCTTGGT TTCAGAATTT TCTCTTACCA ACATTAAACA	300
CACCATCGGT TATTATTATG GATAATGTAA GATTCCATAG AATGGGGAAG CTAGAACTTT	360
TATGCGAAGA GTTTGGGCAT AAACTTTAC CTCTTCCTCC TACTCGCCT GAGTACAATC	420
CTATTGAGAA AACATGGGCT CATATCAAAA AGCACCTCAA AAAGGTATTA CCAAGTTGCA	480
ATACCTTTTA CGAGGCTTTT TTATCCTGCT CTTGTTTCAA TTGACTATAT TAGAGGCGAG	540
ACATTTTTCG GTTCTTTCTC AACTGTAGTG GGTGAAGAA AGCGAAGATC TAGAAAGGAC	600
AAATTTGCTC CTTCTTTTTC TGAAGTTTTC AAAGTTCCTA AAACCAAAGG CATTGTGCTT	660
GATAAGTTTG ATGAGATTAT TGGTGGCTTC CAGTTTGGCG TTGGAATAAG GTAATTGAAG	720
GGCGTTGACG ATTTTCTCTT TATCTTTGAG GAAGTTTTC AACAAGTCT GAAACAGAGG	780
TGGAAGGCA AGAGCTGATA GAGATTATAG TGGTGTAA AGTCTTCGGA ATAGCTCAAA	840

1320

AGTTTATCTA GAATTTCTTT ATTAGTCAAG TGCATACGAA AAGTAGGGCG ATAAAATCGT	900
TTATCACTCA GTTTCGACT ATCTTGTTGA ATGAGCTTCC AGTAGCGCTT GATAGCCTTG	960
TATTTCATGGG ATTTTCGGATG ATGGCTTGTG TTCTGCTCTC AAGAACAGTT ATGATATTGA	1020
GTTTATCAAA GTCCTGAGCA ATAAAGCTCA TCTCCATCTC CCGATTGAAA CAGTCACTCC	1080
CCGGACTGTT TCAACsTCCT AGGACATAAT CTCAGGAAGA CGCGAAAAAT CATGCTCAAA	1140
GTGAAAATCA TTGTTCTTGC GAATGACAGT TGAAGTTGAA ATAGACAACCT GATGATCAAT	1200
GTCCGTCATA GAAGTCTTTT TAATTAGCTT CTGAGCAATC TTTTGGTTGA TGATACAAGG	1260
AATTTGATGA TTCTTCTTGA CGATAGAAGT CTCAGCGAGC TCCATTTTTG AGCAATGATA	1320
GCACCTAAAA CGGCCTTTTC TAAGAAGAAT TCTAGTTTGA ATTTTMTTAT ACTAGAAAAAT	1380
CAGAACCATA ATACCTATAT AAAAAATTA TAGTTCTAAT AGGATTTACC CAAAAGTTTT	1440
AAGGCGGTCT TTTTAGAAGT TTAATTGTTT GAAATTTAGG TAGCAAATTT GTTCTATTTT	1500
TGTCAACTTT TCCTATTTTT ATCTTGTTGA GGCTGGTATT TTAACAATTC AGGAATTGAT	1560
AGTGAATGTG TAAAATTTTT TGTTAGAATA AGTTTATAAA AAAGAAAAGG AGTATTTGAT	1620
TATGTTACAA AAAATTTATG AGCAGATGGC TAATTTCTAT GATAGTATG AAGAAGAGTA	1680
TGGTCTACA TTTGGTGATA ATTTTGACTG GGAACATGTT CATTTTAAAT TTTTAATTTA	1740
TTATTTAGTG AGATATGGCA TTGGTTGTCTG TAAGGATTTT ATTGTTTACC ATTAFCGTGT	1800
TGCTTATCGT TTGTATCTTG AAAAATGGT AATGAATCGG GGTTTTATTT CTTGTTGAGG	1860
TAATTTTAGT AAATTTCCGA ACTAATTTAC TCTTTTATGG AAAGATGATA GTAAATAGCT	1920
AGTAATTTTT CTAAATCATT TTTTAATAGT TGGAAATAGC AAATCTTTCT ATTGTTTCTT	1980
CTTGATAAAA AGGCGATTTT TTATTATAAT AAATTGTAAG ATATAATTGC AGGTGAGAGT	2040
CCTGCCATGT ATGTGAGAAA GGAAGAGCCT GATGGCTCAG ACAAGATTAT GACTTCAGTT	2100
GTTGTTGTAG GTACCCAATG GGGTGATGAA GGTAAGGGA AGATTACAGA CTTCCTTTCA	2160
GCGAATGCAG AAGTGATTGC ACGTTACCA GGTGGTGATA ATGCTGGTCA CACGATTGTG	2220
ATTGACGGTA AGAAATTTAA GTTGCACTTG ATTCCATCTG GGATTTTCTT CCCTGAAAAA	2280
ATATCTGTCA TTGGGAATGG TATGGTTGTA AATCCTAAAT CTCTTGTAAG AGAGTTGAGC	2340
TATCTTCATG AGGAAGGTGT AACAACTGAT AACTTGCGTA TTTCTGATCG TGCGCATGTT	2400
ATTTTGCCTT ATCATATCGA GTTGATCGC TTGCAAGAAG AAGCTAAGG CGACAATAAG	2460
ATTGGTACGA CAATTAAGG AATTGOTCCA GCTTATATGG ACAAGGCTGC TCGTGTGGA	2520
ATTCGTATG CAGATCTTTT AGATAAAGAT ATTTCCGTG AGCGTTTGA ACGTAACCTT	2580
GCTGAAAAGA ATCGTCTTTT TGAAAAATTG TATGACAGTA AAGCGATTGT TTTCGATGAT	2640

1321

ATTTTGAAG AATATTACGA ATATGGTCAA CAAATCAAGA AATACGTGAT AGATACATCT	2700
GTTATCTTGA ATGATGCGCT TGATAATGGC AAACGTGTGC TTTTGAAGG TGCACAAGGT	2760
GTTATGCTAG ATATCGACCA AGGTACTTAT CCATTGTGTA CGTCATCAAA CCCTGTAGCT	2820
GGTGGTGTGA CAATTGGTTC TGGTGTGGT CCAAGCAAGA TTGACAAGGT TGTAGGTGTA	2880
TGTAAAGCTT ATACGAGTCG TGTAGGAGAT GGTCCCTTCC CAACTGAGTT GTTGTATGAA	2940
GTGGGAGAAC GTATCCGTGA AGTGGGTCAT GAATATGGTA CAACAACCTGG TCGTCCACGT	3000
CGTGTAGGTT GGTTTGACTC AGTTGTGATG CGTCATAGCC GTCGTGTTTC TGGTATTACT	3060
AACCTTTCTT TGAACCTCTAT TGATGTTTTG AGCGGTTTGG ATACTGTGAA AATCTGTGTG	3120
GCCTATGATC TTGACGGTCA ACGTATTGAC TACTATCCAG CTAGTCTTGA ACAATTGAAA	3180
CGTTGCAAGC CTATCTATGA AGAGTTGCCA GGTGGTCAG AAGATATTAC CGGAGTTCGC	3240
AATTGGAAG ATCTTCCTGA GAATGCGCGT AACTATGTTT GTCGTGTGAG TGAATTGGTT	3300
GGCGTTCGTA TTTCTACTTT CTCAGTAGGT CCTGGTCGTG AACAAACAAA TATTTTAGAA	3360
AGTGTGTTGGT CCTAAGAGAT TTTTAAGATT TGTTTAAGAT AGGTCGGGTA TACTATAGAC	3420
GGTTACAAGA AGACCTCCTA ACTTGTGTA ACAAATATCC TAACTTTTC TTTTCATAA	3480
TAATCTCCCT ATAGAGTCAC CGCATTCGGT GGCTTTTTTT GTGTTGGGAT TCATGATATA	3540
ATAATAAAAT CGATAAGTAG GAAAAGAGAA AAGAGATGTA TTATACGCTT GAAGAAAAAG	3600
AAGTCTTTAT GAGGGAGGCT TTGAGAGAGG CTGAGATTGC TCTTGAACAC GATGAAATTC	3660
CAATTGGTGTG TGTGATTGTC AAAGATGGGG AAATCATTGG TCGTGGGCAT AATGCGCGTG	3720
AGGAATTACA GCGAGCGGTT ATGCATGCGG AAATTATGGC TATAGAGGAT GCGAACTTGA	3780
GTGAGGAGAG TCGCCTTGCT GGATTGCACA CTTTTGTGA CCATTGAACC G	3831

(2) INFORMATION FOR SEQ ID NO: 292:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1441 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 292:

CCGCTGTTCC AACCGCAACA TACCATAGTC CGTACGGGAT TCGAACCCGT GPTACCGCCG	60
TGAAAAGGCG GATGACTTAA CCCCTTGACC AACGGACCTG AGTTGTTATT TTCAACTCTT	120
ACTATTATAC AGTCTTTTCA AACTTTGTCA ACTACTTTTT CTAATTTTGT TTTATTTTTT	180

1322

CAACTTATAG TAAAAAAGC CAGAATTATA CTGACTCTTC TATCGCTCAT TAAACTTAGA	240
AGCACGTTCT TTTCCCCACC AATAAGGGAT TAGTTCTGCG ACTTTAACTG TTTTCTTAT	300
ATTATAGTCC ATCATGAATT CTGCATCTTT ATTTTCAGCA TTAAGCTCTA AAAGGAATTC	360
TCTACAAGCA CCGCAAGGCA TGGCTGAACT TCCACCATAA GGTGGTTTGT CTCGAAAGGC	420
TAATACTFTC TTAACCTTAG TTTGTCCTGA AAATTGGTAC ATATTGAAGA GGGCCGCCCG	480
TTCTGCGCAG AGATGGAAAA CACCACAGGT TCCCTCCATA CAGAATCCTG TAAATATTTG	540
TCCATCTCCT GCTTCTACTG CAGCTACAAC ATGATTGGCA TAAACAAAGT CTGATACTTC	600
ATGTGGATTG TATAGTTTCT GTGCTTCTTC GTACATCTTT TCCCAGATGT CCATTATTGT	660
ATCCTCTTTA TTTAGAGATT TCTTTTAGCA TGTTTTCGAT ATGCTGAATT GATTTTTCAC	720
GTCCAAGCAA GAAAATTGTA TCTGGTAATT CTGGCCCATG CATTCGCCT GAAACTGCCA	780
TACGAATAGG CATGAAAAGA TTTTCCCTT TAATACCTGT TTCTTTTGG ACTGCTTTAA	840
TTTGTGGGAA GATATTTTCT GTCACAAAT CATCATCTGT CATCGCTCA AGTTTGTCTT	900
TGAATGCTTC AAGAACTGTT GGAAGTGTTC CACCCGTCAT GACTTCGCGC TCTGCTTCTG	960
TCAATTCTGG GAAATCTGAG AAGAAAAGAT CTGTCAATGG GATAATCTCA TCTACTGATT	1020
TCATTTGTGG TTTATAGAGC TCAACTAATT TTTAGCCTT GTCAGTCAA CGGCCTGCTT	1080
CCTCTAAGAA TGGTTTTGCC ATTTCAAAGA TGGTTTCAAG GTCTGCATTC TTGATATAAT	1140
CATTGCTCAT CCAGTCTAGT TTTTCTGAT CAAAGGCTGC TGGTGAATTG CTGAGGCGGT	1200
TTTCATCAA AAGTTAATG AATTCTTCAC GAGAGAAAAT CTCATCCCCA CCACCTGGGT	1260
TCCAACCAAG AAGAGCAATA AAGTTAAAGA CTGCTTCTGG AAGGTAACCT TTCTTTCGGT	1320
AATCTTCGAT AAATTGAAGT GTATTAGTAT CACGTTTAGA TAACTTCTTA CCAGTTTCAG	1380
AGTTGATAAT CAAGTGTCAT GTGACCGAAC TCTGGAGCTT CCTCAACCTA AGAGCGGGTA	1440
T	1441

## (2) INFORMATION FOR SEQ ID NO: 293:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4398 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 293:

CGGCTTATGT AGTGGCAATC TTTCTACGTA AGCGAAACGA GGGGAGATTA GAGGCGCTAG	60
AAGAAAAAAA AGAAGAACTA TACAATCTTC CAGTAAATGA TGAAGTAGAA GCTGTAAAAA	120

1323

ATATGCACTT GATTGGACAA AGTCAAGTGG CTTTCCGTGA ATGGAATCAA AAATGGGTCG	180
ATTTATCTCT CAACTCTTTT GCCGATATTG AAAATAATCT CTTTGAAGCA GAAGGCTATA	240
ACCATTCAATT TCGTTTTCTC AAGGCCAGTC ATCAAATTGA CCAAATTGAG AGTCAAATTA	300
CTTTGATTGA AGAAGATATT GCGGCAATTC GCAATGCTTT GGCAGACTTA GAGAAGCAAG	360
AATCTAAAAA TAGTGGTCGT GTTCTTCATG CTTTGGATTT ATTTGAGGAA CTTCAGCATA	420
GAGTTGCTGA AAATTCAGAA CAGTATGGTC AAGCCTTGGA TGAAATTGAA AAACAATTAG	480
AAAATATCCA ATCTGAATTT TCACAATTTG TAACCTTGAA TTCATCGGGT GACCTGTGG	540
AAGCCGCACT GATTTTGGAT AATACAGAAA ATCACAATTT GGCCTTAAGT CATATTGTGG	600
ATCGTGTTCC AGCCTTGGTT ACGACGCTTT CTACAGAATT GCCAGATCAA TTACAGGATT	660
TGGAAGCCGG TTATCGTAAA CTAATTGATG CTAATTATCA TTTTGTGTA ACGGATATTG	720
AAGCGCGTTT CCACTTGCTT TATGAAGCAT TCAAGAAAAA CCAAGAGAAAT ATTCGTCAGT	780
TGGAATTGGA TAATGCCGAA TATGAGAATG GACAGGCACA AGAGGAAATC AATGCCTTGT	840
ATGATATTTT TACTCGAGAA ATTGCTGCTC AGAAAGTAGT GGAAATCTA CTTGCAACTC	900
TTCCAACCTA TCTTCAACAT ATGAAAGAGA ATAATACTTT ATTGGGAGAA GATATTGCAC	960
GTTTGAACAA GACCTATTTA CTTCCCTGAGA CAGCTGCAAG CCATGTTCTG CGTATTCAGA	1020
CAGAATTAGA GAGTTTGGAG GCAGCTATTG TTGAGGTAAC TTCAAATCAA GAAGAACCAA	1080
CCCAAGCTTA TTCAGTTCTT GAAGAAAATC TTGAGGATTT ACAAACTCAA CTAAGAGATA	1140
TTGAAGATGA GCAAATTTCA GTTAGTGAGC GCCTGACACA AATTGAGAAA GATGATATTA	1200
ATGCACGTCA AAAGCCAAT GTTATGTCA ATCGTCTCCA TACTATCAAG CGATACATGG	1260
AAAAACGCAA TCTGCCAGGT ATTCCACAAA CTTTCTTGAA GTTATTCTTT ACGGCAAGCA	1320
ATAATACCGA GGATTTAATG GTTGAGTTAG AACAAAAAT GATTAAACATT GAATCTGTTA	1380
CCCGAGTTCT TGAAATTGCA ACGAATGATA TGGAAGCTTT AGAAACGGAA ACTTATAATA	1440
TTGTACAATA TGCAACTTTG ACAGAGCAAC TCTTGCAATA TTCTAACCGC TATCGCTCAT	1500
TTGATGAACG CATTCAAGAA GCATTTAACG AaGCTTTAGA TATTTTGTAA AAAGAATTG	1560
ATTATCACGC TTCATTTGAC AAGATTTCTC AAGCATTGGA AGTGGCAGAG CCTGGTGTA	1620
CCAATCGCTT TGTTACCTCA TATGAGAAAA CACGTGAAAC GATTCGTTTT TAATAAAAGA	1680
AAAAGATTTT ATTGTGTGAG GAGCAGAATC AAATCTTTTT CTATAGTTGT GGGGAGATTT	1740
ACTTCATTTT CTCCTGAGAT TGAGTTTTTG CCCAGCCGAT TTATCCACTA CCTCAAAACA	1800
GTGTTTTATA CTCTTCGAAA ATCTTTTCAA ATCACGTCAG CGTCGCCTTA CCGTACTCAA	1860

1324

GTACAGCCTG AGGCTAGCTT CTTAGTTTGC TTTTGTGATTT TCATTTAGTA TTAAAGTGAT	1920
TTCGCCAGTC TTATCTGCAG CTTCAAATCT GTACTTTGAG TAACTTGGTA ACCGTCCAAT	1980
AACGAAGTCT ATTGAAAAAT CTCCAGACTA GAGAACTCAC GGATAGTTCC TAATCTGGAG	2040
ATTTCTTAT TGCACTTTTC TTGTACAAC TTAGTCCACG GTAAATAGAC CTCTAAAACC	2100
TCTTTGTTTA CGAGAGTTTC CTCGTTTGGG AGACATTCTA GAAGATAGGA TAGATATTTT	2160
TCGCTATTTA TACTAGACTA AAATCAAAAA GCATTATATA ATAGTGATAT GAAATCAACT	2220
AAAGAAGAAA TCCAAACCAT CAAAACACTT TTTAAAGACT CTCGTACAGC TAAATATCAT	2280
AAACGCCCTC AAATCGTTCT ATAGTAAAT GAAATAAGAA CAGTACAAAT CGATCAGGAC	2340
AGTCAAATG ATTTCTAACA ATGTTTTAGA AGTAGAGGTG TACTATTCTA GTTTCAATCT	2400
ATTATATTTT GTCTGATGGG CAAATCTTAT AAAGAGATTA TAGAACTTTT ATAGTAGATT	2460
GAAATAAGAT GTGAACAAC CTATCAGGAA AGTCAAATTA ATTTATAGAA ATATTTTAGC	2520
AGCCAAGGTG TACTGTTATA GATTCAATAC ACTATAGACT GTAATCAAAC AACGATTGG	2580
CGAAATGTAA AAAAAATGA GGAGTTCGGA CTCGACTCTC TCCTTCAAGA AACACGTGGT	2640
GGTCGTAAAC ATGCATATAT GACAGTTGAG GAAAAGAAAG TCTTTCTTGC CCGCCATTTG	2700
AAGGTCGAG AGGCAGGAGA ATTTGTTACA ATTGATGCCT TATTTCAGGC TTATAAAAAG	2760
GAGTTAGGTC GTTCCTACAC ACGTGATGCC TTCTATCAAC TGTGAAGTG CCATGGTTGG	2820
CGAAATATTA TGCCACGTCC AGAACATCCT AAGAAAGCAG ACGCTCAAAC CATTGTCGCG	2880
TCTAAAAATA AAATCTCAAT TCAAGAAGAA AAGAAAGCGC TTAAAAACCA GTAGACGTTT	2940
TCGTAAGGTT CGCTTGATGT ACCAAGATGA GGCTGGTTTC GGTAGAATCA GTAAACTGGG	3000
ATCTTGTTGG GCTCCAATAG GAGTAGGTCC ACATATCCAT AGTCACTATA TACGAGAATT	3060
TCGCTATTGT TATGGAGCTG TTGATGCCCC TACAGCGGAA TCATTTTCT TAATAGCTGG	3120
TAGATGTAAT ACTGAGTGA TGAACGCCTT TTTAGAAGAG CTTTCACAAG CTTATCCAGA	3180
TGATTATCTT TTAATCGTTA TGGACAATGC TATATGGCAT AAATCAAGTA CCTTAAAGAT	3240
TCCGACTAAT ATTTGGTTTA CCTTTATTCC TCCATACACA CCAGAGATGA ACCCCATTGA	3300
ACAAGTGTTG AAAGAGATTC GTAAACGTGG ATTTAAGAAT AAAGCCTTTC AAACTTTGA	3360
AGATGTCATG AATCAACTCC AAGATGTTAT ACAAGGATTG GAGAAGGAGG TGATAAAGTC	3420
CATCGTTAAT CGGACATGGA CTAGAATGCT TTTTGAAAAC AGATGAGTAT AAAAAGAAAG	3480
TCCTCATTTT AATAGAAATC ACGACTTTCT GATGGATTTA TAGTAAATG AAATNAGAAC	3540
AGGACAAATC GATCAGGACA GTCAAATCGA TTTCTAACAA TGTTTTAGAA GCAGAGGTGT	3600
ACTATTCTAG TTTCAATCTA CTATATTTTT GGAGTGATAG AAAAGCCCTT CATAAGCTAG	3660

1325

TCTACTTGTT CAGGTGCGAG AGCTTTGACA TCTTTTTCTG TACTTAGCCA AGTCAGTTTT	3720
CCGTCTCAA AGCGTTTATA TAGTAGCCAA AATCCTTGAC CATCCAGTA AAGGGCTTTA	3780
AAGCGGTCTT TACGTCCACC ACAAAGAGA AAGACTTGAC CGGAGAAAGA ATCCAATTCA	3840
AAGTGGGTTT TAACACATA GGCTAATGAG TCTATTCCTT GCCTCATATC TGTCTTGCCA	3900
CAACAAGGT GAACTTGACC TAAATCACTT AGTTGAATTA TCATAGTACA ATACCTTTCC	3960
TCCGATAATT ATTTTTATC TAGTATACTG GAAGTTGGGG AATTAGGATA GATACCTTGT	4020
TATGACGCGC TTACGTAAC TGTAACTAGC TGCCTAGTTT GATCTTGCT TCTTCATGTA	4080
TTAGCAGTAG ATTTCAAAT GATAAAACG CATAGTATCA GGTATTGAAA TGTACTGCC	4140
CAAAAGTTAG ACAGAAAAA TCTAACTTTT GGGGTGTTTT TGTTATGAAA TTAAGTTATG	4200
ATGATAAAGT TCAGATCTAT GAACTTAGAA AACAAGGATA TAGCTTAGAG AAGCTTTCAA	4260
ATAAATTGG GATAAATAAT TCTAATCTTA GGTATATGAT TAAATTGATT GATCGTTACG	4320
GAATAGAGTT CGTCAAAAAA GGAAAAATC GTTACTATTT TCCTGATTTA AAACAAGAAA	4380
TGATTAATAA AGTCTTAC	4398

(2) INFORMATION FOR SEQ ID NO: 294:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 718 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 294:

AGATTTT TAG ACTTGTCTT TAATCGTTTC TTTT TAGGGA TGATTGCGAC ACCTTCTTTT	60
GGCTATT AAC TTTAGCAGGA GGGATTATCC TTGGTCTAGC GCCGGCTAGT GCCACCTTGA	120
TGAGCTTATA TGCAGAACAT GGTATAGCT TTCGGGAATA CAGTTTGAAG GAGGCTTGGT	180
CTCTTTACAA GCAAAATTTT GTCTCAAGCA ACCTGATTTT CTATAGCTTT TTAGGTGTGG	240
GTCTAGTTT GACCTATGGT TTGTATCTCT TGGTGCAATT GCCTCATCAG ACCATTGPTC	300
ATTTGATTGC GACCCTTTTG AATGTCCTAG TAGTTGCCCT GATCTTTTGG GCTTATACAG	360
TATCTTTAAA ATTACAAGTT TATTTTGCCT TGTCTATCG AAATAGTCTC AAATTATCCT	420
TGATTGGCAT CTTTATGAGT CTAGCAGCTG TGGCTAAGGT TCTCCTTGGG ACTGTGCTAC	480
TTGTAGCAAT TGGTTATTAT ATGCCTGCCC TGCTATTTTT TGTAGGAATT GGGATGTGGC	540
ATTTCTTTAT CAGTGATATG TTGGAACCTG TCTATGAAAT CATCCATGAA AAATTGGCGT	600

1326  
CAAAATAGAA TGAAGCAGTT TTGGCTACAT ACGCTTCTAA GAACCTATAG TTCAGTGATG 660  
ATCATTATCA TTGCGAGTTT TGCAATCTTA CTCTCTTACG CTGTCTGGGA TTCACGTG 718

(2) INFORMATION FOR SEQ ID NO: 295:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 718 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 295:

TCGGTACCAA AATTCTGGAT TTATACTAGC AAAGATCCAA GAGCAAATTA TTAAACAGAT 60  
TTAGGCTAG TTTTCCCTGA ATCATTAAAA GAATTTGAGA GTGAAGATAG TTTTGCAAAG 120  
GAAATTTCTG CAGAAGAAGC AAATAAGATA AATGATGCTG ATGTAATCAT AACTTATGGT 180  
GATGATAAAA CTCTTGAAGC TTTACAAAAA GATCCTCTTT TAGGTAAAT AAATGCAATT 240  
AAAAATGGTG CCGTTGCTGT AATTCAGAT AATACACCGT TAGCAGCCTC ATGCACTCCA 300  
ACACCACTTT CAATAAACTA TACTATTGAA GAATACCTAA ATCTTTTAGG AAATGCATGC 360  
AAAAATGCGA AATAAAAAAC AAATAAACCT AGGCATAATT TTTATAATCT GCCTAGGTCT 420  
TCTTATTACA ATATTTTGT CATTAAAGCT TGGAACAAA GAAATTAATA TCAGAGATT 480  
TTTAGCAGCT TTTGGAATGG GTAATACAAA TGATGATTTT ATTAAATCAA TTATATATAA 540  
TGAATACCT AGAACTATTT TTGCAATTTT AGCAGGTCT AGTCTTGCCA TAAGCGGTGT 600  
ATTGATGCAA TCAGTTACTA GAAACCAAT AGCTGATCCA GGTATACTCG GTATAAACAC 660  
AGGAGCAAGT CTTAGTGTAG TAATTGGTCC TTCTTTTAG GGAATTCATC AAGCATAA 718

(2) INFORMATION FOR SEQ ID NO: 296:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1436 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 296:

GAACATCA TTTTACAGG ATGAGATTTA CAGCAGAGAG TTTGAAGGCT TTATCAAAG 60  
TTTTCTTG CATAATGACT TTTCCTCGT TCCACTTAAT TTTGTGTCTA CTTTATTATA 120  
CCAAGTCCAC SCTTAAGTTA GATAATAAAT CTAACCTAAG GAAGCTAGAA GGATGAGAAT 180  
CCAGGTGGTC AAGAGTCCCA AACTTAAGCT GATGGGGACA CCCAGAATAA TTTGCTTTTT 240



1327

GAAGGCAAGG CCACGTTCTT CTATATTGGG AAGTGAGAGT TGAATGAGAG AACCAGCTGA	300
TGAAAAGGGT GAGATATTAG TAGATAGAGC GCCAATAACG GTGGCTGTTG TGAGTAAGTG	360
AATATCAATC TGAGGATTTT GAGCACTGAT GATAGCAATG ATGGGAAAGA GGGCTGGAGC	420
TACAACGGAT AGGGTGGAAC TAAAGAGTGA CATCACTCCG GCTATCACAC AAAAGAACAG	480
AGGTAACCAG AAATGAGGAA TGGTTGTTGT CATGAGGTGC CCTATCAGTG TGACTAAACC	540
TGACTTGACC GCTAGAGACA TTAGTAAGCT CATGCCGAG AGCATGATAA TTGTAGCCCA	600
GGGAACCTTA GCTAAAATGG CTTCTTGCTT CCCTAATTTG AGCCTTAAGG CGAGGCAGAC	660
CATGAGTATT GAGACAAAGC CAATATCAAA TGTTTTTTGA TAAGTAGCTA TCCAGGCGAT	720
GTTTGGGAAA ATGAGATGCA ACAAGGAAA AAGCCAAACC AAAACCATGC TGCTGATCAT	780
GAGCAAGGTG GTTTGTCTTT GAACCTTGCT GAGGAGTGGT GGTGTTGCTAA TAGTCAAGGA	840
TGAGTTTGTT CTTCCTTAC TATAGTGACT GTAACAGGAT AATAAAAGCA AGACGATGAG	900
TGGGTAGATA ATGCTGACGA TAAAGATATG ATTGCCAAGT GAAAAAGCTT GCTCTTCCCA	960
TCCCATTTCG TTAACAGGC CTGAAAGAC AATGCCTGAG CTACTGGTTA TCAAATTAGC	1020
CCCTCCTGAA GCTCCCCAAT TGACGGCTTG AGCTCCAATC AAAGGGTGTT TGTCCGCTTT	1080
TTGACAGAGG GTAATCGCTA GAGGACAGCA AACGGCCATA GTAGTGAAAA ATCCAGCACC	1140
TAAAGCAGAC AAAAGGGTTG CCATCAGGTA TAAATCATG TAGAGGGCGT TAGGGTGGGT	1200
GCGTGTGCGG TAGAGAATGT GTTGAGCCAA AACATCAAGA GTACCGTTAG TTGTTGCAAC	1260
GTTATAAAG AGAGAGACGC TAAAAATGGT AAAAAAGAGT GAGGTTGGCC AAAAAATGAAG	1320
AAGTTCTTTG GGGCTTAATC CCATGAGAGT GGTGCGATG AGGTAAGAAA AAGCAATAGC	1380
CAGCAGGCCA ATATTGATTT TGGTGCGGTA ACCAATTCCA ATGGCTAGAG CAATGG	1436

(2) INFORMATION FOR SEQ ID NO: 297:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1696 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 297:

CCATTGGGA AAGAACGTAA GAGTTGCAG GGTGAGATTC CAGAAGAATT TTCAATGTCA	60
GCCGTTGACA TGTCTATGAT TGACCACATT CCAGATATGA TTGAAAATGG TGTGGACAGT	120
CTAAAAATCG AAGGACGTAT GAAGTCTATT CACTACGTAT CAACAGTAAC CAACTGCTAC	180

1328

AAGCGGCTG TGGATGCCTA TCTTGAAAGT CCTGAAAAGT TTGAAGCTAT CAAACAAGAC	240
TTGGTGGACG AGATGTGGAA GGTGCCCCAA CGTGAAGTGG CTACAGGATT TTAATATGGT	300
ACACCATCTG AAAATGAGCA GTTGTTCCTT GCTCGCCGTA AAATTCCTGA GTACAAGTTT	360
GTCGCTGAAG TGGTTTCCTT TGATGATGCG GCACAAACAG CAACAATTCG TCAACGAAAT	420
GTCATTAAACG AAGGGGACCA AGTTGAGTTT TATGGTCCAG GTTTCCTGCA TTTTGAAACC	480
TATATTGAAG ATTTGCATGA TGCCAAAGGC AATAAAATCG ACCGCGCTCC AAATCCAATG	540
GAACCTATGA CTATTAAGGT GCCTCAACCC GTTCAATCAG GAGATATGGT TCGTGCATTA	600
AAAGAAGGAC TCATCAATCT TTATAAGGAA GATGGAACCA GCGTCACAGT TCGAGCTTAA	660
GAAAGGAAAA GGAAATGATA GAGGCACAGG GTTCTCTAGT GGATAAGCAA ACAAGATGCA	720
TTCAATTACCA TAGCAAGCTG GATATTATTG CTTTACAATG CTATGATGTG AAAAAGTATT	780
ATGCTTGTTA TCGGTGTCAT GATTCATTAG AACATCACCC TTTTGAGCCG TATCCCTTAT	840
CTTTGATACA GGATAAGCCT ATTTTATGTG GTGTTTGTCT AAAACTACTA ACATATAAGC	900
AATATAAAGA AAGCTTAAGT TGCCCTTTT GTTTTCTCG CTTTAATCCA GGTGCCCCAA	960
ATCATAAGGA ACGCTATTTT AATAGCAAA TCATCTAGTT TTGAAGTAGG AGAAAACTCA	1020
ATTTCAAGAG AAAATGAAGT AAATCTTCCC ACAATAAAC GCATAATATC AAGATTGTTC	1080
AATACCTGAT ACTATGCGTT TTTAAGATTT TAAAGACTTT TTTCTTTAT CTGGTATTTT	1140
GACTACTTGT TAAACTGGG TTAATTTTCG ACTGTTTAAT AGTTATTATG CAAAGCTAA	1200
AAGGTTAGAA TTGTCAAAAC AATCCGTCTA GAGTATGCGT GATGCCAACC GTGGTGGATG	1260
TTCTCAGTCA TGCCGTGGGA AGTACGACCT TTACGATATG CCATTGGGA AAGAACGTAA	1320
GAGTTTGACG GGTGAGATTC CAGAAGAATT TTCAATGTCA GCCGTTGATA TGTCTATGAT	1380
TGACCATATC TCAGATATGA TTGAAAATGG TGTGGACAGT CTAAAAATCG AAGGACGTAT	1440
GGAGTCTATT CACTATGTAT CAACAGTAAC CAACTGCTAC AAGCGGCTG TGGATGCCTA	1500
TCTTGAAAGT CCTGAAAAGT TTGAAGCTAT CAAACAAGAC TTGGTGGACG AGATGTGGAA	1560
GGTTGCCCAA CGTGAAGTGG CTACAGGATT TTAATATGGT ACACCATCTG AAAATGAGCA	1620
GTGTTTGGT GCTCGTCGTA AAATCCCTGA GTACAAGTTT GTCGCTGAAG TGGTTTCCTA	1680
TGATGATGCG GCGGTA	1696

(2) INFORMATION FOR SEQ ID NO: 298:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1022 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1329

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 298:

CCGAGTTTAT TATGGTTTCT TCGGAATTTA TCTCAAAGAT TGAATTTGCT TGCAATAAGA	60
AAGAAAGTCT TTATAGTCAA AGCAAATTTA AGTATGCGAT TCGTTCGATG TTCGCAGGTG	120
CATTTTAAAC CTTCAGTACT GCTGCAGGTG CAGTTGGGGC TGACTTGATT AATAAAATTG	180
CACCAGGTAG TGGACGCTTC CTCTTTCCAT TCGTTTTTGC TTGGGGCTTG GCCTACATTG	240
TTTTTTTGAA TGCCGAGTTG GTCACCTCAA ACATGATGTT CTTGACTGCT GGTAGTTTCT	300
TAAAAAAAT CTCTTGAGAA AAAACAGCTG AGATTTTACT ATACTGTACC TTGTTCAACC	360
TTATCGGAGC CTTGATAGCA GGGTGGGGCT TTGCTCATTG GGCAGCCTAT GCGAATCTGA	420
CACACGATAG TTTCACTCTA GGTGTTGTTG AGATGAAGTT AGGCCGCTCA AATGAATTGG	480
TCTTGCTTGA GGCGATTTTG GCAAATATTT TTGTAAATAT TCGGATTCTG TCATTATTTT	540
TGGTCAAAGA TGGTGGTGCC AAACCTTGGC TTGTGTTGTC AGCTATTTAC ATGTTTGTAT	600
TCTTAACAAA CGAGCACATT GCGGCGAAT TTGCTTCTTT CGCGATTGTG AAATTCAGTG	660
TTGCTGCGGA TTCAATTGCC AACTTCGGTG TTGGAATAT GCTTCGCCAC TGGGGTGTGA	720
CTTTTCATCGG AAACCTTATC GGAGGAGGCC TCTTGATGGG TCTTCCATAT GCCTTCCTCA	780
ATAAAACGA AGATACTTAT GTAGATTAAG AAAATGAGCA CGATTGAGTC GTGCTTTTTT	840
CATTTTCAA ATAAGGTAAT AGCTATTTCT TATATCAAAA TATAGAAAAC TGATATTTGT	900
ArACTATAAC TCAAGGTGCT ACAATATCCT TAATAAAATA ATATGGAGGT CACCTTATGA	960
CTTGTGATTT TAAATnTGAA ACTCTACAAC TACATGCTGG TCAAGTTGTG GCTCCAGCTA	1020
CT	1022

## (2) INFORMATION FOR SEQ ID NO: 299:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 663 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 299:

CCTTAAGTAA TCTCTGATAA TATTTTCTTT ATTAGCATAG GGGAATATCG ATATAATGGC	60
TTCAATTATGA GTGGCAGGAA TATCCAATAT GGCAACTTTT CCAATAGATA ATTTAAAACT	120
CATTAATAAA GTTCCTTTAG GTGAAATGTC TATTTTCTTT GATTTTAATG CTAATTTAGA	180

1330

AATAGATTCT CTCGCATTAG TTACATAACC AGATATAGGC ATATCTGATA TAGATACCCA	240
AGGTATTTC A GTTCCCCAAA AAGTAGCTTC ACTGCGTGGA GGAGTTTTTC CTATTCTGAA	300
GTTAACTAGG CTAGCAAATT TAATATATCT CCATGCTTCT GGGATTTCAT ATATAGGATA	360
AGAGGTTGTT TCGTCTTTGT TCCCATATAA AGAGTTATCA TCTCCTTGGG AAACAATAGA	420
AATGTCCAAA TCTTTCTTTT TAATCTTGCC TTCTTCAAAG AGTTTTTGT TTTCTGCTCG	480
TATTTTTC A GTTAAAACTT CGACTGATTC ATCATTTGGG TCTTGTTCAA CTAATTTTCC	540
TTGCATAGCA TATTGAAGAA TAGATTTTTT TAGTTTATCT GGAAATCTT TATCTAGCTG	600
TTCTAGTCTA TTATAACTTT CAGCATATTC ATCTACTTT TCTAAAGCTG ATTGATTTGC	660
TTC	663

(2) INFORMATION FOR SEQ ID NO: 300:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 881 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 300:

CGTCGTCGAA CATGTCAACA GCAAATTAAA CTAACAAAC TAAATTATG TGATACTTCA	60
CATAATTTTC TTTAGAAAAT ATTATCAGAA GAAAGTTGAG AAAATGGCA GAAAAACAT	120
ATCCTATGAC CCTTGAGGAA AAGGAAAAAC TTGAAAAAGA ATTAGAAGAA TTGAAATTGG	180
TTTCGTCGACC AGAAGTGGTA GAACGCATTA AGATTGCCCG TTCATACGGT GACCTTTCAG	240
AAAACAGTGA GTACGAAGCA GCTAAGGATG AACAGCCTT TGTGGAAGGA CAAATCTCTA	300
GCTTAGAAAC AAAATCCGC TATGCTGAAA TCGTCAATAG CGACGCAGTT GCCCAGGACG	360
AAGTAGCGAT TGGTAAAACA GTCACCATCC AAGAAATTGG TGAGGACGAA GAAGAAGTTT	420
ATATTATCGT AGGTTACAGT GGTGCAGATG CCTTTGTAGG TAAGGTTTCA AATGAAAGCC	480
CAATTGGGCA GGCCTTGATT GGCAAGAAAA CAGGTGATAC AGCAACCATT GAAACGCCTG	540
TTGGTAGCTA TGATGTAAAA ATCTTGAAGG TTGAAAAAC AGCCTAAAA CAGAAAAAGG	600
AGTGGGGAGG CGATGTGCTT CACTCACTCC TTTTCCATT TTGCTACTCT TCGAAAATCT	660
CTTCAAACCA CGTCAGCGTC GCCTTGCCGT ATGTATGGTT ACTGACTTTG TCAGTTTCAT	720
CTACAACCTC AAAACAGTGT TTTGAGCTAA CTTGTCAGT TTCATCTACA ACCTCAAAC	780
TATGTTTGA GCTGACTTCG TCAGTTTCAT CTACAACCTC AAAACCATGT TTTGAGCCGA	840
CTTCGTCAGT TTCATCTACA ACCTCAAAC TATGTTTGA G	881

1331

## (2) INFORMATION FOR SEQ ID NO: 301:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 949 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 301:

```
CCTTTTAA TACAAGTTAT TTTGATTAA CCGGCTGTC TTGAGCTGTC TGCAAAGCTG      60
TGGCAATCGT ATCTGCATAC AATTTTGCTC CTGCTTCGAT AGTGCTACTC TCACTCCCGA      120
AATGAACCTG GTCTGTTCCA GCCCAAATTT CTGGATGCTC TTTCGCAACT TGATTCCAAT      180
CTGCTATCGT AATGTAAGGT GTCTTCTCTG CCAATTCTCT CATATAGGCA GCAGCCTTCT      240
CAACGATGGC ATAGGTCTCT TTTGTCTTAT CTCCCTCATA AGGAGTCACC AAAATCATAT      300
GGTGTCCTTT AGGAAGATTT TTCACGATAC TGTCCAGTC ATCCTTGTA TTTCTCAGGAT      360
TATTTACCCC AGTCGCAATG ACCACCGTCT TAGGTAAAAA TTTATTCTGG CTATTATTTA      420
GCATGATTTT ATTTGCGGTC TTGGTTGTTA CGCTGACCTG CGCGTTAATC TGTGCTCCAG      480
GAAGAGCTGT CTGTAGTGCT GTATTTGCCC TTAAAGCCAC TGAGTCACCA ATTAACATAG      540
TGCCATCAGC AATTCCCAA CTGTTTGCAT CTGCCCCTTC TGCCATCACC TTGGTCTGGC      600
CAATATTTGT TGCAGCTTGC TTCAAGCCAT TGACAGTCAA GTCTGTCTCA AACGCTCCCA      660
CTTGTTGGTGC CAACAAGGTC ACCGTGCAGA CAATGATGGT CAAGATTCCT GTACCTGCTG      720
CAAGAATTGC GTGAATATAA GGCAGGGGAC GAAGGGTTG GACAATAGGT GTGTTCTTGC      780
CTGCAATCCA AGTTTCCAAT ACATAAAATG ACAGACTGGC AAAGCCATAA GAACAAATCA      840
GAGTCAGTAA TACAGCAAGA AGATTTGATG TCAACTGTGA GAAATGATA TAGAAAGGCC      900
AATGGAAAAG ATAAACCGCA TAGCTAGTAT CCGCTAAAAA GCTGATAAT      949
```

## (2) INFORMATION FOR SEQ ID NO: 302:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 622 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 302:

```
AAGATATATT TTTTACACAG AAGTATGCAA AAGTAAAGAG TGCAAAAAAT GGAATTAAAG      60
```

1332

CGAAAATAAA AGCCGTGTAC AGGCGACCAA ACCAACGTAC ACGGCTAAGG AAAAATAACA	120
AAACTCAAGC AAAGGCAAGG CGCGTGGTTT TGTTAGGTAT TTAGCAAGGG GACAAACCCC	180
TTTGTAATA ATCTCCTCTT ATTTTATCAA AATTAGAGGA AAATGACAAC TTAATTTATA	240
AAAAGGAAAA ATGGAGGATA TAAATGGAAA TTCTGTCTAA AGAAATACAG TTACAGGGCT	300
TACAACTTCT TAAACAGACT CTTGAACTT TAGTTGAGCT AGAAAAACAA CGATCTAGTA	360
AGTTAGATTT AATTCTCGT AAAGAATTAA TGGATCTGCT AGGTATAAGT GCTACAACCC	420
TTGATACTG GGAGGATCTT GGTCTTAAAC GATATCAGAC TCCGATGGAT GGAGCTAAGA	480
AAGTATTCTA TCGTCCGTCA GATGTGTATT TATTTTTCAGC AATAAAATAG GAGTTATGAA	540
ATGAAAATTG TTACTTTCAA ACCAACTAAA CAAATAGACG ATGGGTTTTA ACTGCCAGGT	600
ATTGACATTC TATTGTCTC AG	622

(2) INFORMATION FOR SEQ ID NO: 303:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1929 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 303:

CGCTAATTG CAAACAAAAG AAGAACGCAA ACTCCACAAA TCCTTTACGC AGAACTCAA	60
TCTCATCTAC TTACCTTGCT GACTTGGTAG AGTATGTTGC AGACAAAGAC TTCTCAGTAA	120
ACGTAATTC TAAATCAGGT ACAACAAGT AACCAGCGAT TGCTTTCCGT GTCTTTAAAG	180
AACTCTTGGT TAAGAAATAC GGTCAAGAAG AAGCTAACAA ACGTATCTAT GCAACAAGT	240
ACCGCCAAA GGGTGCTGTT AAGGTTGAAG CAGACGCTAA CGGTGGGGA ACATTTGTTG	300
TTCCAGATGA TATCGGTGGA CGCTTCTCAG TATTGACAGC CGTTGGTTTG CTTTCAATCG	360
CAGCATCAGG AGCTGACATA AAAGCTCTTA TGGAAGGTGC GAATGCAGCT CGCAAAGACT	420
ACACTTCAGA CAAAATCTCT GAAACGAAG CTTACCAATA CGCAGCTGTT CGTAACATCC	480
TTTATCGTAA AGGCTATGCA ACTGAGATCT TGGTAAACTA TGAGCCATCA CTTCAATACT	540
TCTCAGAAATG GTGGAAACAA TTGGCTGGTG AATCAGAAGG AAAAGACCAA AAAGGTATCT	600
ACCCAATTTC AGCCAATTTC TCAACTGACT TGCATCACT TGGTCAATTT ATCCAAGAAG	660
GAATCGTAT CATGTTTGAA ACAGTTGTCC GTGTTGACAA ACCTCGTAAA AACGTGCTTA	720
TTCTACTTT GGAAGAAGAC CTTGACGGAC TTGGTTACCT TCAAGGAAAA GACGTTGACT	780
TTGTAAACAA AAAAGCAACT GACGGTGTTT TTCTTGCCCA CACAGATGGT GATGTACCAA	840

1333

ACATGTATGT GACTCTTCCA GAGCAAGACG CTTTCACTCT TGGTTACACT ATCTACTTCT	900
TCGAATTGGC AATTGCCCTT TCAGGTACT TGAATGCTAT CAACCCATT GACCAACCAG	960
GTGTTGAAGC TTATAAACGT AACATGTTG CCCTTCTTGG AAAACCAGGA TTTGAAGAAT	1020
TGAGCAAAGA ACTTAACGCA CGTCTATAAT AGAAGAAAAG AGTGGTTTGC CCACTCTTTT	1080
TACTCTCTTT ATCCATAGAA ATTGGACTCA GCCAAGACTT GTGATATAAT ATAGAAAGCA	1140
AAAAGGCAGA CGCTAGATA ATAGGAGAAA CTATGTCAA AGATATCCGC GTACGTTACG	1200
CACCAAGTCC AACAGGACTA CTACACATCG GAAATGCTCG TACAGCATTG TTTAATTACT	1260
TGTATGCGCG CCATCATGGT GGAACATTTT TCATCCGTAT CGAAGATACT GACCGTAAAC	1320
GCCATGTCGA GGATGGTGAA CGTTCACAAC TTGAAAACCT TCGCTGGTTA GGCATGGATT	1380
GGGATGAAAG TCCAGAATCA CATGAGAATT ATCGCCAGTC TGAGCGTTTG GACTTGATC	1440
AAAAATATAT TGACCAACTA TTAGCTGAAG GAAAAGCCTA TAAATCTTAC GTTACAGAAG	1500
AAGAGTTGGC AGCTGAACGC GAACGCCAAG AAGTAGCTGG CGAAACACCA CGCTACATCA	1560
ATGAATACCT TGGTATGAGT GAAGAAGAAA AAGCAGCTTA CATCGCAGAA CGTGAAGCAG	1620
CAGGGATCAT CCCAACTGTT CGTTTGCTG TCAATGAGTC AGGTATCTAC AAGTGGCATG	1680
ATATGGTCAA AGGCGATATC GAATTTGAAG GTGGCAATAT CGGTGGTGAC TGGGTTATCC	1740
AAAAGAAAGA CGGTTACCCA ACTTACAACT TTGCCGTTGT TATCGATGAC CACGATATGC	1800
AAATCTCTCA TGTATCCGT GGAGATGACC ATATTGCTAA TACACCAAAA CAGCTTATGG	1860
TCTATGAAGC TCTTGGTTGG GAAGCTCCAG AGTTCGGTCA CATGACCTTG ATTATCCACT	1920
CTGAAACTG	1929

## (2) INFORMATION FOR SEQ ID NO: 304:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 708 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 304:

AAATTTAAGA AAAAGGAGAC ACATCATGTC TAAAAAGTA TTATTTATCG TCGATCACT	60
ACGTCAAGGT TCTTCAACC ACCAAATGGC GCTCGAAGCT GAGAAAGCAC TTGCTGGTAA	120
AGCGGAAGTT AGCTACCTTG ATTATTCAGC CCTTCCTCTC TTCAGCCAAG ATTTGGAAGT	180
TCCAACACAT CCAGCTGTAG CTGCTGCTCG TGAAGCAGTT CTCGTTGCGG ATGCTATCTG	240

1334

GATTTTCTCT	CCAGTCTACA	ACTTCTCTAT	CCCTGGTACA	GTGAAAAACT	TGCTTGACTG	300
GCTATCTCGT	GCCCTTGACT	TGTCTGATAC	ACGTGGCGTT	TCTGCCCTTC	AAGACAAGTT	360
TGTCACAGTA	TCATCTGTAG	CCAATGCAGG	GCACGATCAA	CTTTTCGCTA	TCTACAAAGA	420
CCTCTTGCCA	TTTATCCGTA	CACAAGGCGT	TGGTGATTTC	ACTGCTGCAC	GTGTTAATGA	480
CTCTGCCTGG	GCAsACGGAA	AATTGGTTCT	TGAAGAAACA	GTCCTAAACT	CACTTGAAAA	540
ACAAGCTCAA	GACTTGGTCG	AAGCTATCAA	GTAACATAACA	CTCAATAAAA	ATCAAAAAGC	600
AAACTAKGAA	GCTArCCGCA	AGCTACTCaA	gCACTGCTTT	GAGGTTGTAG	ATAGAACTGA	660
CGAGTGTnnA	ACATATATAC	GGTAAGGCGA	CACTGACGTG	GCTTGAAh		708

(2) INFORMATION FOR SEQ ID NO: 305:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 781 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 305:

CTTCTTTTCT	TGGAAATAGG	TGTATAATAC	GTTTATTAAA	TTTTTGAGGA	GTTGTCTATG	60
AAGAAAAGTT	TTATCCATCA	ACAAGAAGAA	ATTTCCCTTG	TCAAAAACAC	TTTACCCAG	120
TATTGAAAG	ATAAGCTAGA	AGTTGTGCGA	GTTCAAGGTC	CTATCTTGAG	TAAGGTCGGT	180
GACGGAATGC	AGGACAACCT	GTCTGGTGTG	GAAATCCAG	TATCGGTCAA	GGTTCTCCAA	240
ATCCCTGATG	CTACTTATGA	AGTGGTGCAC	TCATTGCTA	AATGGAAACG	CCACACCTTG	300
GCTCGTTTGT	GCTTTGGTGA	AGGAGAGGGT	CTCTTTGTCC	ACATGAAAGC	CCTTCGTCCA	360
GATGAGGATT	CCTTGGATGC	AACCCACTCT	GTTTATGTTG	ACCAGTGGGA	CTGGGAGAAG	420
GTTATCCCAA	ATGGTAACCG	TAACATCGTT	TATCTAAAAG	AAACAGTTGA	GAAGATTTAT	480
AAGGCTATTC	GCCTGACTGA	GCTAGCTGTT	GAAGCCCGCT	ATGACATCGA	GTCTATCTTG	540
CCAAAACAAA	TTACCTTTAT	CCATACAGAA	GAATTGGTAG	AACGCTACCC	AGACTTGACA	600
CCGAAAGAAC	GTGAAAATGC	GATTGTGAAA	GAATTGGAG	CCGTCTTTT	GATTGGTATC	660
GGTGGCGAGT	TGCCAGATGG	TAAACCGCAC	GATGGACGTG	CACCAGACTA	TGATGACTGG	720
ACAAGCGAGT	CTGAGAATGG	CTACAAGGGT	CTAAATGGTG	ATATTCTTCT	CTGGAATGAG	780
T						781

(2) INFORMATION FOR SEQ ID NO: 306:

- (i) SEQUENCE CHARACTERISTICS:



1335

- (A) LENGTH: 846 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 306:

CCCGCATCTT GTAGGGTTT AACGGGCACG ATTTTCATAT CCGTCTTGAT TGTTT TAGCC	60
GCTTCTAGGG CTGTTTGGA GTTGTTTTTC GCGTCCGGAT GCGCCTTTTG TTCTTCTTCG	120
CTAACAGGGT TATCAGGAGC AAAGAAAATA GCAGCACCTG CCCTAGCCGA AGCTACAACC	180
TTCTTATCAA TACCTCCAAT GTCTCCCACA TTACCATCGC GGTCAATGGT ACCTGTACCG	240
GCAACAATAC GACCATTACG AAGATCTGGG TGAGCTATTT GAGTATAGAT AGCTAGACTA	300
AACATGAGAC CAGCACTTGG ACCGCCAATA CCAGCTGTTG AAAAGCTAAT TGGGACATTG	360
CTGATTACCT CTGTACGGTC AATCAAGCCG ATTCCAATTC CATTTTGGCC ATTTTCCAAG	420
GTGATGATTT TTCCTTCTGC AGACTTGGTT TGCCCATCCT CTTCATAGGT GACCTTGACG	480
GAATCCCCTA ATTTTGTAGA ACTGACGTAA TCAATCAAGT CTTTGGAACT ATCAAAGGTC	540
TGATCATTGA CTGCTGTGAC TGTATCAGAG ATATTGAGAA TCCCTTTAAA GGTGAATTA	600
TCCGTCACAT TCAAAACATA AACTCCAAAG TACTTGAGTT CGATATCCTT ACCAGCTGTT	660
TTTAGTCCTT GATACTTGGC CATATTTTGC GATGTTTGCA TGTAGAATTG ATTGATTCCG	720
ATAAATTCAA CATCGGAAGA ACCACCTGTA GTCTCCTGAG CACTACGAAT ATCTGTAAAA	780
GGTGTC AACCATAAAT CATATGAGCT AAAGTGGCAT GTTGAACACC AACCGTAACG	840
AATTGT	846

## (2) INFORMATION FOR SEQ ID NO: 307:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 829 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 307:

GCGATCTGCT TGGGCTTTTC CTATTACCTT ATCTAATAAA TAGGTACGCA GACTCATAAC	60
CATATAAAGT CCACCCCCCA TGGCACCGAC AAGAGCTACA TAAAGAAGC TCCACAAACG	120
TCCACTTGCT TGAAGAAAA ATCCTAACAG CCACTGGATG GTTCCTATTA ACAGAAACAT	180
GACTAGGGTC AGCAAACTGA TAAAATGGT TCGCTTCAA ATCACCTTGC GCTTGACACC	240

1336

AGTTACTTTA CAAATATCCC GATACATCAA GACGTTAGGA ATGATGAGAG CAATGGTTGT	300
TGAAATCAAA GGACCATAAC TGTGGAAGAG GCGATGGTA GGTAGTTGCA AGACTAGCTT	360
GGCAATAGAA CCATAGATAA AATAGAGAAC GGCCTTGCGG TTGCGGAACA TGGCCTGAAG	420
CATTGGAGAC AAGACCATGT ACAAGCCTAA AATAATAGAC TGCAAAACTG CAAAGACAAA	480
TAAGCCCAGA GCCAAACTAT CTGGCTTACC ATAGAAGACC GTATAAAGAG GTTCTCCTAC	540
CATAACCACT CCAACCGTTG CTGGTAGCAA GAACATAAAG AGTAGGGTGA GACTGTCCTG	600
AACGAGACGA GAAGCTGCTT TCAAGTCCCC CTGACATAG TTTCCGTCA AAAGTGCGAA	660
ACCAACACTC CCAATCGAAA CCCCTACAGA AATCAAAATC ATCGTGATTT TATTAGGATT	720
GGCTGAGAAA TAAGAAAACA TGACAACCAA GTCCTCATTT CTGTAGTTGG TAAACCAGCT	780
CATACTATTG ATAAAGGTCA GCTGAGTCCA AATCTGGAAG AGCTGGATG	829

(2) INFORMATION FOR SEQ ID NO: 308:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 464 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 308:

CGAACATCTT GCTGGCTGAT TCGTCTGCCG CCATCGCAGC CCCGAACACA TTGCGACCCA	60
TGGCAAGCGG GCTCAATCCG CACATGGGAT CCGTGCCAAA GCCCCGCGTG TGCATCATTT	120
GCTCATCTAG TAACGTATGA GGTTCGCCTT CGCTGTCGAT AAACCGATAT TCAATCGCAC	180
CACTGCTCGT TCTCCGCGGA GGGGAAACCG ACTGCGGTAG GATGAACTCC AGAGAAGAGA	240
GATCACGACC TACCAGGTGC GGCTCGTTGA AGCTGTTGCC GCTTAGCAGC AGGCTCGCCA	300
CCACGCATTC CCAGAACTCA ACGGGGGTTT GATCGGCGTT CGGTTGCTGA CTAATAACTC	360
GGTGACCGGG ATGCGAAGTG GCCACTTCTG GCACACCGTT CTTGTCTTCG TAGAGAGCAA	420
TTGGGAGGCT GGCCAGCGTT TCGGCGATGA GGCGCACGCA GGCC	464

(2) INFORMATION FOR SEQ ID NO: 309:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 982 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 309:

1337

CCGTCTATAA TGGTAATAGA TTTTATTTGG AGGTTTTTAT GTCATTCTA TCAAAAAATG	60
GAGCAGGTAT CTTGGCCTGC CTTCTCATTT CCATCCTATC TTGGTACTTA GGAGGATTCT	120
TCCCTGTGGT TGGCGCGCCC GTTTTGGCCA TTTTCATAGG CATGCTCCTA CATCCCTTTC	180
TCTCGTCCTA TAAACAACTG GATGCTGGTT TGACCTTTAG TTCCAAGAAG TTGCTCCAAT	240
ATGCCGTTGT CTTGCTTGGT TTTGGTCTCA ATATCTCGCA GGTCTTCGCA GTTGGCCAAT	300
CTTCACTCCC TGTCATCCTG TCCACTATCT CAATAGCTCT GATTATTGCC TACCTCTTCC	360
AGCGTTTCTT TGCCCTGGAT ACAAACCTGG CTACCTTGGT TGGAGTAGGT TCTTCTATCT	420
GTGGGGTTC TGCCATTGCA GCGACAGGCC CGTTATTGAT GCTAAGGAAA AGGAAGTAGC	480
CCAAGCCATT TCCGTTATCT TTTTCTTCAA TGTCTTGGCT GCGCTCATCT TTCCAACCCT	540
CGGCACCTGG CTTTCATCTAT CCAATGAAGG CTTGCCCCTC TTTGCAGGGA CTGCGGTCAA	600
CGACACTTCC TCTGTAACGG CTGCCGCCAG CGCTTGGGAC AGTCTTTACC AAAGCAATAC	660
CCTCGAGTCT GCAACCATTG TTAACCTCAC ACGTACTTTG GCCATTATCC CTATCAGCT	720
CTTTCTATCC TACTGGCAAA GTCGCCAACA AGAAAACAAG CAAAGCCTGC AACTGAAAAA	780
AGTCTTCCCA CTTTPTATCC TTTACTTTAT CCTTGCCTCT CTCCTCACTA CACTACTCAC	840
CTCTCTAGGT GTGTCCAGTA GTTCTTTTAC TCCTCTCAAA GAACTCTCTA AATTCCTTAT	900
TGTCATGGAC ATGAGTGCTA TCGGTCTCAA AACCAATCTG GTCGCTATGG TCAATCCAG	960
TGGAAAATCC ATTCATCATG GA	982

(2) INFORMATION FOR SEQ ID NO: 310:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1939 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 310:

CTAGCTGCCA ATATGATTGG GGTGCAGAAG CGCGTGATTA TCTTTAATCT TGGCTTGGTT	60
CCTGTGGTCA TGTTTAACCC AGTGCTTCTG TCCTTTGAAG GATCCTATGA GGCAGAAGAA	120
GGCTGTTTGT CCTTGGTAGG TGTGAGATCA ACTAAGCGTT ATGAAACCAT AAGGCTTGCC	180
TATCGTGACA GCAAGTGGCA GGAACAGACC ATTACCTTGA CAGGCTTCCC AGCTCAGATT	240
TGCCAGCATG AGCTGGATCA CTTGGAAGGA CGAATCATTT AGGAGGAAAG CAAATGAAAC	300
GAATAGTCTT TGAACCTATT TTTATCGCAA CGACCTGGTA TATCTTTTTA CCGCCCCTTA	360

1338

ACCTGACCAG CTGGGAATTT CTCTTCTTCC TCTGTGGGCA TTTGTTAGTT GTGGCAATAT	420
TATTTGGCTT TGGCAAGGGG ATAAACCTTG TCAAAACGGT TCATGTGCGC CACGGTAAGG	480
CGGAAGCTGC CTTAAATCTT GAGGGTTTCA AAATCAATCG GTTAGGGAAA ATTCTGTTAG	540
CTTCGATTGG AGGAATCTT CTCTTGGCAG CTTTGGTTTc CTTGGTAACT TCCAGCATGT	600
TTCAGGCTAA AAATTATGCC AATGTAGTCA CGGTACGGA AAAAGACTTT ACTGAATTTC	660
CTAAGAGTGA CACCAGTAAG GTTCCTATCC TAGATAGAAG TACTGCTGAA AAAATTGGAG	720
ACCGCTACTT GGGTTCCTA ACCGATAAGG TGTCGCAATA CGTAGCGGCA GATACCTATA	780
CCCAATTGAC AATTGATGGG AAACCTTATC GGGTCACACC ACTAGAATAT GCAGACCCTA	840
TCAAATGGTT TAACAATCAA GCCAAGGGAA TCGGTGAGTA TATTAAGGTG GACATGGTAA	900
CTGGAATGCG GGATTTGGTG GACTTGAAGA CACCAATCAA GTATTCAGAC TCGGAGTATT	960
TTAACCGTGA TGTCAAACGT CACCTGCGCT TGAAGTACCC GACCAAAATC TTTAAAACCTC	1020
CATCTTTTGA GGTGGACGAT GAGGGCAATC CTTTCTATGT AGCAACGGTT TACCAAAAGC	1080
AAATTGGACT TGCTGTTCCT CGTCCTGCTT CAGTCATTAT CTTGGATGCT ACAAATGGAG	1140
AAACCAAGGA ATACAGCTTA TCAGATGTTT CAGAATGGGT GGACAGGATC TATCCAGCAG	1200
AGGAAACCAT TGAGCAAATC AACTACAACG GCAAGTACAA GGACGGTTTC TTGAATGCCA	1260
TGATTTCCAA GAAAAACGTG ACCCAGACTA CCAATGGCTA TAATTACTTG TCTATCGGTA	1320
ATGACATCTA TCTCTACACA GGTGTGACGT CGGCTAATGC GGATGAGAGT AATCTTGCTT	1380
TCATCCTTGA AAATATGCGA ACAGGAGAAA TCACTAAGTA TAGCTTGGCT TCTGCGACAG	1440
AAGAATCAGC CCGTGAATCA GCAGAAGGTG CTGTTCAGGA GAAATCCTAC AAAGCAACCT	1500
TCCCAATCCT CATCAACCTC AATGACAAGC CTCTCTACAT CATGGGCTTG AAGGACAATG	1560
CTGGCTTGGT CAAAGAGTAC GCCCTGGTAG ACGCAGTCGA GTACCAAAAT GTTATCGTTG	1620
CTACTACAGT GGAAGAGATG CTCAGCAAGT ATGCCAATAA AAACGACCTT GAAATTGACA	1680
ATGCAACGAC AGAAAGCATC AATGGAGTAG TAGCAGACCT CAAATCAGCT GTTATCAAAG	1740
GAGACACTGT CTACTTCTTT AAAGTTGATG GCAACATCTA CAAGGTCAAG GCTTCAGTAT	1800
CCGATGACCT TCCTTACCTT GAAAATGGTA AAACCTTCGA AGGTCAAGTA GGAAAGACA	1860
ATTATCTCAA GACCTTTAAG CTACGGTAAA AATAGGTTTT TTTCAGAAAG TATATGTTAT	1920
AATAAGGTAA ATTAAGCCG	1939

(2) INFORMATION FOR SEQ ID NO: 311:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 907 base pairs
  - (B) TYPE: nucleic acid

1339

(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 311:

CCTGCTAATA GAGAGAAAGA CTAGGAGTAG AAGTAAGCCA ATTAAATAAT GAGAAAGTTT	60
CATACCCCGT CCTTTCATGT AGATTGGTA TCGAAAGATA TCTGCCGATA TAAATGTAAC	120
ATTATTTTTC TAATCTGTCA ATAAAATTTC TGACAATTTA ATAAATACAA CAAGGAGAGA	180
GCAACAAGAC TTTCTCCTTT GTTATCCTAT TCTAAAATGT TTTTACCTTA ATCTGATAAA	240
ATAATATCTT CGAGGGAGTA GCTAGCCGTC CAATCAAGAT ATTGTTTAGC TTTTGAAGCA	300
TCTGCTAGGA CACTGGCTGG GTCCTAGCA CGTCGAGCAA CAATCTCGTG TGGGATTTTT	360
TAATTTAGTA ATTCCTCAGC AGTTTAAAG ATTTCTTTGA TAGTATAGCC TTTTGTAGTT	420
CCTAAGTTAA AGATTGAGA AGAACTGTCT TCTTGAAATA GGTAGTTCAT TCCTTTAACA	480
TGAGCCTATG CAAGGTCCAA GACATAAATG TAATCTCGAA TACATGAACC GTCACGTGTA	540
TCGTAGTCAT CTCCAAATAT TTTTAAGCTA TCATTTTGTC CCAATGCCGT CTTGTTGATA	600
TTTGGAATGA TGTGAGTTGG ATTTTTCACA CGCAGACCGT TTGAAGCATC CATTTAGCC	660
CCAGCAACAT TAAAGTAACG GAAAATAACA TATTTCCAGT CGTAGCGATT GGCCATCCAG	720
TAAATCATTC GTTCGCCCAT CAGTTTGTG TCTGCATAAG GGTGACAGG GTCGAGCAGG	780
GTATCTTCAG TCACCGGCTT GTCAATACAG TTATTTCCAT AGAGAGAAGC AGTCGAAGAG	840
AACATGATTT TTTGAATGCC AACTTCAGAT AAGACTTTGA GAACTTGGTT CATACCAGCA	900
ACGTTGG	907

## (2) INFORMATION FOR SEQ ID NO: 312:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 2170 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 312:

CCACATAAAG GTAAATATCT TTTGTACTAT CTTGGGCATC CAAGAAAAGC AATTGGGCAA	60
TAACAGAGTT AGCCATATTG TCTTCAACCG GACCTGTCAG CATAATGATG CGGTCTTTGA	120
GAAGACGTGA GTAAATATCG TAAGAACGTT CTCCACGGCT TGTTTGTTCATAAATACTACAG	180
GAATCATTCATA TTTCTCCTTT TGAGTTTAA TTTTGTGGT CAAATGACTG AAGATAAGAC	240

1340

TATTATAATA TCTTGGTCAA AAAAGGTCAA ATTTTGGCTC TGCTTTCATT AGACAGAAAC	300
AAAAACCCAA CCTCCTTTCG TGACTGGAAA TACTTTTCCA AGTCATTCTT CTTTTCGATC	360
TTATTTTGTA CCGAACAAGC GGTCTCCAGC ATCTCCAAGA CCTGGAACGA TATAACCGTG	420
TTCGPTCAAA CGTTCATCCA AGGCTGCTGT AAAGATTCTT ACATCTGGAT GAGCTTCTTG	480
AAGGGCTTTT ACACCTCTG GAGCAGATAC AAGGCAGACA AATTTGATAT TTGATGCGCC	540
ACGTTTTTTA AGAGAATCAA CAGCCAAGAT TGCTGAGCCA CCTGTTGCCA ACATTGGGTC	600
TACTACAAA ATTTGACGTT GGTCAATGTC CTCAGGCAAT TTCACCAAGT ATTCAACTGG	660
TTGAACTGTT TCTTCATCAC GGTACATACC GATGTGGCCA ACTTTAGCAG CTGGAACCAA	720
GTTCAAGAGA CCATCAACCA TCCCGATACC TGCACGCAAG ATTGGGACGA TGGCCAATTT	780
CTTACCTGCC AATTGTTTTT GAACTGTTTT TGTAATTGGT GTTTCGATTT CCACATCTTC	840
TAGTGAAGA TCACGAAGTA CTTCATACCC CATCAACATT GCAATCTCAT CTACTAGCTC	900
ACGAAAAGCT TTTGTAGAAG TATCTGTACG ACGCAAGATT GACAATTTGT GTTGAATCAG	960
TGGGTGATTA ATAACITCAA TTTTCCCAT TTTTGGAAAT CCTTCTTTCA ATTTATCTTT	1020
CTTATPATAC CAAAAACGG TTAAAAATC TTCTAAACC ATTTATTTTT GATAATTTTT	1080
ACATTAGATC AGCCTCTTTA AGAGCTGTCT GTACTGTCTC AAGTGGTAAA TGGGTCAATT	1140
CTGTCCCTTT TTCTTGATAA AGGTATTGGG CGTAGTCGTC CATTCGGTAC TGGTTGATAT	1200
AAACCACGGC CTTCGAGCCG ACCTGAAGCA ATTGTTTTGT ACAGTTGAGA CAAGGAAAAT	1260
GGGTTACATA GGCTGTAAAG CCTTTGGGAA CACCACGCTC AGCACCTTGA AGGATAGCAT	1320
TGACCTCAGC GTGAAGGGTG CGAACGCAGT GGCCTTCAAT GACCAAACAT TCGTGATCAA	1380
TACAATGCTC AGTCCCTGAC ACCGAACCAT TGTAACCACT GGAAATAACC TTATTATCTT	1440
TTACCAGAAAT CGCGCCCACT TTAGCACGTT TACAAGTGA ACGATTGCGA ATTAGTAGAG	1500
CTTGGGCTGC AAAATACTCA TCCCAGGCCA GTCTTTTTTC AGTCATCTCT TTTCTCCTTT	1560
TTCTCTATTT TTAAAAAAT GGTAACCTA AATCTGCAAT CTTTTCAGCT GGTACCTTCA	1620
TGCCATCCTT GATCCATTTT AGAAGGACAG AGACGATGGC TGAGCTCCAG AAGGAATGAA	1680
GATAAGAGCT GACACCTTTT GATTTCCCAT GGTATTTTTT TAGAAATTCC TGCATGGCTT	1740
GGACAAAGAT TTTTCCAGA TGGTAATCCA AGGCCAATTG AATTACTCTA GCTTCCTTTC	1800
TGGCCTCCCG GAAAAGGTGA ACCCAAACCA AATAAAGGTC TGTCTTTAAA TCGTAATGAT	1860
GCAGCTGTTT CATAATATTG TGGACAGTTC GTTTAAAGAC GCTCTCTAAA ATTTCTCTTT	1920
TGGAGTCATA ATTGCGATAA AAGGCCGCAC GCGAAACACC TGCACGTTTG ACCAATTCAG	1980
AAATACTAAT CTGGTCAGT TCCTTTTTTT CCAAGAGTTG CAAGAGGGCT GTTTCAATGG	2040

1341

CTTCTCTGGT TAATAAATTG GATTCTTGGT TTGATTTTCT GAGATTTTCA AGAGACTTTT 2100  
CAGAGATTCT ACGTTCAGAC ATAACATTTT CTTTCTACTT GTCACAACAG ACGGATGATG 2160  
CTTTTGTTTC 2170

(2) INFORMATION FOR SEQ ID NO: 313:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 539 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 313:

ATCTGCACGA ATCAGGGCTT TCTAAGTGAC TATTTCCACC GAAATATTAT TTATATCAGG 60  
AGGACATTCA TATGTACAGT TATACAGGAC CATCTTGGAA ACAAGCTCGT CGTCTTGGCC 120  
TTTCACTTAC AGGTACAGGT AAAGAATTGG CACGTCGTAA CTACGTACCA GGACAACACG 180  
GACCAACAA CCGTTCTAAA TTGTCAGAAT ACGGTTTGCA ATTGGCTGAA AAACAAAAC 240  
TTCGTTTTCAC TTACGGTGTA GGTGAAAAC AATTCCGTAA CTTGTTTCGTA CAAGCTACAA 300  
AAATCAAAGG CGGAATCCTA GGTTCAACT TTATGCTTCT TTTGGAACGT CGTTTGATA 360  
ACGTGTGTTA CCGTCTTGGT CTCGCGACTA CTCGTCGTCA AGCTCGTCAA TTCGTAAACC 420  
ACGGTCACAT CCTTGTGAC GGGAAACGCG TTGATATCCC ATCATrCCGC GTAACCTCCG 480  
GTCAAGTGAT CTCAGTTCGT GAAArATCAT TGAAAGTTCC AGCAATCCTT GAAGCAGTA 539

(2) INFORMATION FOR SEQ ID NO: 314:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 667 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 314:

CCGGTTTTCG TCCTTCTCTA CGGCTACGAC GTGATGTATC TCTGATGATA TCCACTGTTT 60  
CTGTAGCAGG CGTAGGTGTT TCTGGACCTG CTTGTTCTGC TTTTCTCTCT GCCGTCGTAT 120  
AGGAAACAGC TACCCTTGTT GGGGTTTCAT TGTATTCTCT TTCAAGTTTC TTAGGTCTAA 180  
CAGGACCTGG ACCTGGTCTT GATCCACTTT CTTCCGCTGG AGAAGAAGGT ACATCTTGAC 240  
TTGGATGACT TGGAACACCA GGAGTTTCTC TTTGAATCTC ATCTGCTGGA GAAGCTGGTA 300

1342

CACCTTGACT TGGGTGAGTA GGCACGGTAG GAGCTTTTCT CATAATCTCC TCTACCGTTG	360
ACAAGGAATC AGCCATGAGT TCTTCAGTTG AAGGTTTCATT TGCAGGAGTG CGAACTACTG	420
CCTCATCTTC TTTCAGAACT TCATCATAGC CTTTACTTTT TTCTAAATCT CTCAGAACTCT	480
GCTCTTTAAA GCGTAATTTC TCTTCTGCTC TTGACTTTTC ACTCAAAAGT TTTTCCTCCT	540
TGTTGAGAAT CCATAATATT AGAGCTGAGA AGTCCAAAAA AAGCAATCTA TGATACTTTT	600
CCTAACGGAT TTTGTCATTT CCCAGACCAT ATCATACCAT GTTTCCTCCTG CAAAGGTTGA	660
CTGGGAA	667

## (2) INFORMATION FOR SEQ ID NO: 315:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1483 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 315:

GGGAAGCCAA GGTATTTTAT CGGATGAAGT TGTTACTAGT TCTTCACCGA TGGCTACAAA	60
AGAGTCTTCT AATGCAATTA CTAATGATTT AGATAATTCA CCAACTGTTA ATCAGAATCG	120
TTCTGCTGAA ATGATTGCCT CTAATCAAC CACTAATGGT TTAGATAATT CGTTAAGTGT	180
TAATAGTATC AGCTCTAATG GTACTATTCG TTCCAATTCA CAATTAGACA ACAGAACAGT	240
TGAATCTACA GTAACATCTA CTAATGAAAA TAAGAGTTAT AAGGAAGATG TTATAAGTGA	300
CAGAATTATC AAAAAAGAAT TTGAAGATAC TGCTTTAAGT GTAAAAGATT ATGGTGCGGT	360
AGGTGATGGG ATTCATGATG ATCGACAAGC AATTCAAGAT GCAATAGATG CTGCAGCTCA	420
AGGGCTAGGT GGAGGAAATG TATATTTTCC TGAAGGAACT TATTTAGTAA AAGAAATTGT	480
TTTTTTAAAA AGTCATACAC ACTTAGAATT GAATGAGAAA GCTACAATTC TAAATGGTAT	540
AAATATTAAG AATCACCCCTT CCATTGTTTT TATGACAGGT TTATTTACGG ATGATGGTGC	600
GCAAGTAGAA TGGGGCCCAA CAGAAGATAT TAGTTATTCT GGTGGTACGA TTGATATGAA	660
CGGTGCTTTG AATGAAGAAG GAACTAAAGC AAAAAATCTA CCACTTATAA ATTCTTCAGG	720
TGCATTTGCT ATTGGGAATT CAAATAACGT AACTATAAAA AATGTAACAT TCAAGGATAG	780
TTATCAAGGG CATGCTATTG AAATTGCAGG TTCGAAAAAT GTATTAGTTG ATAATTCTCG	840
TTTTCTTGGG CAAGCCTTAC CAAAACGAT GAAGGATGGG CAAATCATAA GTAAGGAGAG	900
CATTGAGATT GAACCATTAA CTAGAAAAGG TTTTCCTTAT GCCTTGAATG ATGATGGGAA	960
AAAATCTGAA AATGTGACTA TTCAAAATTC CTATTTTGGC AAAAGTGATA AATCTGGGGA	1020



1343

ATTAGTAACA GCAATTGGCA CACACTATCA AACATTGTCG ACACAGAACC CCTCTAATAT	1080
TAAAATTCAA AATAATCATT TTGATAACAT GATGTATGCA GGTGTACGTT TTACAGGATT	1140
CACTGATGTA TTAATCAAAG GAAATCGCTT TGATAAGAAA GTTAAAGGAG AGAGTGATACA	1200
TTATCGAGAA AGCGGAGCAG CTTTAGTAAA TGCTTATAGC TATAAAAACA CTAAAGACCT	1260
ATTAGATTTA AATAAACAGG TGGTTATCGC CGAAAATATA TTTAATATTG CCGATCCTAA	1320
AACAAAAGCG ATACGAGTTG CAAAAGATAG TGCAGAAaTWT TTAGGAAAAG TATCAGATAT	1380
TACTGTAACA AAAAAATGTA TTAATAATAA TTCTAAGGAA ACAGAACAAC CAAATATTGA	1440
ATTATTACGA GTTAGTGATA ATTTAGTAGT CTCAGAGAAT AGT	1483

(2) INFORMATION FOR SEQ ID NO: 316:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2453 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 316:

CCTGAACGCT TTTTATAAAA TATCATAAAG CCAATCTGAT TTATCAAGTG TGTCTAAGCG	60
ACGCGAATTA AAATTCATTG CATACTCCAT CGCTTCTAAA AAATCATTT TTGAAAAGAC	120
GTTAAATCA TCTAAATCT GACTCCAATA TAATAACAAA ACCAATCCCA TAATATCCTC	180
TGGTTGATTA TTCAATAAAT TTAAGTTGGT TTCATAAAAC CCTGGAGTTC CAAATAGAGG	240
CAACTTTTTT TCTTCAATTT GAGTTTCTTT CCTTAGGGCA TGCTCAAAGT CTATAATATA	300
AATATTATTT CTATTATCAA TAAGTATATT ATTAAATGAT AAATCTCTAT AGGAAAGATT	360
ATATTGGAG TTTATTATCT CCATATAATC AATTAATGTT AAAAACCAAT CATACGAGCC	420
ACTAACCATA TTATACTCGC TTAATTTATC TGCAATAATA AACTCAAATT CCACAAAATA	480
CGAATTCCTT ATGTAAAAAT CGTTAAAAAC TTTTGGAGTA AATTCCTCCT TTTCCAATTC	540
TACTAATATT TCTCTTTCAT TTATTAAACG ATTCACAGAA TCTCTATTG TAAAATCAAC	600
CAACGATAAA TCACTAGCTT CTTTAAATAA AGAATAAACT CGCTTTTGAG TATTAAATAC	660
TTTATAAACT CCACCTTTGG CATTTTTAGA AATCACTTCC AAAATAATAT ATTGATCAGG	720
AATAGTGTTA TATCTTGGA TATAGTAATC CCTTATTGGA ACATTACAT TTGAAGGGAT	780
TTTCTTATCT CTTTATCCT TGAAAGTGCT ATCTTTTACG AACTCCCCAT ATCTGTAATA	840
TACAACCTCG CTAAGTTGAA ATCTGAAATC TGATGGTATG TTACACCCT TTACACCTTT	900

1344

ATACAATATT TCTAATTGT GTAACAAACG TTGAAACTCT TTATTATCTT TTGGATAAAT	960
TGTAATGAAT TTCCCGACTT GTGAATAACC ATTAAGCCCT GTATTTTGCA AAGAAAGTTC	1020
TTTAATGCTA ACCAAAATTT TGAAATTTAT CTTCTTCTCT CTAGAAAATA TAAATCAAA	1080
GAATTTTTTA GCAACCAAAT TAGCATTAA TATTGAAGCG CTCAGGTGTA TTTTAAATCC	1140
CTTAGATTGG GTGATATTAG ACGGCAAATT ATATAACCAA TGTTCATCAC TAAATTTATC	1200
ACTAATTTTA TATTCTAATA ATAAATTATG GTATGCGTCT TCTATTTTCTAG TTTCATAGTC	1260
CAAATAGTTT AAATACTTTT CGTAATTCAT ATTAAGAAAT CTTCTCCATA AATTTTTAGA	1320
CCATCATTTA AAGCCAAACA ATTTAAAGCG TGATAATAAA TGTGTGATAAT CAATGTAAT	1380
TTCAGTCCCTC TATTTTGTA TTTCTTCACC AATAATTTTA TGCTATATCT ATTTTCTCGA	1440
GGCAATTTAT AGGACTTCAA GATAAAACCA TAAAAGAGAT AAGTATTATA ATCTGACAAT	1500
CCAGTTTCAG AATAATTTT TAGAAAAATA TCTAGTGATT CTGATAATTC ATCCGGAATA	1560
ATTCCTTTTAA CATCGTATTT ATTTTTCATA TCGGCCACTC TTCCTTAAAA AGCTCACAAT	1620
AAAATTTTAA ATTTCTATAC AACAAATCCG GAGTAGTCTC ACAATTTGAA CATTTTCACAT	1680
CACTCTTAAT ATATAAAAA TGAATTAATC AGAAACCTCT GACTAAGATT TCCTAATTAA	1740
TTCACTTTCT ATATCATAGT AAGGAATTCT ATTATCCCTA ATTGAAAATT GAAATTTTAT	1800
GTTTTATATA TTAACAATTA TCGCGATTGT AAATCTTGTC TAACAAAATG GCAAGTGCTA	1860
CTATGTGCCC CAGAAGCGA TGCAACGCTA TTTTGAATTG AAAGAGCATA ATCATCCATA	1920
TCATTTAAGT CACGGATTAG CAATGCTTCC TTCTCTCTTC CGACAATTCC AAATTTTCTA	1980
ATTACCTTTT CAGGATTATC AAAAAATTCT CCAACAACCT CCATATTTCC TTGAAGTTCA	2040
TTCAAGAAAG CTTTCATTTG ACTACTCATT ATATAGCTCC TTTTCTATTA CTTTATTGG	2100
AATCAAACT TACTTGACATA TTGAAACAC CTCTATTCTA CGCTTTCATA TTGCTGCATG	2160
ACACTTTCAA AATCAAATTG CTAATAATAA TTTTTTAAAG CTTAATTTAG ATTTAATTAC	2220
ATATATCTCA AAAAATTGTT TTGAAATTAG TAAATTAAAA TAGGTTTCTG TACTTATAGG	2280
AACTAGTTAT AAAAATTCTG CCCATCATAA AATATCTATT TAAGTAAAC AAAAATTTTA	2340
TAATTTTTTG ATTTTAAAGT GACTATAATC TCCTATCTAT AAATACCATT CGCAGGACCT	2400
GGATCAATCC CTCTAGCCAT CTTATGAACT TGAGTTCCTC CAGACAGTCC CGG	2453

(2) INFORMATION FOR SEQ ID NO: 317:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1049 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1345

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 317:

CCAATTTGAA GGCTCTAAAA CAATGGAAAA GTGCTACACA GATGTGACAG AATTTGCCAT	60
TCCAGCAGTA CTCAAAACT TTAATTATCA CCAGTTTATAG ATGGCTTTAA CAGCGAAAT	120
ATTGCTTTTA ATCTTCTTG TTCGCCTAAT TTAGAATAAG TACAAACAAT GTTGGAACAG	180
GCATTCAAAG AGAAGCACTA TGAGAATACG ATTCTCCATA GTGACCAAGG CTGGCAATAC	240
CAACACGATT CTTATCATCG GTTCCTAGAG AGTAAGGGAA TTCAAGCATC CATGTCACGC	300
AAGGGCAACA GCCCAGACAA CGGCATGATG GAATCTTCT TTGGCATTTC GAAATCGGAG	360
ATGTTTTATG GTTATGAGAA GAACTTTAGA TCTTTAGAAA ACCTTGAACA AGCTATTGTG	420
GACTACATTG ATTATTACAA CAACAAGAGA ATTAAGGTAA AGCTAAAAGG ACTTAGCCCT	480
GTGCAATACA GAACTAAATC CTTCCGATAA ATTAATTGTC TAACTTTTGG GGTGCAGTAC	540
ATTTTGGTA TATATAAAAT TTGTAGGAGC TATATCTACA ATTTTATATT CCCAGTTTAT	600
GGATGTAAC TACTATATTC ACAATGTTAT CCAGTGTTTC TTCTCTAATA TTTAAGGAGT	660
GTCTGTTC TCGAATAAAT TCTTCAAAGT TTAACCCGTC AACTTGTTCC TGAACAAGAA	720
AATAATCATC CACGATATAA AATTCATCAG TTAAATTAGT AGTATAACTT TTATCGGCTA	780
ATTTTTTAG CATGTGAGCT TCATTTTTTA TATCATCAAG AGCTGTCCAT TCTCCTTCAG	840
CATCATAATT CAAAAAGGT CTTGACTGCT TGATGATTAC TTTTGCCCG TCCGATTTTC	900
TAATGCCCCG ATAAACATTT CCTTTATTG ATCTCTTAAT AATTTTTTCC ATTTGTATT	960
TATTTATTGC AGAGTCCTTA CTGAAACTT CACATGTGGT TTGAAAATAA ATCCTTTTTT	1020
CTTCTTCTGA AAATAAATCC ATTTCCCG	1049

## (2) INFORMATION FOR SEQ ID NO: 318:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 776 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 318:

TTAGTTGGTT AGAATCAGAA AATCGCCGAA GTGGTTATTT ATTTTGAAT AAATTTAACG	60
AACCAATTAC AGCAAGAGGA GTTGCTCAAC AGTTAAAAA TTATGCTGAT AAATACAAAA	120
TGAATCCTAA AGTAATTAC CCTCATCTT TTAGGCATT ATTTGCTAAG AATTTTTTAG	180

1346

CGAAGTATAA TGATATTGCC TTGCTTGACG ATTTGATGGG ACACGAAAGT ATAGAAACTA	240
CTCGAATTTA TCTAAGGAAA ACAGCTACTG AACACAAAA TATTGTAGAT AAAATTGTTA	300
ATTGGTAAAA AATAACAGGT GGTCAAACG ACTACCTGCT ATTTTGTGA TTATGGCTCT	360
TATTATGGGA ATATACCTAT GAATTGGGTT GTTATAAAAA TAAAAGATAT TTTTCAATA	420
AATACAGGTC TTTCTTACAA GAAGGGCGAT TTAAGCATTA ATAATAAAGG TGTTAGAATT	480
ATACGTGGTG GTAATATTAA GCCTTTAGAA TTTTCTCTGT TGGATAATGA TTAATACATT	540
GATACACAAT TCATCTCCTC TGAGCAAGTT TATTTAAAAC ATAATCAGCT AATAACACCT	600
GTATCAACCT CTTTAGAACA TATTGGAAG TTTGCAAGAA TCGAGAAAGA CTATGATGGT	660
GTTGTGGCTG GTGGATGTAT TTTCCAATTA ACACCATTCG AAAGTGCAGA GATGATGTCA	720
AAATGTCTAT TATGTAACCT GTCCTCTCCG TTATTTTATA AACAAATTGAA AGCAAT	776

(2) INFORMATION FOR SEQ ID NO: 319:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 658 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 319:

TGCAATGCCG CGGCTGCATA CGCTTGATCC GGCTACCTGC CCATTCGACC ACCAAGCGAA	60
ACATCGCATC GAGCGAGCAC GTACTCGGAT GGAAGCCGGT CTTGTGATC AGGATGATCT	120
GGACGAAGAG CATCAGGGGC TCGCGCCACC GAACTGTTTCG CCAGGCTCAA GGCGCGCATG	180
CCCCACGGCG AGGATCTCGT CGTGACCCAT GGCGATGCCCT GCTTGCCGAA TATCATGGTG	240
GAAATGGCC GCTTTTCTGG ATTCATCGAC TGTGGCCGGC TGGGTGTGGC GGACCGCTAT	300
CAGGACATAG CGTTGGCTAC CCGTGATATT GCTGAAGAGC TTGGCGCGCA ATGGGCTGAC	360
CGCTTCCTCG TGCTTTACGG TATCGCCGCT CCCGATTCGC AGCGCATCGC CTTCTATCGC	420
CTTCTTGACG AGTTCTTCTG AGCGGGACTC TGGGGTTCGA TGTCGACAGC CCGCCTAATG	480
AGCGGGCTTT TTTTTCCTGA GGCTGGACGA CCTCGCGGAG TTCTACCGGC AGTGCAAATC	540
CGTCGGCATC CAGGAAACCA GCAGCGGCTA TCCGCGCATC CATGCCCCCG AACTGCAGGA	600
GTGGGGAGGC ACGATGGCCG CTTTGGTCCC GGATCAATTC GCGCGACCGG ATCGATCC	658

(2) INFORMATION FOR SEQ ID NO: 320:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1475 base pairs
  - (B) TYPE: nucleic acid

1347

(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 320:

CCGGCTTAAT TTTTAGAAAA CGTGGGCAGG GAACCTTTGT TCTCTCTCGT GGCAGCTCAA	60
AAAGAAAATT AATCGTTCCA GAAAGAGATA TCCGGGGACT GACAAAAATA TCTGAAGATG	120
CTCATTCTAC AATTGACTCG AGGATTATTC ACTTCAAATT AGAATTTGCA AATGAATTTT	180
TAGCAGAAAA ACTACAGGTC GCTTTGCAGA GTCCAGTTTA TAATATTTAC CGCCTGCGTA	240
TTATTGACGG TAAACCTTAT GTTCTGGAAC AAACCTTATAT GAGTACCGAT GTTATTCCAG	300
GTATTACTGA AGATATTTTA CAAAAATCGA TTTACAATTA CATTGAAGGA AAGTTAGGAT	360
TGCATATTGC CAGTGCTACA AAAATCTTAC GAGCTTCTTC TAGTTCAGAA AATGAGCAAC	420
ATTACTTGCA GCTCCTTCCA ACGGAACCGG TATTTGAAGT AGAACAAGTG GCTTATTTGG	480
ATAACGGAAC TCCGTTTGAG TACTCGATTA GTCGTCATCG CTATGATTTA TTTGAATTTA	540
ATTCTTTTGC ATTACGACAT TCCTCCTAGG AGAAAATGTG AAAATGAAGC CAATCTTTTA	600
CAGACTCTAG TTTAAGAAAA ATTTAAACA GGGCAAGAAG GTCCCATCTA TGCTTAAATG	660
GTTTCTCTTT TCTAAATAAG ATGGCTTTAA AAGAGTGATC GTTGATCCA TCATGTTGAA	720
AAATATCTTC GTATAGCTTA TAGAGTAGGT ACTGAAATG TTCACCTGAT CTACTTCTTA	780
TAGTTATTTA GTTTTAAATA GTGTTTCAAA CATTCTTACA CTGACGAGAA GTTTTGTAGT	840
CTTTCTTGT AACACATATA GTATACTGTG GTTAGAATAG TAGACTGTGA CTTCTAACAA	900
ATTGCTAGAA ATGAATTTCA ATCTCCCAAT TTATTTGTTC ATATCTTCTT TTAATATATT	960
AAATAAATTC TAAATCATAA TCATTTAAAA AAATTTTATT TTTTATTTT CATTACGAAT	1020
AATATAGATG AAGGGGAAAG AGTATGAAAA CAGAACTGTT TCTTTTGCTA TTAGTTCAAA	1080
AGGAGAAAAA ATGAAAGTAG AAAATATTTT GTATAGGGTG GATCATCGTA AATTGTTTGA	1140
TAATATTTCT TTTGATACTT CGAGTTCAGA CGTGACATTA ATTACTGGTA AAAATGGTAC	1200
AGGAAAGTCA ACTTTACTAT AGTAGATTGA AACTAGAATA GTACACATCT ACTTCTAAAA	1260
TATTGTTAGA AATCGATTTG ACTATCCTGA TCTATTTGTC CTGTTCTTAT TTCATTTTCA	1320
TATATCTCAA ATTGAGTATG ACGAAGTGGC CTCCCATGTC CTGGGAACGC ACTTTCTTCA	1380
TATTTTTCAT ATTCTTGAAT CCATCGATAA AGACTATTGG GATGAATTTT TAAAGTTGAA	1440
CTAATCATTT TTACAGGATG AGATTTACAG CAGAG	1475

(2) INFORMATION FOR SEQ ID NO: 321:

1348

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 560 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 321:

GAAATATATA TACTTCATCT TAATAGTGAG CAAGCTAAAC TTAGCATTTC ATGCCCTCAT	60
ATGGGATGTT CTTTGACTAA ATAATATGAT TATCGAGATA TATCTGGATA AATGAACTAA	120
TAAGTCTGAC GCGTAGACTT ATCAAAGTCA TTGGCATAACA CCACTATGAA CTCGTTGGTC	180
TGTTCAAATC CCAACACATT ACCTGAGAAG AAAGTTGCAA TGTGTGTTTT GGTCCGGGTT	240
TGAATTAA AAATTTGTTA TGTAAGTACCT AATCTAAGGA ATTAGAACA TGCCTCTAAT	300
TTTTCTTTAA TACACTGAAA CATTGATGAT TCTGGCTGTA TTTTGGAAAC AGCTCTTCTT	360
TGCTCCTGGA AAATATCTTC AGAAGTTATA TTCTCTATTC CTAACGCTAC TTGAGTTTTT	420
TTTCTAAAAT ATTCTTTTCC GTTGCCATCT TTAGAAAAAT CATAACCTTC CCTATCTACG	480
CTGTTACACA AATTAGCTAA AAAAaACTCT GGGGTTGGGA AAGGAAGATA AGAAaCGTAT	540
TTAGCCCATATA ATCTATAAAG	560

(2) INFORMATION FOR SEQ ID NO: 322:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 643 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 322:

CCGCCCCGCC ACCGCTGCCT ATCCTCGGGA GAGGGTCACC TGGAGTGAAC CTAGAACGAT	60
AGACACGGTG CGGTACGACC TCGTACTACT TTCGCCGACG GCCTCGTCCG TTGTCATCCA	120
CGAACTGATC GGACATGGGT GCGAACACTT CAGAGAAAAA ATCGTTGGAC TCGGTGTCGG	180
GCCTGAGGAA CTACGGGTGG TGGCTTTTCC GAAGAACGGC TCCGGGTTTG ATGACGAGGG	240
TACACCTCC GAAGAGATTG TACTTGTGGA GAACGGCATT GTGAGGCACG CTGTCAGGGA	300
TCCGGCGACT GGAGGAATGG CGCCTTTTTC CGGTTTGACC AAAGTGGCAT CACATGGTGT	360
CAAACCTGGC TCAAGATGTA CGCATCTCAA GCGGAAGGG GAATCGTCAC AGGAAGGAGT	420
TACCGGAGTA CCCGCCGAAC GCACCGTTTG GATAGAGCAT TTTTCTGCAG CGAACTACCA	480
TTCAGGTCGA GCCTTTTCA GGTCTGGCCT TGCCTGGGTA GGCAGCCGAG AAGAACTCTT	540

1349

ATATCCCTTA ATGCCTTTCA CCATGTCAAT TGATATCTAC GAACTGGCCA GCTTATTGTG 600  
GCATTTAGAC GGTCAAACGG AACGAGCAG TAGGGTACTG TGC 643

(2) INFORMATION FOR SEQ ID NO: 323:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 780 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 323:

GGTACCCACT CATTCTTGAT GAATTGTGAA CAGTTGCCCT TGGGTCGTTT TGCGAGTTGA 60  
 AGTCAAGAAG AGGAAAAAA CAAAAGGAG AAATACTCAT GGCAGTAATT TCAATGAAAC 120  
 AACTTCTTGA GGCTGGTGTA CACTTTGGTC ACCAACTCG TCGCTGGAAT CCTAAGATGG 180  
 CTAAGTACAT CTTTACTGAA CGTAACGGAA TCCACGTTAT CGACTTGCAA CAACTGTAA 240  
 AATACGCTGA CCAAGCATAC GACTTCATGC GTGATGCAGC AGCTAACGAT GCAGTTGTAT 300  
 TGTTCTGTTG TACTAAGAAA CAAGCAGCTG ATGCAGTTGC TGAAGAAGCA GTACGTTTACG 360  
 GTCAATACTT CATCAACCAC CGTTGGTTGG GTGGAACCTT TACAACTGG GGAACAATCC 420  
 AAAAAAGTAT CGCTCGTTTG AAAGAAATTA AACGTATGGA AGAAGATGGA ACTTTCGAAG 480  
 TTCTTCCTAA GAAAGAAGTT GCACTTCTTA ACAACAACG TCGCGTCTT GAAAAATTCT 540  
 TGGGCGGTAT CGAAGATATG CCTCGTATCC CAGATGTGAT GTACGTAATG ACCCACATAA 600  
 AGAGCAAATC GCTGTTAAAG AAGCTAAAAA ATTGGGAATC CCAGTTGTAG CGATGGTTGA 660  
 CACCAATACT GATCCAGATG ATATCGATGT AATCATCCCA GCTAACGATG ACGCTATCCG 720  
 TGCTGTTAAA TTGATCACAG CTAAATTGGC TGACGCTATT ATCGAAGGAC GTCAAGGTGT 780

(2) INFORMATION FOR SEQ ID NO: 324:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 624 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 324:

CGGGAAAAAT CAGATTGTGG GTTCAGATAT CGAATTAGCC AAGGCTATCG CAACAAAAT 60  
 AGGTGTCGAA TTGGAATAT CTCCCATGAG TTTTGATAAT GTACTGGCTA GTGTTCAATC 120

1350

AGGAAAAGCC GACCTTGCCA TATCAGGTGT TTCTAAGACA GATGAACGGA GCAAGGTGTT	180
TGACTTTTCC ATTCCCTACT ATACTGCAAA AAATAAACTC ATTGTCAAAA AATCTGACTT	240
GACTACTTAT CAGTCTGTAA ACGACTTGGC GCAGAAAAAG GTTGGAGCGC AGAAAGGTTT	300
GATTCAAGAG ACGATGGCGA AAGATTGCT ACAAATTCT TCCCTCGTAT CTCTGCCTAA	360
AAATGGGAAT TTAATCACAG ATTTAAATC AGGACAAGTG GATGCCGTTA TCTTTGAAGA	420
ACCTGTTTCC AAGGGATTG TGGAAATAA TCCTGATTGA GCAATCGCAG ACCTCAATTT	480
TGAAAAAGAG CAAGATGATT CCTACGCGT AGCCATgAAA AAAGATAGCA AGAAATTGAA	540
AGAGGCAGTT CGATAAAACC ATTCAAAAGT TGAAGGAGTC TGGGGAATTA GACAAACTCA	600
TTGAGGAAGC CTTATAAGCA TCCA	624

(2) INFORMATION FOR SEQ ID NO: 325:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1237 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 325:

TCTTATGAAG CCGAAGCGTG ATTTATGGCG GATAGGTTTG GTCTGCAGAA AGTGACAAAT	60
CTAGTGCCAT CAGCGTATAT GGAATCTnTG GCTGAGAAAC AGTCCCGGGG TGAAGTACT	120
TATGAGCAGG TTTATGAGGA TGCAACGGCT TATCATCATA CCATTGATGC GAGTACAGAG	180
GAGGCAGACT TGGTTTCTCT ACGTATTGTA GAACTATTGT CTCGAAGAGG CTTTAGCTTC	240
AGTCCTGCGA TCTTACTTGC TATTCATAAG GAGTTGTTTC AAGATATATT TGAACCTCG	300
ATTCGGTAG GTCAATTCG TCAGACTAAT ATCACAAGA ATGAACCTGT TTTGAATGGT	360
GAAAGTGTG TGTACTCTGA TTACTCCATG ATTCAAATGA CCTTGGATTA TGATTTTAAT	420
CAGGAAAAAC AAGTTCAGTA TGCGACACTA ACCCAGGCGG ATATGGTTAA AAAAATCCAG	480
CATTTTATTT CAGGAATCTG GCAGATTCAT CCATTTGCGG AAGGAAACAC TCGGACGGTA	540
ACGGTATTTT TGATTCAGTA TCTTCGTGAG TTTGGTTTGG ATATTGATAA TACACCATTT	600
CAGCAACATT CCAAGTATTT TCGTGATGCC TTAGTGTTAG ATAATGCAAA GATTTTACAG	660
CGACGCTCTG AGTTTTTAAC AGCTTTTTTT GAAATCTCT TGCTCGGTGG TCAAAATGAT	720
TTGTCTTCAG AAAAAATGTA TCTAGATTGA GACCTCGATC TTTCATAATC CTAATACTGA	780
GTAAACATTG AATTTTAGGA AAAAATGAAG TAAATATTCT CACAAGAAAA CGTATATCAT	840
CAAAGTTTGG CTCTTTGTCA ATTGTAGTGG GTTGAAGAAA AGCTAAGTTC GAGAAAGGGC	900



1351

AAATTTCCGC CTTTCCTTTT TGATGTTTCAG AGCGATAAAA ATCCGGTTTT TTGAAGTTTT	960
CAAAGTTTCG AAAACCAAAG GCATTGCGCT TGATAAGTTT GATGAGATTA TTGGGCGCTT	1020
CCAGTTTGGC ATTAGAATAG TGTAGTTGAA GGGCGTTGAT AACCTTTTCT TTATCTTTGA	1080
GGAAGGTTT AAAGACAGTC TGA AAAATAG GATGAACCTG CTTAAGATTG TCCTCGATAA	1140
GTTCGAAAAA TTTCTCCGGG TCCTTATTCT GAAAGTGAAA CAGCAAGAGT TTGAAGAGCC	1200
GATAGTGATG TATCAAGTCT TGTGAATAGC TCAAAAG	1237

(2) INFORMATION FOR SEQ ID NO: 326:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 461 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 326:

TTTGATTTTT CTGAATTAGA AGAGATTGAA TTGCCTGCAT CTCTAGAATA TATTGGAACA	60
AGTGCATTTT CTTTGTAGTCA AAAATTGAAA AAGCTAACCT TTTCCTCAAG TTCAAAATTA	120
GAATTAATAT CACATGAGGC TTTTGCTAAT TTATCAAAT TAGAGAAACT AACATTACCA	180
AAATCGGTTA AAACATTAGG AAGTAATCTA TTTAGACTCA CTACTAGCTT AAAACATGTT	240
GATGTTGAAG AAGGAAATGA ATCGTTGCC TCAGTTGATG GTGTTTTGTT TTCAAAAGAT	300
AAAACCCAAT TAATTTATTA TCCAAGTCAA AAAATGACG AAAGTTATAA AACGCCTAAG	360
GAGACAAAAG AACTTGCATC ATATTCGTTT AATAAAAATT CTTACTTGAA AAAACTCGAA	420
TTGAATGAAG GTTTAGAAAA AATCGGTACT TTGCATTG C	461

(2) INFORMATION FOR SEQ ID NO: 327:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1436 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 327:

TAACATTTAG GTACCTCTTC TTAACAAAGT TCAATAGTAA CAATTAATAT TTAAACAAT	60
ATATCAAACA TCAATGACTA GAATACTTGC ATCATCCTTC TTCCATAGA TTGGATCAAT	120
AGCAGAAGAA TTAATCTCA TCTTAATTAA CTCTTCAAAA GTTTTATTTT GATTATTTTG	180

1352

ATAGAATTCA TAAAAGCCAT CGCTCATTAA AACAATTGT TCACTAGTAA CATCTATTGT	240
ATTAATAATA GCATGGTCTA AAAATCTCTC ATCCAACGAA CCTATCCAGT ACCCACTCGG	300
TTGATTAGAT AATTTTCTGA TTTTGTGTAA AATAATTTT TTATTTAAAA CACTATTGT	360
ACCAATTGAA TCTTTTATCT CATTTTCCC TTTTCAAAT AAGTTATCTA CTCTATGATC	420
AGTTATTTCC ATTCGTTTA CTAACATGAC GCAGTCACCT AGCATCATAT ACTCCAACCT	480
TTTTCTGAA AGTTAGCAA ATATTGGTAA GCGATAATAT AGTATATTGA AACTAGAATA	540
GTACACCTCT ACTTCTAAAA CATGTAGA AATCGATTG ACTGTCCTGA TTGATTGTC	600
CTATTATTAT TTCATTTTAC TATACTCTGT TAATTATAT GAGTTTAAAC CGATTTATC	660
TTTAACCTCG AGTAAAGCAG TTTCAAATAT TTGTTAAGA GTTTTGATT CTTACAATT	720
AACCGACAAA CTTCTGATA AAATATGTAC AACTTCTGAG ACTGAATAAC CTATCTCTC	780
TTTAGAATTA TATAATCTG TAGCTCCACC AATAATCCAA AAATACTGAT TTTGTGAACC	840
TACAAATATCC TCATTTTCTA CGGAACCTCC TTGTATCGAA CAAATTTTAT TTATCTTTAC	900
CATAACTCT CAACCCTTT AGTGCAAAA GTAAACCAAT TCCTGTCCT GTTAAGAATA	960
GTTCCATAAT CTTATTCGAA CCAGTCTTG GTAATTTTG TTTKACATCT ACTATCTCT	1020
TAGATTTATT AATATGATT TCAGTTCTC TGCCATCTCC AACTATTTTA TAGTTTACTT	1080
CTTCTGCTT ATTATCTGT TTATTGTCGA TCTTGTCAT CATTTGCTA TTATCTTTAC	1140
TTGAGTAAA CTCTCCGTT TCTCGTTAC TATCAATTAC ATTATTGAA TTAGATTGT	1200
TTTCCTCTT GTTTTTTCT TTTTCGTTT TATCACTAA ATTATTGTT ACAATTTGT	1260
AAAGCCATT CTCCGTTACA ATATTGAAAT TACCATCGCT ATCACGTATA ACAGGTTCTT	1320
TCCCATTTGC ATTAGATTG ATGAATGATA TATACTTACC GGATAAATTA TAAAATTGGT	1380
TATTTAAAC GGTATTTTA CCCTTTGAAT CCTCAATAAC AATTCCTTCT TTACCC	1436

(2) INFORMATION FOR SEQ ID NO: 328:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 646 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 328:

CCGGCAGACA GGAGAAGGTG TTAAATATCA ATCTCAATG GTTCGTCAAT GGTTTCTGAT	60
ACGTATTTTC CGTCTTTCTT CCGTTGCTTG ACACACTCTG TGAGGAGATA TTCGATTGTC	120
CCATTGACTG AACGAAAGTC GTCTTCTGCC CATGATGCGA GTGCAGCGTA TAACTTTGTT	180

1353

GAGAGTCGAA GGGGGATCTG CTTTTTTTGA GCTTCAGCCA TCTTTAGTAA AGGCTTCCTG	240
TGTTGACAAT TGGTTGTGCA TCATGATTGC CACAAAGAAC GACAAGGAGA TTTGAAACCA	300
TGGCAGCTTT TCGTTCCTCG TCAAGTTCTA CCAATTCCCC TTCATTGAGC CGTTCCTAGT	360
CCATTTCAAC CATTCCCTACA GCACCATCTA CAATCATCTT CCGTGCATCA ATAATGGCAG	420
ATGCTTGTTG GCGTTGAAGC ATAACGGCAG CAATTTCTGG AGCATAAGCT AGGTAAGTGA	480
TACGTGCTTC AAGGATTTC AAGCCAGCAT CCTCAACACG ACTTTGGATT TCTTCACGAA	540
TACGGGTAGC AACAATTCG CTAGAGCCAC GGAGACTACC TTCATCTGCG TGCCCATCAC	600
CCGGAGTATC CACATTAGGA GACACATCGT AAGGATAGAT GCGGAC	646

(2) INFORMATION FOR SEQ ID NO: 329:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 1653 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 329:

GTTGCAGGTG CAGTAGGTGT TACTTCAGAT ACATTTGAAC GTGCAGAGGC TCTTTTGGAG	60
GCAGGAGCGG ATGCGATTGT TATTGATACT GCACATGGTC ATTCTGCAGG TGTCTTGCGT	120
AAAAATGCCG AGATTCTGTC TCATTTCCCA GATCGGACTT TGATTGCTGG AAATATTGCT	180
ACTGCTGAAG GTGCACGTGC CCTTTATGAA GCGGGTGTAG ACGTTGTTAA GGTGGGTATT	240
GGACCAGGTT CTATCTGTAC TACTCGTGTG ATTGCTGGTG TTGGTGTTCC GCAAGTAACA	300
GCTATCTACG ATGCTGCAGC TGTGCGCGC GAATATGGTA AAACGATTAT TGCTGACGGT	360
GGGATCAAGT ATTCTGGAGA TATTGTAAAA GCACTTGCTG CAGGTGGAAA TGCTGTTATG	420
CTTGGATCTA TGTTTGCTGG AACTGATGAA GCTCCAGGCG AAACGAAAT CTTCCAAGGA	480
CGTAAATCA AGACTTACCG TGGTATGGGA TCAATTGCTG CTATGAAGAA AGGTTCAAGC	540
GACCGTTATT TCCAAGGTTG TGTCAATGAA GCAAACAAGC TTGTTCCAGA AGGAATTGAA	600
GGTCGTGTTG CTTATAAAGG AGCGGCAGCT GATATTGTTT TCCAAATGAT TGGTGGTATT	660
CGCTCTGGTA TGGGTTACTG TGGTGCAGCT AACCTTAAAG AACTACACGA TAATGCTCAA	720
TTTATTGAAA TGTCTGGTGC TGGTTTGAAA GAAAGCCATC CTCATGATGT GCAAATTACT	780
AATGAGGCAC CAAATTATTC TATGTAAAA ACAATGAAAA GAACTCCAGT GAAAACAGGA	840
GTTCCTTTAC AATGTTGTCA ATTTCCATTT ACAGCAGCTT TACCATCCTG AATAGTGAAG	900

1354

ATACTTAGAT TTTCTGGCAG ATTTTGAAGA TGGTCTAAGC TTGTTGTTGT GATAAAGGTT	960
TGGATTGATT GAGAAATCGT TTCTAATAAT TTAACTGTC TAGTGTGTC AAGTTCACCT	1020
ATCACATCGT CAAGCAGTAA TATAGGAGAT TCTGTGGTAA TGCTTTCCAT TAATTCGATT	1080
TCTGCTAATT TTATCGAGAG GACGAGACTA CGATGTTGAC CTTGGCTTCC GAACTAGCA	1140
TCCATCCCAT TTATATAAAA AGAAATGTCA TCTCGATGAG GACCGACACC AGTATTCTTT	1200
TTAAATAAAT CTCTGGATCT ACTTTTTTCT AAAGCAATTT TGAAAGATTC GGATAAGTTT	1260
TGTTTGTGAG TTATATTGAC AGAAGATTGA TAGGATATTG ACAACTCTTC GATCTGATTA	1320
GAGAGTTCAA AATGTTTCTT ACGCCCAAAT GATTCTAGTT TTTTATGAA ATCTAAGCGG	1380
TGATTCATTA CACGACATCC ATAATCAACT AGCTGATCAT CTAACACAGA AAGGAATGTT	1440
TCATCTATTT TTTGAGCTGA TTTTAGGTAA GTGTTTCTTT GCTTTAGGAT GTGTTTATAA	1500
TTGGTTAAGT CAGATAAATA GATTGGCTTA ATTTGCCCAA GTTCCATATC AATGAATTTT	1560
CGTCGAATCG AAGGTGCTCC TTTAATTAGT TGTAATCTT CAGGAGCAAA TAAGACAACA	1620
TTCATGTGTC CTACATAATC TGAAAGGCGT GCC	1653

(2) INFORMATION FOR SEQ ID NO: 330:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1340 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 330:

GAAACACTGT ATTTCAAAGC ATTTTTGTG AGTTTAAAT TACTCCCATT CTCTTTTCC	60
AAACGTACAA TATATCCAAA ACCATTCAA AACTAGATT CTATTTTATA TAATATCACT	120
AAATCCACCT AATTATAGGA CGTTTTCAGA TTTTGTAGTCC CAGTCCCAGT ACCGGAGAAA	180
TATTGTTTAA ATATAATATC TCTTTTGTG TTCTAAGCTC TTTAAAGCAA AAGAACAAGT	240
AAAGAGTCAA GACAAGGATA AAAAGTCCAT ATTAGGGCAA ATAAAAAGCT TTAAGACAGA	300
TGACAAATCT AAGTCAAATA AGAAAGACCA TAGCAAAGGT GCAGAGAGAT AAATATTGGC	360
GGTCTTCGGA CTGCCTTTAT TTTTATATCC ATTTTCAA TCAAATTTAT TCAGACTATA	420
TATGCACATA TACACTTAAA TTCATATAAA AACATGGCTT GTAAAAAAT ACTTTAATCA	480
CAATAATCGC ATTTAAATTT GTGATGTTG CAAGCTAAAT TACGGACTTC ACTTGAAGT	540
TTTCCTTGT ATCTTTTATA ATAGATAGAA AATTGCTGG CAGATGAATA TCCAACAGAT	600
TCTGCTATCT CTTTATAGG TAGTTCAGTG TTTAAAGAA GAGTTTCAGC TACATTCATT	660

1355

CTTTTCTTT GAGTGTACTC TGTAATGCTT TGACAATATT TTTCCTTAAA TAAATTTTTT	720
AATTTAGTAC CACTCATTTC AGATATTTTT TCAAGCGTGC CTGATTTAC ATTCGTTGCA	780
AAATGATCAT CTAAGAATCT TGCTACATCT TCAAGTGCTT TATCATCATC AATTTCAATT	840
TTATATTTTT TTCTATTTAA GTATGTGTCA ATTACTATAC TTATCCATTTC ATTTGCCTTT	900
GCTTTAAAGA AAAAATCAGC GGCAGGAGCG TCCATCTTAC AATTTAATAT TTCCATTGCC	960
ACTCTTTCTA AGGCCTTTGT AAGTATTATT TGATTCGGTT GAAGCAAGGT TGAATAAAAA	1020
GATTCTGGAT TAATGTTAAT AGATGCTAAA TGTTTTCTA TTAGCTCTTT TTTAAAACm	1080
ATGGAAACAG CAAGATAACA ACAATCTCG TGTAATAAAA AAACAAATT ATCTTTTATA	1140
TTATCAAAAT CAAAAGTACA TAGAGAGTTT GCGGTAATAG TTTGATACGG ATTAAACTTT	1200
TCTCCGTTTG CACTGACAAT GTAACCTGAA TAAATTGAAA CATAGTCTGA CATACTATAA	1260
GTGCTATTTT GAACACTTTC CTCTTTGATA TAAAAATCAT GTATATCGAT AATGAAGATG	1320
CCTCCTTCAT AAAACCGGTA	1340

(2) INFORMATION FOR SEQ ID NO: 331:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 607 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 331:

TATGTTCTGT ATGAGTTTTT AAGTAGGAAA AACGTGCTAA CCTCTCAGAT TTTGGAACCT	60
GTAAAAGAAA CTCTTTTTC ACCCGTAGTA GTTGATAATG GGTTTGATCC GGCCTTATTT	120
GAAATTGAGA AAAACAATT GCTAGCAAGT TTAGCAGCTG ATATGGATGA TTCTTTTAT	180
TTTGCACATA AAGAATTGGA TAAATTGTTT TTTCATGATG AACGTCTTCA ATTGGAATAT	240
AGTGATTAC GAAATCGTAT TTTAGCTGAA ACTCCACAAA GTTCTTATTC TTGTTCCAA	300
GAATTTTGTAG CCAATGATCG AATAGATTTC TTTTCCTAG GTGATTTTAA TGAGGTTGAA	360
ATTCAAAATG TATTAGAATC ATTTGGCTTT AAAGTCGAA AAGGAGATGT GAAGGTTGAG	420
TATTGTCAAC CTTATTCTAA TATCCTTCAG GAAGGTATGG TTCGGAAAAA TGTGGGACAA	480
TCCATTTTGG AATTAGGTTA TCATTACTGT TCTAAATATG GTGATGAGCA ACATTACCC	540
ATGGATTGAA TGAATGGTTT ACTTGGTGGA TTTGCTCACT CTAAGCTCTT TACAAATGTC	600
CGGGAAA	607

1356

## (2) INFORMATION FOR SEQ ID NO: 332:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 900 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 332:

TTAAAATACC GAATTTTGTT TTGTCTCTA TTTCACATT GTGAATCGCC TCAGGCAGAG	60
AACCGATACT AAAGATATAA CCAAAATAGT TGTCATTGTC TTTACCGATA TCAATCTTAT	120
TGGTTAAATC AAAATCCAGT TCGTCAATTG CGCCATCGAT GTCTTGATTG ATTTCCAAAA	180
GTTTTGTAAT GAGGTTACCC GTACCGCCTG GGATAATCCC TAACTTAGGA ATGTAGTCTC	240
TCTCATCAAT ACCTGAAATG ACTTCATTGA CAGTTCCATC TCCACCAAAC ACAACCACTG	300
CATCATACTG CTCACGAGAA GCTTCTTCAG CAAAATGTGT TGCATCCAGC GCTTTTTCGG	360
TAATTTTGGT TTCAACATAT TCAAAGTATT CTTTGTCTTT ATTCTCCAGC TTTTCTTTGT	420
AATCCAAAGC CTTCTCGCCA CCAGAAGTAG GGTGATAAT TACCATTGCT TTTTTCATTG	480
ATTTTATCCT TAATTTTAAA CAGAAATGTT TACATTTCTG CGTATGCAAG TAAATGTAAT	540
CCTATTATAC AATGAAAATA CAGAAAAGAG AAATCTGACG TACTGGAGAT TAATACGCTT	600
TTATTCTATT TTCCCATCGC CTAATACAT CCTTAAAGG TTCATCCAAG TAAGAATAGG	660
CCTTATCCTT GATCCAATCA GGAATACCGT AAGCTGCCTC TGCTAWGCTA CAAGTGATTG	720
CTGCGAGAGT ATCACTGTCT CCACCAAGTG AGATGGCATT TCTTATCGCA TCTTCGAAGT	780
CTCTACTTTC AAGAAAGGCG ATAATGGCTT GAGGGACAGT TTCCTGACAT GTTTCGTTAA	840
AACGATAGTT AGGACGGATT TCATCTAAAG TTTGAGATAG ATTGTAATCG TATTCTTTTT	900

## (2) INFORMATION FOR SEQ ID NO: 333:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 533 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 333:

CCTTTCTGGC AACTGGTCT TGAATACGG CAAAACCTCT GAAAATATCT ATGCTGGAAT	60
GGACGAGGAA TACCGTCGTT ATCAGCCTGC CATCATCACT TGGTACGAAA CAGCCAAACA	120
TGCTTTTGAT CGCGGACAGA TTGGCAAAAT ATGGGTGGAA TCGAAAACGA CCTCAAGGGC	180

1357

GGTCTCTACA GCTTTAAATC CAAGTTCAAT CCGACCATTG AGGAATTCGC TGGTGAGTTC	240
AACCTGCCAA CTAATCCTCT TTACCACCTC TCCAATCTGG CCTACACTCT CAGAAAGAAA	300
CTGCGCAGaA GcATTAAACAG AAAGGAAGCC TATGACCTTT AAACCTCTCA GCCAAGAAGA	360
ATTATCCAG CATACTCAG CTAGATCCCA ACGCTCTTTT ATGCAGACCG TAGAAATGGC	420
AGAGTGCTG AGCAAGCGTG GCTTCAGTAC CCAGTATGTC GGCTACACTG ACCCACAAGG	480
GAAGGTAGTG GTGTCAGCTG TCCTCTACAG CATGCCTATG ACTGGTGGCC TTC	533

(2) INFORMATION FOR SEQ ID NO: 334:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 544 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 334:

CCAGCAAACCT AGGAAGCTAG CCGTAGTTGC TCAAAGCACA GCTTTGAGCT TGTAGATAAG	60
ACTGACGAAG TCATGTACAA AACACTGTTT TGAGGTTGCA GATAGAACTG ACGAAGTCAC	120
TCAAACAACT GTTTTGAGGT TGCAGATAGA ACTGACGAAG TCACTCAAAA CACTGTTTTG	180
AGGTTCGAGA TAGAACTGAC GAAGTCAnna ACCACACCTA CGCCAAAGTG AATCTGAAGT	240
GGTTTGAAGA GAGTACAACCT TGTCTTTTAG AAAAGGAGCC TATAATGAAA GTCTTTCAGC	300
ATGTAAATAT CGTGACTTGT GATCAAGATT TCCATGTTTA TCTTGATGGA ATCTTAGCAG	360
TCAAGGATTC TCAAATCGTC TATGTCGGTC AAGATAAGCC AGCGTTTTTA GAGCAAGCTG	420
AGCAGATTAT AGACTATCAG GGAGCTTGA TTATGCCTGG TTGGTCAAT TGTCACACCC	480
ATTCTGCAAT GACAGGTCTG AGAGGGATCC GAGATGACAG CAATCTCCAT GAATGGCTCA	540
ATGA	544

(2) INFORMATION FOR SEQ ID NO: 335:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 349 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 335:

CCAGGAACTC AAATGTAAGT AGGGGTCCT TTTTGTATA TTTTCAAAT AACGCCTCTA	60
--	----

1358

CACTATTTGT AGCAAATTCA CCAACTACAG TTGTATCTTA GTTAAATAA GTTAGAATAT	120
GTAAGTGAGT ACCAGATATA CCAAGACATC GTCACCATCT AAGGTATATT CAAAATACAA	180
AAGTTGACCA ACTAGATTTC TGAATATCCT TATATATCCA TTCTTAAAT TGGTTTAAAT	240
AGCGTAGTCT TTAAACTAG TTTTGAGAAT CCAAAAAATC TTCCTACATA TGTAAGAAGA	300
TTTTTTAGTT CAGAATGATT AGaTTTAGCT AATGGATACC TATCCTACC	349

(2) INFORMATION FOR SEQ ID NO: 336:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1206 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 336:

CTCCGATAAC CACACCAGCA ATGGAAATAA TTCCATCGTT AGCATCAAGA ACACCCGCAC	60
GCAGGATATT TAAACGACCT GCAAAATTG AATCAATTTC GTGATTTGTT TCTGACGCTA	120
AATTTCAAGT TCAAGTTAGC CATCAAGAAG TCTTCTCTGG GTGACTTGTA GTCCAAGCAT	180
TTTTTAGGAT AGTTGTTAAT CCACTTTTCG ATGAATGCGA CTTCTTTGGG AGTCATTTTC	240
TTGGTCCCTT TAGGTAACCA TCTACGAATG AGCCTGTTGT GATTCTCATT AGTTCCCGGG	300
ATCCTCTAGA GTCGACCTGC AGGCATGCAA GCTTGGCACT GCGCGTCGTT TTACAACGTC	360
GATGACTGGG GAAAACCTG GCGTTACCCA ACTTAATCGC CTTGCAGCAC ATCCCCCTTT	420
CGCCAGCTGG CGTAATAGCG AAGAGGCCCC CACCGATCGC CCTTCCCAAC AGTTGCGCAG	480
CCTGAATGGC GAATGGGGCC TGATGCGGTA TTTTCTCCTT ACGCATCTGT GCGGTATTTC	540
ACACCGCATA TGGTGCACTC TCAGTACAAT CTGCTCTGAT GCCGCATAGT TAAGCCAGCC	600
CCGACACCCG CCAACACCCG CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC	660
TTACAGACAA GCTGTGACCG TCTCCGGGAG CTGCATGTGT CAGAAGTTT CACCGTCATC	720
ACCGAAACGC GCGAAACGAA AGGGCCTCGT GATACGCCTA TTTTATAGG TTAATGTCAT	780
GATAAGGATG GTTCTTAGA CGTCAAGTGG CACTTATCGG GGAAATGTGC GCCGAGACCC	840
TATTTGTTTA TTGTCTAAA TACATTCAA TATGTATCCG CTCGTGAGAA AATAAACCTG	900
ATAAATGCGT CAATAATATT GAAAAATGAA GAGTATGAGT ATTCTACATT TCCGTGTCGC	960
CCTTATACCC TTTTTCGCG CATGTTGCCT TCCTGTTTTT GCTCACCCAG AAAACGCTGG	1020
TGAAAGTTTA AGATGCTGAA AAATCATTTG GGTGCACAAC TGGGGTTACA TCCAACGGGA	1080
ATCTCCANCA GCAGTTAAGA TCCTCTGACA GTTGACACG CCGCAAGAAC TATTCCTGAT	1140



1359

GAATGAGCAA CTTTAAAG TCCTGCGAAT GTTGGGGCGG TAATAATCCC CGTGTGTAG 1200  
GCCCCG 1206

## (2) INFORMATION FOR SEQ ID NO: 337:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 813 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 337:

CTGCTCAACT CAGACAGTCA AATTCTGAC TTTACCAAAA GAACCATCAA AAAAGTTGCT 60  
GAAAAGGCC ATCAGGTTAT TATTACGACA GGTGCGCCTT ACCGTATGTC AAAAGATTTT 120  
TACCGTGAAC TGGGCTTAGA CACTCCTATG ATTAACCTCA ACGGATCCCT TACTCATTTA 180  
CCAGACCAAG TTTGGGATTT TGAAAAGTGT TTGACTGTAG ACAAAAATA TCTGCTAGAT 240  
ATGTTCAAC GTTCAGAGGA CATTCAAGCC GATTTTATCG CTGGAGAATA TCGTAAAAAA 300  
TTTACATTA CAAATCCCAA TGAAGAAATT GCCAATCCCA AACTATTTGG TGTAGAAGCT 360  
TTCCAGCCTG AAGATCAATT CCAGCCTGAA TTGGTGACCA AGGACCCTAA CTGTATCCTC 420  
TTGCAGACTA GAGCCAGTGA CAAATATTCC TTGGCAAAAG AAATGAACGC CTTCTACCAG 480  
CATCAACTTT CTATCAATAC CTGGGGAGGT CCGCTCAATA TCCTTGAATG TACCCCAAAA 540  
GGTGTCAACA AGGCCTTTGC TTTGGACTAC TTGCTCAAGA TAATGAATCG TGACAAAAAA 600  
GATTTGATTG CCTTTGGAGA TGAACACAAT GATACCGAAA TGCTCGCTTT TGCTGGGAAG 660  
GGTTATGCCA TGAAAATGC CAATCCAGAG CTACTCCCTT ATGCAGATGA GCAAATTTCC 720  
CTTACCAACG ACCAAGATGG GGTGCCCCAA ACCCTACAAG ACTTATTCTT ATAACTATA 780  
CTGATACTCA ATGAGGGGCA AAGAGCGAAC TTA 813

## (2) INFORMATION FOR SEQ ID NO: 338:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 683 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 338:

CCTAGATAAA TGATATAATT CTATTATTGT TCGTAAAAAT TAAAAGGAGA TTGATGATGG 60

1360

ACAAATTATT TAAACTAAAA GAGAACGGTA CAGACGTTTCG TACAGAGGTT CTCGCTGGTT	120
TAACAACCTTT CTTTGCAATG AGCTATATTC TCTTTGTAAA CCCACAAATA CTTTCACAAA	180
CAGGAATGCC TGCTCAGGGC GTCTTCCTAG CGACGATTAT TGGTGCAGTA GCGGGTACCT	240
TGATGATGGC TTTTATGCT AACTTACCTT ATGCCCAAGC GCCAGGTATG GGAATCAATG	300
CCTTCTTTAC CTTTACAGTT GTATTCGGGC TTGGTTATTC TTGGCAAGAA GCCCTAGCTA	360
TGGTCTTCAT CTGTGGGATT ATTTCAATTGA TTATTACCTT GACAAATGTT CGTAAAATGA	420
TCATTGAATC GATTCCTAAT GCTCTTCGCT CAGCTATTTT AGCTGGTATC GGTGTCTTCC	480
TTGCCTATGT AGGGATTAAAG AATGCTGGAC TTTTGAAATT CACGATTGAT CCAGGCAACT	540
ATACTGTGT AGGAGAAGGG GCTGACAAAG CTCAAGCAAC GATTGCAGCA AACTCTTCAG	600
CAGTTCCAGG ATTGGTCAGC TTTAATAATC CAGCTGTTT AGTGGCTCTT GCAGGACTTG	660
CCATTACTAT CTTCTTTGTC ATC	683

## (2) INFORMATION FOR SEQ ID NO: 339:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 852 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 339:

CTACTTTACA TGGAAGTAGT CACTGAATTC CAGTTAGAAA TTACTTTGTA ACTACGTTTT	60
GAGGAGGAGT AAAATGCTTT CCTACGTTTCG ATATTACCCA CTAGCGATAG CTAAATTAAT	120
GTGTCTGTGC TCTCCTAAAA TCTGCTGATT TATTACTGAC TAATACAGGA GGTTTTTTTT	180
ATGgACAGAC AATCATATCT GCTATTGGTG TTTATATTTT CACCAGTATC GATTATTTAA	240
TTATTTTAAT TATTTTATTT GCACAGCTAT CACAGAATAA ACAGAAATGG CATATTTATG	300
CGGGGCAATA TCTAGGCACA GGCTTACTTG TAGGGGCGAG TTTAGTTGCT GCTTATGTCG	360
TTAATTTCTG GCCTGAAGAA TGGATGGTTG GATTGCTTGG TTTAATCCCT ATCTATTTAG	420
GGATTCGCTT TGCAATTGTT GGAGAAGATG CGGAAGAAGA AGAGGAAGAA ATTATTGAAA	480
GATTAGAACA AAGCAAGGCA AATCAACTGT TTTGGACAGT TACATTGCTG ACAATTCGCT	540
CTGGCGGAGA TAATTTAGGT ATCTATATAC CTTATTTTGC TTCGTTAGAT TGGTCACAGA	600
CCCTCGTGGC CTTGCTTGTG TTTGTAATCG GCATAATTAT CTTTTCGAG ATTAGTCGGG	660
TGTTATCCTC TATTCCGTTA ATATTCGAGA CAATTGAAAA ATACGAGCGA ATCATGTGTC	720
CCTTAGTATT CATTCTACTT GGAATATACA TCATGTATGA AAATGGCAGC ATAGAGACTT	780

1361

TTCTGATCGT GTAGATTTT TTGTTTCACT AGGGATTAG CCCGAGCTCA AATCAGCTCT 840  
CTGATTTTCA GA 852

## (2) INFORMATION FOR SEQ ID NO: 340:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 754 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 340:

CCGCACAAAA GCGCATAGTA TCAAGATTCT ATAAAGCCTT GATACTATGC CTTTTTAATG 60  
GATAAATAGT TAGTCTTTT TAAAGACCGG ATCTTTCAAA CTCTGCATAC TGGCATTGAT 120  
CACCGCGCCT AGGATAACAA TTTTAGCAAT CAAGATAAAC CAAAACATCA TAACAACAAG 180  
AAGAACGGAA CCTAAAATTC GGACATCCAC CAAATGATGG ACATAGTAAT TGAGATAACT 240  
AGAGAACAGA GTTAGTAAAC CTAAATCAC TAAGAGAACA AAGGCACTGC CTGGTAGGGT 300  
ATAGCTAATT TTCCTGTTAG ATAGATTGGG AAGAAAATAA TAAAGCATGA CCAAGATACC 360  
AAAGAGGAGG GCGTAAATCA GAGGACCTGC CAACCCTTGT AAAGCCTGAT AGATAATGCC 420  
ATCTTTTGTC CAATAATGAG CAAGTAAAGC CAAAATCATC TGACCAAATA AGATCAAAAA 480  
CAAGGCAAAC GCAAAGAGGA GCTGCAACCA AAAGTACTA GGAGACTTAG CATCTGATGG 540  
GAAATAAGTC CAGGACTCTT TTCGACGCCA TAAGCCTTGT TAAAGCTTT TTGCAAGAAA 600  
TTCATAGATT TTGAAAACT CCATAACGCC GATAAACAG AAAAAGCTAA TAAACCTGTT 660  
GAAGGTTGCG TCAAGACTTC TCTGGCTATT TTTCCACAC CTTCATAGAG GCTTGGGGGG 720  
CAGACGTCTT TCATAAGGCC CAAAATTCT CCCA 754

## (2) INFORMATION FOR SEQ ID NO: 341:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 707 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 341:

GGGGATAACT CTAGGAGTAC CGCTATTACT CGACTTAATG AGTGCACAAG AAGTCAGGAT 60  
TTTTATGCAG GTTGGGCGCT TCATCAGACA GGGAAGATT ACAGCGACTA TTATGGAAGT 120

1362

CAAGGTTTGC TTTATTATTT GCTGACTTAC GTGAGTCAGG GCGGATTTT CTTTGCCATC	180
TTTGAGTGGT TAGCCTTGGT AGCAGGAGGA TTTTTCCTTT TTAGATCAGC GGACACCTTG	240
ACAGAGCAAG GAGACCAAGC TGGACATCTG GTGACTATTT TTTACATGCT AGTTACAGGT	300
CTTGCTTTTG GTGGAGGCTA TGC GACTCTT TTAGCGCTC CTTTCTTATT CGCAGCCTTT	360
AGTTTAGTTG CGGCTTACCT AAGCAATCCA AGCCATGATA AGGGATTTGT ACGGATTGGG	420
CTAGCTTTGG CAGGCGGATT TTTCTTTGCT CCCTTATCAT CGCTCCTGTT TATTGCTGTA	480
GTGAGTTTAG GCTTGTGGT CTTTAACCTT GGGCATAGAC GCTTTGCGCA TGGGTTTTAT	540
CAGTTTCTTG CAGTGGCTTT AGGTTTTTCA CTTGTCTTTT ATCCAACGTC CTACTATAGT	600
GCTGCAACAG GAAGTTTGG GGATGCGwTT AGTGGTATTC GTTATCCTAT TGACAGTATT	660
CGCTTTGATT TTA CTCTAA AATTTTAGAG AATATGTTTT TTTAAGG	707

(2) INFORMATION FOR SEQ ID NO: 342:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 762 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 342:

GGATTTTGAA AAACCATACC GATTGACGA CGTATATTC AAACATTTTC CTCAGTCAAA	60
CGTTGGCCAT CAATTACAAT CTCTCCGGAT TCTGCTTCCA GTAAGCCATC AATTAATCGA	120
ACCGTCGTTG ATTTACCACT ACCATTATGC CCTACAATCG AAAGCCATTC TCCACGTTTC	180
ACGTGAAAgT AATATCCTTC ACATCGTAGT AGTTCTGATT TTCTTTATAG CGAAAAGAAA	240
GATTTTTTAC ATCAATTATT GATTTCATTT CGAACCNAAT GTCCCTTTAA ATACATAGGC	300
ACTACCCCTG AAATAGTCAT AGCCAGAGTA GATAGTGAAA AATAAGGCTA CATAAAGTAG	360
AACTTGACCA AGCAAAGTCC AATGTAATAG CAAGAAAATA ATGGCAAACA TCTGACTAAA	420
AGTTTTAATT TTTCCAGGCA TTGCTGCTGC TAAAATTGTT CCACCAGTTT CAACCAATAA	480
AAGCCTTAAA CCTGTCACAG CTAACTCACG ACAGATAATC ACTGCAACAA TCCAAGCCGG	540
AGCCATACCT AACTCAATCA ACATAATAAA AGCCGACATA ACTAGTAACT TATCCGCCAT	600
AGGATCTGCA AATTACCAA AATTACTGAC CACATTCCAT TTACGAGCTA AATATCCATC	660
TAAATAGTCG GTAATACTGG CAACAGCAAA GATAATAGCT GCAACTATAT GACTCTCTAT	720
CGAATTTTCT ATCGTTAAAA TAAAGATAAA AATAGGTATA AA	762

(2) INFORMATION FOR SEQ ID NO: 343:

1363

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 482 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 343:

CTTTTGATAC ACTTAAACTA TGAATACAAA TCTCAAGCCC AAAC TTCAGC GTTTTGCTTC	60
TGCGACTGCC TTGCGCTGTC CTATCTGTCA AGAAAATCTG ACTCTGTTAG AGACTAATTT	120
CAAGTGCTGC AACCGTCATT CTTTGACTT GCGGAAATTT GGCTATGTCA ATCTAGTCCC	180
TCAAATCAAG CAATCTGCTA ACTACGACAA GGAAAATTTT CAAAACCGTC AACAAATCCT	240
AGAAGCCGGC TTTTACCAAG CTATCTTAGA TGCTGTATCT GACTTGCTTG CAAGCTCAAA	300
AACTACCACA ACAATTTTGG ATATCGGTTG TGGTGAAGGA TTCTATTCTC GCAAATACA	360
AGAAAGTCAC TCTGAAAAA CTTTCTATGC CTTTGACATC TCCAAAGATT CAGTCCAAAT	420
CGCGGCTAAA AGTGAACCCA ACTGGGCAGT CAATTGGTTC GTTGGCGACT TGGCAGCACT	480
TC	482

(2) INFORMATION FOR SEQ ID NO: 344:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 520 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 344:

TTTATTTTAA TAAAGTCAAT ACCTGTCTTT ACTTTTCTT AAAAAAGTT TATTATGTTT	60
TTTAAGGAGG TGTA AACAT GAAATAAAT AATAAACTCG TTGGAGAACG TATTCAAAAT	120
ATCCGTTTAA GCCATGGCGA CTCTATGGAA AAATTGGAG AAAAATTTAA TACTAGCAAA	180
GGTACAGTTA ACAACTGGGA AAAAGGTCGC AATTACCAA ATAAAGAAAA CCTACTAAAA	240
ATTGCATCTA TTGGA AAAAT GAGTGTGAA GAGTTACTCT ACGGCGATTA CAATACTTAT	300
CTACACTTAA AGATTATGGA TTTAGCTCCT GAATGTATAA AAAATTATGA TGAGTATAAC	360
TCTTTACACG ATGATATAAC AAATAAAGCG TTACAGATCG CTCAAAATAC CATTTCTAAG	420
ATTGATTATC AAATTTTACA CGAAACGATC AAAAAATTTA TTGATTTAGC TATCGAACAA	480
TCGAGAGATT TGCAAGGAAA TTTGTTGAAA AATAACGGGT	520

1364

## (2) INFORMATION FOR SEQ ID NO: 345:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1003 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 345:

```
GCATCAAATC CGCCATCAAA GAAGTTCTCT GGATTTACCA AGACCAGTCA AATAGCTTAG      60
AAGTGCTTAA TGACAAGTAC AATGTTCACT ACTGGAATGA CTGGGAAGTT GGAGACACGG      120
GAACCATTTG TGAGCGCTAT GGTGCCGTTG TTAAGAAACA CGACATTATC AATAAGCTTC      180
TCAAACAGTT GGAACCAAT CCTTGAACC GCCGCAATAT TATTTCGCTC TGGGATTACC      240
AAGCTTTTGA AGAAACAGAT GGGCTGCTCC CGTGCCTT TCAGACCATG TTTGATGTTC      300
GGCGTGTTGA TGGGAAATC TATCTGGATG CGACCTTGAC CCAGCGCTCC AATGATATGC      360
TGGTGGCCCA CCACATCAAC GCTATGCAGT ATGTGGCTTT GCAGATGATG ATTGCCAAAC      420
ATTTTGGCTG GAAGGTTGGG AAGTTCCTCT ACTTCATCAA CAACCTCCAT ATCTATGATA      480
ATCAATTGA ACAAGCTCAG GAATTGCTCC GTCGGGAGCC GTCAAAGTGC CAACCACGCT      540
TGCTTTTAAA TGTTCTGAT GGGACTAATT TCTTTGATAT CAAAGCAGAA GATTTTGAGT      600
TGGTGGATTA TGACCTGTT AAGCCACAGT TGAAGTTTGA CCTAGCTATT TAAAAGAATA      660
GAAAAAGAA GTTGAGAATA ATCCCAACTT CTTTGTTC TTAACGTGAT ACGCGCGGAC      720
GAGCTGCTTT TTTACGGTT TCTTCGATGA AAGCTGCTTT TTGCTCTTCT GGTTCGATTA      780
CTTCTTTTTT AAATGCGTAT ACTGCACCTG CAACGGCAGC GACAGTTCCT GCGACACCTG      840
TTACAAGACC TTTAGCGAAT CCTTTAGCCA TGAGTCTTCC TCCTTTATAT TCTCAATCAG      900
CCAGCCTCCT CAAGAGGTCA CATTTTCTG ACTGACCTT TTGTGTTATA ATAATAGTAA      960
CGAAAAAATG GGAATTTTTC AAGGAAAAAA GATGAGAACA AAA                      1003
```

## (2) INFORMATION FOR SEQ ID NO: 346:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 750 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 346:

```
CCGCACGTAC TATTCCAGAT GCCGAGGAAG TGGACCTCAT CCTCGTTGGC GCAACTGGTC      60
```

1365

TCAACGCCTT TGAACGCCTC TTGGTCGGCT CTTTCATCTGA ATACATACTC CGCCATGCTA	120
AGGTCGATTT GCTGGTTGTG AGAGAACAAG AAAAAACCTT ATAATCACAA AGAAAAGGAG	180
CCCCTAGCTC CTTTTGTGTT ACGATTATT TCTCTCTTTA TGGCGTTCGT AAGCCTTGAG	240
CTGGCGCTGC AGTTCCTTTT TAATAGCAGG TTCTGGAGCA TATTTTCTT CCCAATTATC	300
TGGTTTTAAG ATTTTATGGG TCACTGGATC AAAATGAGCC TTGCCATCTG GAAAAATTTT	360
CCCCATATTG GCCTGATGGA CAATATCAAA AATACGTTCT GGGTCCACCC CCATCAAGAC	420
AAAACTGCCG TAGGTGAAGT AAAGCGTGC AATCAAGGCA TCCACTTGCC CTATCAAATC	480
TTGCTGAGCA GGTGTCTTCT TGGCTACTTT ATCTGCTGCC TTATCAAGGG CCTGATGAAG	540
TTGCGATACA GCTTGACCAA AATCTTCTTC AGAAGGACTG GCTGCTCGAA CAAACTCCAC	600
CAATTCTTCT ATTTTAAAC CAGCCCTATG GGTGCACCC TCTAAATCCC AAGCTCGAGG	660
TTCTTCTTGG GTTCGTTTAT CCATCATGTG GTGGAAAGTC TTGACCTTAT TGAAATGATA	720
GTCACGGCTG ACAAAGACTT TTTCTGAAGA	750

(2) INFORMATION FOR SEQ ID NO: 347:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 596 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 347:

CGCAACATAC GGATAACCTC CAAAGAATAT TTTTATATTA TAGCAAAGCT TTAAATGAA	60
TGTTAGAGTC TTGTTCAAAA CAATCATCAA AACCACGTGG ATGATGGTAT TCTACTAAGT	120
GTTGATCTTG AGGATAAGTG TACTTACCGC CAACTTCCCA GATAAATGGA TGGAAATCGT	180
ATTGCAAGCG ATCTTTTCGC ATTTTCCAAA GTTCTAGAAT CTCATTAGTA GAAGCCATGA	240
AGTTAGACCA GATATCATAG TGAAGTGGGA TAATGACTTT GGTACGCAGA TTTTCTGCCA	300
TACGAAGAAG GTCGATAGAT GTCAKTTTGT CTTGGATACC TACCGGATTT TCACCATAGT	360
TATTCAAAGC AACATCAATT TTAAAGTCTT TACCATGTTT TGCAAAATAG TTTGAGAAGT	420
GAGAATCTGC ACCATGATAG ATGGTTCCAC CTGGTGTTC AAAGATATAG TTAACAGCCT	480
TTTGAGCCAT TTCTTCATCT GTAACAGCCA AGCCAGCagT TCACCGCCTG TCTCATCAGC	540
ACCGTTCACT GGGAGAGTTA CCAAGCAAGT ACGGTCAAAT GATTCTACTG CATGAA	596

(2) INFORMATION FOR SEQ ID NO: 348:

1366

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 673 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 348:

CAGAGTCAAC AGCCTGAGTT GAAGGCAACT TTAGACACAG CAGTTACGAC AGCTGAATGA	60
GCTCCTCCAT CAGTTTTTTC TTTAATGAGT CCAGCTACAT CTTCAACTTC GAGGCCGTTA	120
ATCACAATGT CAGCGCCTAC TTCTTTTGCA AGGGCAAGTT TGTCATTGTT GATATCGACT	180
GCGATAACAT GAGCATTGAA TACTTTTTTA GCGTATTGAA CAGCGAGGTT ACCAAGTCCA	240
CCAGCACCGT AAAGAACAAC CCATTGGCCT GGTTCAACTT TTGCTTCTTT GATAGCTTTA	300
TAGGTTGTTA CTCCAGCACA TGTGATAGAA GAAGCTTGGG CTGGATCAAG TCCGTCAGGA	360
ACTTTGACAG CATAGTCAGC AGTTACGATA CATTGTTTCAG CCATACCACC GTCTACTGAG	420
TAGCCAGCAT TTTTCACTGT ACGGCAAAGG GTTTCGCGAC CAGTTGTACA GTATTGCGAA	480
GTGCCACATC CTTCAAAGAA CCAAGCAACG CTGACGCGGT CACCGACTTT AAGGCTTTTC	540
ACATCTGGAG CAATCTCTTT AACGATACCG ATACCTTCGT GCCCAAGAAC ACGTCCTGGG	600
ACTTGACCAA AGTCACCATG AGCAACGTGG AGGTCGGTGT GGCAAACGCC CACAGTATTC	660
ACTTCTACAA GTG	673

(2) INFORMATION FOR SEQ ID NO: 349:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 198 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 349:

GTACCCTACA AATGCTTTAC AGTATGGGTT GAGGGTGGTC AATGGAATA TGGAGTAGGT	60
TGGACAGGAA CTTTGGGATA TTCTGATTAC TTACATTCTA CTCGATATCA TACAGCAACT	120
GTTAGACATG GGGGTAGAAC CTCTAAGGAT TATGCAAAAC CTGAGGCATG GGCTAGAGCT	180
TCCCTCACCA AGATTCCG	198

(2) INFORMATION FOR SEQ ID NO: 350:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 891 base pairs  
(B) TYPE: nucleic acid



1367

(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 350:

GCTTCTTCTA TAGACAAAAA TATCATGGGT AAAATAATCA AGGCTATAGC TAGAAGGAGG	60
GACCAATCCA CTACTAATCC TAAGAACAAA ACACTCAAGA GAGCAGAAGA GAGAGGTTCA	120
CTGGCACTGA TAACGGCAAC CACCAAAGGA GAAACCAAGG ACACAGCCTT CATGGAAATG	180
AAAAAAGCAA AAGCCGTTC AAAGAAAGCG ATAATGAGGC AAATCAAGAT ACTCCAAATA	240
TCAAGAGTAA AGGAAAGCTG ATAAACCGGC GAGAGGACAT TGCTAAACAA ACCTGCCAAA	300
ATCATCCCC ACCCAACCGT AGGAACAAAA CCATAACGCT TAGCAAAAGG TTGGGGCAAG	360
ATAACATTAA ACATAACACC CATGGCACTC AGCAAACCTG TTATAAGAGC TAGCGGCGTC	420
ATGGATAACT GAGAGAGGTC TCCCTTTGTC GCCATCAAGC AAACACCCAG CATGGCAACC	480
AAAACATAGA AAACAGCGCT TTTTGACGCT CGTTTTGAT AAACCAAGCG ATTGTAAAAG	540
AGGATAAAGA CAGGGCTAAT AAAGTGTAAA ATAGTTGCTG TCGTAGCATT TGAGTATTCT	600
ACACAGAGAT AGAAAAATA CTGAACTGAA AAAATCCCCA AAATAGCATA GGCTAAAAAG	660
GGCAGGTAAT TTTTCTTGTC TCGCCAAATA TCTAGCACTT GCGATTTTAA TTGTATTGCA	720
GACCAAATGA GTACAAGACT CCCTGCCAGT GTCAAACGCA TAGAGGTAAT CCAGCCCGAA	780
GACACCTGAT AATGAGTAA GAAGTACTCT CCTAAAATTC CACAGATTCC CCATATTAG	840
CCGGATAGGA GCGAATAAAT TTTTCCGTTA ACAATCTTTT TCTGATACTG A	891

## (2) INFORMATION FOR SEQ ID NO: 351:

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 325 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 351:

GAAAGCGTTC AATAGAACAT TGCTTTTTTA TTTTtagagt AAGCTAAGCG CTTcagcatc	60
TGCGATGATG GTTACATCAG GGTGATTTG GAGGCTACTT GCAGGTAGGT TCTCAGTCAC	120
TGGGCCAGAT ACTGTTCCGG CAATGGCTTC TGCTTTCGAC TCACCGTAAG CAAAAAGAAT	180
AATAGACTTG GCATCCAAAA TGTTTTTAAT CCCCATTGAA ATAGCTTGGG TTGGGACGTC	240
TTCAATCTTG GCAAAGAAGC GTGCATTGGC TTCGATAGTA GACTGGTCAA GTTCTACTAG	300

1368

ATGCGTTTGA CTGTCAAATG GAGTG

325

(2) INFORMATION FOR SEQ ID NO: 352:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 344 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 352:

CAAGAGCAGT TTGATGATTT TTGATAAGCA TGCGAATTTA AAATACAAAT ATGGCAATCG	60
CAAGTTTGG TGTAGAGGCT ATTATGTAGA TACGGTAGGC CGTAATCAGA AAGTGATAGC	120
TGAATATATT CAGAATCAAT TACAAGAAGA CAGAGTAGCA GACCTAGCTC ACGTATTCG	180
AGTCAGTAGA TCCGTTTACT GGCGAAATAA ATAAGAGGAA GTAACGTnAA GTGCTTTAGC	240
ACCTGCTCGG GAAAGTGGTG CGCGAGGAAG CTATTTCAGG ATGCTTTGGC CCTGGCCGGT	300
AGAAGCGTTA TAGCCGCAGA CTACGACACT TCACACTGGT GGT	344

(2) INFORMATION FOR SEQ ID NO: 353:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 692 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 353:

CCCTATCCCT GCTATTGGGG CTGCTCTCAT TGCTGCTTTG GCACAAATCA GTCTTCCAAT	60
TGGACCTGTT CCCTTCACTC TGCAAACTT TGCAATCGGC TTGATTCTAC TGTCTTTAGA	120
CCGAGAGAGG CTGTACTTTC TGCTGGACTC TATCTTCTTC TAGGTGCTAT CGGTCTTCCT	180
GTCTTTGCAG GAGGTGGAGC TGGTTTTAG GCTTTAGTTG GCCCTACTGC AGGCTATCTT	240
TGGTTTTATC TCGTTTACTC TGGACTTACT TCCTCTCTAA CCAACAGCAA GAGTGGTGT	300
GTTAAGATTT TTCTTGCAA CCTCTTGGGT GATGCCCTTG TCTTTGTCGG CGGGATTCTC	360
AGCTTGCAAT TCCTAGCTGG AATGGCATT GAAAAAGCTC TTGCTGTGGG GGTCTTCCC	420
TTTATCATTC CAGACCTTGG CAACTTCTA GCTATTAGTT TTATTAGCCG TCCCCTACTT	480
CAACGCCTTA AAAATCAGGC TTACTTTACT AACTAAAAA GGATATCGAG TTATCATGAC	540
TCAATATCCT TTTCTTTTAT TTTGAAACT TATACTCAAT GAAAATCAA GAGCAAATA	600
GGAAGCTAGC CGCAGGCTnG CAAAACACTG TTTTGAGGTT GTGGATGAAA CTGACGAGTA	660

1369

AnATCTCATA CATACGGCAA GGCAAAGCTG AC

692

(2) INFORMATION FOR SEQ ID NO: 354:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1005 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 354:

GTGATGGACT ACTGGTTCAA AACGCATCCA GAAGATTTT TCGATAATGT CGGACCTCTT	60
GTAGCCAGTA ACTTTTTTCA TACTTACACC GAAGATTTC ACTTGATGAA GGAAATTGGA	120
GTAAATTCCT TCCGCACTTC CATCCAATGG AGTCGACTCA TCAAGAATTT AGAGACAGGT	180
GAGCCTGATC CAAAAGGTAT TGCTTTCTAC AATGCCATCA TTGAAGAACC TAAAAAGAAC	240
CAGATGGATC TTGTGATGAA TTTACATCAT TTTGATTAC CAGTGGAAC TCTTCAAAAA	300
TACGGTGGTT GGGAAAGCAA ACATGTAGTG GAGTTATTCG TGAAGTTTGC CAAGACTGCT	360
TTACATGCT TTGGAGATAA GGTTCATTAC TGGACAACCT TCAATGAGCC AATGGTCATT	420
CCAGAAGCAG GGTACTTATA TGCTTTCCAT TATCCAAATC TAAAAGGAAA GCGAAAAGAG	480
GCCGTACAAG TCATCTATAA TCTAAACCTT GCTAGTGCAA AAGTGATTCA ACTATATCGC	540
TCATTAGAAC TTGATGGAAA GATTGGGATT ATTTTAAACT TGACACCTGC TTATCCAAGA	600
AGTAATTCTC CAGAAGACTT AGAAGCAAGT CGATTTACAG ATGACTTCTT TAACAAAGTC	660
TTCTTGAATC CAGCTGTTAA AGGAACCTTC CCAGAAAGAT TGGTAAAACA GCTAGAGAGA	720
GATGGCGTGT TATGGAGTCA TACCGAAAAA GAGCTTCAAC TGATGAAATC AAATACGGTT	780
GATTTTCTTG GAGTAAACTA CTACCATCCA AACCGTGTTC AAGCACAAGC AAATCCTGAG	840
GAATATCAGA CGCCCTGGAT GCCAGACCAA TACTTCAAAG AGTATGAATG GCTGGAGCGT	900
CGCATGAATC CATATCGTGG TTGGGAAATT TTTCCGAAAG CCATTTATGA TATGCTATG	960
ATTGTGAAGG AAGAATATGG TAATATCCCA TGGTTTATCA GTGAA	1005

(2) INFORMATION FOR SEQ ID NO: 355:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 973 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

1370

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 355:

CCGACAAGCA ATATTAAAA GAGTAACTA TTAAGTAGTT AATTAACCGG TTTATTACTT	60
TATAGTGAAT CAAATATACT TAAGAAAAGA GGAAAGAATG AAAATTAAATA AAAAATATCT	120
AGCAGGTTCA GTGGCAGTCC TGCCCTAAG TGTTTGTTCC TATGAGCTTG GACGTTACCA	180
AGCTGGTCAG GATAAGAAAAG AGTCTAATCG AGTTGCTTAT ATAGATGGTG ATCAGGCTGG	240
TCAAAAGGCA GAAAACTTGA CACCAGATGA AGTCAGTAAG AGGGAGGGGA TCAACGCCGA	300
ACAAATTGTT ATCAAGATTA CGGATCAAGG TTATGTGACC TCTCATGGAG ACCATTATCA	360
TTACTATAAT GGCAAGGTTT CTTATGATGC CATCATCAGT GAAGAGCTCC TCATGAAAGA	420
TCCGAATTAT CAGTTGAAGG ATTCAGACAT TGTCAATGAA ATCAAGGGTG GTTATGTCAT	480
TAAGGTAAAC GGTAATAACT ATGTTTACCT TAAGGATGCA GCTCATGCGG ATAATATTCTG	540
GACAAAAGAA GAGATTAAAC GTCAGAAGCA GGAACGCAGT CATAATCATA ACTCAAGAGC	600
AGATAATGCT GTTGCTGCAG CCAGAGCCCA AGGACGTTAT ACAACGGATG ATGGGTATAT	660
CTTCAATGCA TCTGATATCA TTGAGGACAC GGGTGATGCT TATATCGTTC CTCACGGCGA	720
CCATTACCAT TACATTCTTA AGAATGAGTT ATCAGCTAGC GAGTTAGCTG CTGCAGAAGC	780
CTATTGGAAT GGAAGCAGG GATCTCGTCC TTCTTCAAGT TCTAGTTATA ATGCAAATCC	840
AGCTCAACCA AGATTGTGAG AGAACCACAA TCTGACTGTC ACTCCAACCT ATCATCAAAA	900
TCAAGGGGGA AACATTTCAG GCCTTTTACG TGAATTGTAT GCTAACCCTT ATCAGAACGC	960
CATGTGGGAT CTG	973

(2) INFORMATION FOR SEQ ID NO: 356:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 843 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 356:

GGTCGCATCT GCAATATCTG TCGCCTCCAC ATAAGCGACA CCAGCCTTGT CTGCTGCCCG	60
TTTGACACGT TCTGCAGATT GACCCAGGAT GACCATCTTC TTGAGTCCAG TAATGTCTGG	120
CACCAATTCG TCAAACTCAT TGCCACGGTC CAAACCACCT GCAATCAAGA CGACCTTGCT	180
GTTGTCAAAAT CCTGACAAGC TTTTGTAGTA GCCAAGATAT TAGTTGATTT ACTGTCGTTA	240
TAGAATTTAA CACsCTTGAT GTCATCCACA AACTGGAGAC GGTGTTTGAC ACCACCGAAG	300
GCTGAAAGAG TTTCTTGAT GGTTTGATTG TCCACATCAC GAAGCTTGGC TACAGCAATA	360

1371

GTCGCAAGGG CATTTTCCAC ATTGTGGCTA CCTGGAACAC CGATTTCATT CGCTGCCATG	420
ACTACTTCAC CACGGAAGTA GAGTTGACCA TCTTCCAGAT AAGCTCCATC AACCTTTTCA	480
AGTGTTGAAA ATGGTACAAC AGTGGCTTCT GTCTTGGAAG TCAAGTCTTT TGCCAAGTCT	540
TGATTAAAGT TCAAGACAAG GAAATCAGCT GCTGTCATCT TGTTCTGGAT ATTCCACTTG	600
GCTGCTACAT ATTCCGAAAA TGACCCATGG TAGTCGATAT GAGTTGGCAT GAGGTGGTA	660
ATAACCGCAA TCTCTGGATG GAATTCTTGA ACACCCATGA GTTGGAAGA AGAAAGTTCC	720
ATAACAAGCG TGTCCTTATC TGATGCTATT TGAGCAACCT GACTAGCTGG ATAGCCGATA	780
TTCCCTGATA AAAGACCATG TTGGCCAGCA GCAGTCAAAA CTTCCCGGGn TCCTCTAGAG	840
TCG	843

(2) INFORMATION FOR SEQ ID NO: 357:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 807 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 357:

TTTTTTTAT ATTTTTTTTA TTTATTATTT TTTGGCAAAA AAGACCAATT TGCTTTGGAG	60
CATTGCTTCT GCATTAAATT GTCTATTTT GCTCGTGTG TTACGCTCTT TGTATCATGT	120
ATTAAGTAGC AAGTGCAACT TGCAAACTAC TAGTAAGAGG AGAAAAACAA AATGGTTATG	180
ACTGACCCAA TCGCAGACTT CCTAACTCGT ATTCGTAATG CTAACCAAGC TAAACACGAA	240
GTACTTGAAG TACCTGCATC AAACATCAAA AAAGGGATTG CTGAAATCCT TAAACGCGAA	300
GGTTTTGTAA AAAACGTTGA AATCATTGAA GATGACAAAC AAGGCGTCAT CCGTGTATTT	360
CTTAAATACG GACCAAATGG TGAGAAAGTT ATCACTAACT TGAAACGTGT TTCTAAACCA	420
GGACTTCGTG TCTACAAAAA ACGTGAAGAC CTTCCAAAAG TTCTTAACGG ACTTGGAATT	480
GCCATCCTTT CAACTTCTGA AGGTTTGCTT ACTGATAAAG AAGCACGCCA AAAGAATGTT	540
GGTGGTGAGG TTATCGCTTA CGTTTGGTAA AATCAAGATA CAAAGCTCGT AAAGAACAAA	600
GCAAAATTAG GAAGTTGGAG AAGTTTGTCT ACAAACAGGC CAACTTATCT ATTTTGCACA	660
GTCTTAGAG CGTGTTCAAG TCAGCTCTTG AGCTAAGTAA GTATCTGAAC CCCGTGAAAA	720
CTGGCCGTGC TGGCATGTTT GGGTAACAGG AGAATAATAA CATGTCACGT ATTGGTAATA	780
AGTTCAGCTA AGGCCTTCGT AAAAGTT	807

1372

## (2) INFORMATION FOR SEQ ID NO: 358:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 653 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 358:

```
CCCAGTATTT TTGTCCAAGC ACGACCAGAA AAGGATGATA CAGATCTGGA ATTGGCTCTC      60
TTAACCATCT tTGAACAAAA TCCTCAGGCT CAGGTCACCT TTTTCGGTGC CTTGGGTGGC      120
CGTATTGACC ATATGTTGGC CAATGTCTTT CTGCCTAGCA ATCCTAAGTT GGCACCCTAT      180
ATGCATCAAA TAGAAATTGA GGATGGGCAA AACTTGATTA CTTATTGTCC AGAAGGAATC      240
AGTCAGCTAG AACCTCGTTC AGACTACGAC TATCTAGCCT TTATGCCAGT TCGGGATAGC      300
CAAGTATGAG TTGACAGAGG AAAATTTTTT CTTTAAAAAA GTGTACGCTT CTAACGAATA      360
TATAGATAGG GAAGTGTCGG TAACTTGCCC AGATGGTTAT GTGGTCGTAC TGCATAGCAA      420
GGACAGGAGG TAGGATGGAA AGTTTACTTA TTCTATTATT AATTGCCAAT CTAGCTGGTC      480
TCTTTCTGAT TTGGCAAAGG CAGGATAGGC AGGAGAAACA CTTAAGTAAG AGCTTGGAGG      540
ATCAGGCAGA TCATTTGTCA GACCAGCTGG ATTACCGCTT TGACCAAGCC AGACAAGCCA      600
GCCAGTTAGA CCAAAAAGAT TTGGAAGTGG TTGTCAGCGA CCGTTTGCAA GAA          653
```

## (2) INFORMATION FOR SEQ ID NO: 359:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 641 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 359:

```
CACCATGTGA TGTGACGCTG GCCACAGCTG TCAGAAATCT GGCGAGCCAT CGTGTGCAAT      60
GACTCTTCCC GATGTAATCT TGTCATAGT CCTTTGATGA ATATGTTCAA GCTGTAGAAG      120
GTGCGCTTCC TGAACACTTA TCAACTGTTA CAGGCGAGTT GACCAGTCAG GAAACAGATG      180
GCTGGTACAC ACTTGCCAAC ACTTCTTCAT CCGCATTTA CCTAAAACAA GCCTTCCAAG      240
AAAATAGCAA CCTCCTAGAG CAAGTGGTAG AACCTTGAC TATTATCACT GGTGGACACA      300
ACCACAAGGA CCAGTTGACC TATGCTTGGA AAACACTTTT GCAGAATGCG CCACATGATA      360
GTATCTGTGG CTGTAGCGTG GACGAAGTTC ACCGCGAGAT GAAACGCGT TTTGCCAAGG      420
```

1373

TCAACCAAGT AGGAAACTTT GTTAAAAGTA ACTTGCTCAA CGAGTGAAG GGTAAAATTG	480
CTACGGATAA GGCTCAAAGT GACTATCTCT TTACTGTCAT TAACACAGGC TTGCATGATA	540
AGGTCGATAC TGTCAGCACA GTGATTGATG TGGCGACTTG TGATTTCAG GAATTGCACC	600
CAACAGAAGG CTACAAAAAG ATGGCTGCTC TTATCTTGCC G	641

(2) INFORMATION FOR SEQ ID NO: 360:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1958 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 360:

CCTCAAGGCC AATTGAAGG CTCTAAAACA ATGGAAAAGT GCTACACAGA TGTGACAGAA	60
TTTGCCATTC CAGCAAGTAC TCAAAAGCTT TACTTATCAC CAGTTTTAGA TGGCTTTAAT	120
AGCGAAATTA TTGCTTTTAA TCTTTCGACT TCACCCAACT TAGAACAAGT ACAACAATG	180
TTAGAACAGG CATTCAAAGA GAAGCACTAC GAGAATACGA TTCTCCATAG TGACCAAGGC	240
TGGCAATATC AACACGATTC TTATCATCGG TTCTAGAGA GTAAGGGAAT TCAAGCATCT	300
ATGTCACGCA AGGGCAACAG CCAAGACAAC GGTATGATGG AATCTTCTTT TGGCATTTTA	360
AAATCCGAAA TGTTTTATGG CTATGAGAAA ACATTTAAAT CACTTAACCA ATTGGAACAA	420
GCCATTATAG ACTATATTGA TTACTACAAC AACAAACGAA TTAAGGTAAA ACTAAAAGGA	480
CTTAGTCCTG TGCAGTACAG AACTAAATCC TTTGGATAAA TTAATTGTCT AACTTTTTGG	540
GGTCAGTACA AACTCTTGC TACTATGCGT TTTATTATTG AAAGACTTAT TGGACTTTCT	600
CTCAAATCGA GTTTTTACTC AATTTTCTTA CTTGATTGGG ATTGAAATTC CAATTAATTT	660
CTCTGAGTAG AGTGTCTTGA TATTGGCTTC ATCAACAGAG GCCTTATCAA TTTTACGTTT	720
CAAGAAAAAT TCTTGAATGG TTTCGATTTT AGGCTCACGA ATAGCACGGT GTTGTGTTGA	780
GATGAGGATT TCATAGTGAA GCGGAGCTTG GGTAAAAATA ACATCTGTAT TCCCTGCAGA	840
ATAAACCTCA ACAAGGGTTG CATCGGTACT TTCTAGCTGA CTTTTTACAA GTTGCGAGTG	900
TGAGTTTGTC GTATTGATAA GCTTCATAAT ATTCCTCCG ATTTTCTAAT TCTATTATAG	960
CACTTTTTGA ATAAAGTCGC TTGATTTATA CTCAATGAAA ATCAAAGAGC AACTAGGAA	1020
GCTAGCCGCA GGCTATACTT GAGTACGGTA AGGCGACGCT GACGTGGTTT GAATTTTATT	1080
TTCGAAGAGT ATTAGCCAAT CTATGCTGT TTTTCCAAG ATTCAATGGC CCATTTATGG	1140

1374

CTACCACGTT TAAGGTTTTT GATAGCCTCG TCAATAGGGA ACCAGGCAAT ATGATTAAAG	1200
TTTTCTAGTG GCTTTTGAC TTCTTTGAAA GGAGTTGCTT CATAGAGGTA GGCAGGATTG	1260
TAGTAGTAGG TATCACGATG ACGAGAATAG AAATATTCGT CAGCTTGCTC GTAATAGGTA	1320
CCAAATPCTG CTGTGAAACC AAGCTCTTCA ATCAACTCAT GCTTTAGGGC TTCCTGATGA	1380
TTTTCACCTG CTTCAAATTC TCCACATGGT AGGAACCAAG CACCATTGG TTCTGAACA	1440
AGAACAATTT GTTTTGTTC AGGATTAGGG ATAACGTCAT ATACGCCATA GCGAGCAATA	1500
TAGTCTGTAT TCACTTTTTT TCTCCGAAAG TTGGGTTTGC CATTGCATTT TCCTCATTAT	1560
CTAGTATCGT TATTATTATA GTGAAATGAA CCAAAAATAG TACACAATGT GGTATAATCT	1620
TCTTATGGCA TATTCAATAG ATTTTCGTAA AAAAGTCTC TCTTATGTG AGCGAACAGG	1680
TAGTATAACA GAAGCATCAC ACGTTTCCA AATCTCACGT AATACCATT ATGGCTGGTT	1740
AAAGCTAAAA GAGAAAACAG GAGAGCTAAA CCACCAAGTA AAAGGAATAA AACCAAGAAA	1800
GGTTGATAGA GATAGACTTA AAAACTATCT TACTGACAAT CCAGACGCTT ATTTGACTGA	1860
AATAGCTTCT GAATTTGGCT GTCATCCAAC TACCATCCAC TATGCGCTCA AAGCTATGGG	1920
TACACTCGAA AAAAAAAGA ACTACACCTA CTATGAAC	1958

(2) INFORMATION FOR SEQ ID NO: 361:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 851 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 361:

TATGAAATTA AGTTATGATG ATAAAGTTCA GATCTATGAA CTTAGAAAAC AAGGATATAG	60
CTTAGAGAAG CTTTCAAATA AATTGGGAT AACAATCTT AATCTTAGGT ATATGATTAA	120
ATTGATTGAT CGTTACGGAA TAGAGTTCGT CAAAAAGGA AAAAATCGTT ACTATTCTCC	180
TGATTTAAAA CAAGAAATGA TTAATAAAGT CTGACATGAA GGCTGGACTA AAGATAGAGT	240
TTCTCTTGAA TACGGTCTCC CAAGTCGTAC GATACTTCTT AACTGGCTAG CACAATACAG	300
GAAAAACGGG TATACTATTG TTGAGAAACC AAGAGGGAGA GTACCTGAGA GCGGAGAATG	360
CCATCCTAAA AAAGTTAAGA GAACTCCGAT TGAAGGAGGA AAAAGAGAAA GAAGAAAGAC	420
AGAAATTGTT TAAGAATTAA TGACTGAGTT TTCGTTAGAT CTTCTTTTAA AAGTCATTAA	480
ACTAGCTCGT TCGACCTACT ACTATCACTT GAAACAGCTA GATAAACCGA ATAAGGACCA	540
AGAGCTTAAA GCTGAAATTC AATCCATTTT TATCGAACAC AAAGGAAATT ATGCTTATCG	600



1375

TCGGATTTAT TTAGAACTAA GAAATCGTGG TTATCTGGTA AATCATAAAA GAGTTCAAGG	660
CTTGATGAAA GTACTCAATc TACAAGCTAA AACGCGACAG AAACGAAAAT ATTCTTCTCA	720
TAAAGGAGAC GTTGGCAAGA AGGCAGAGAA TCTCATTCAA GGCCAATTTG AAGGCTCTAA	780
AACAATGGAA CAGTGCTACA CAGATGTGAC AGAATTTGCC ATTCCAGTAA GTACTTAAAA	840
GCTTTACTTA T	851

(2) INFORMATION FOR SEQ ID NO: 362:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1168 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 362:

GGGTAGAATC GATATCTCCA ATGAGTTGGT tTAGCTGGTG AAACGTGAAA AAGATTTCGW	60
CCAATTCAAG GTTGAGGCAT CGCAAATAT GGACTGTTTC CTCGTCAGTT CTGGAAAGAA	120
AACGGGATAA GGTGGCTGT GAAGCAAGCT GCCCTCCTTC CAACAATTTT GGAAAGTAGG	180
CATCAGCTGA CAATTCTTTA CAAGCATAGT CCGTCCATA ACCTGTTAAC AGTTGAAAGA	240
GGAACTGGAC AAGGATATCT GAATCCGAAT AACGACAGTA GCGGCGTTGG TCATTCGTTA	300
CTAAATACTT AGAAATCCGC TCTTTTAGTT TCAACTGGGA AAAAAGTTCC TGAAAAAGA	360
TAAGACCACC ATACTGGGT AAATGACCTC CATCGAAAGA TAGTTGGTAA AAAGACTTGT	420
TTTGGAAGTG ATGATTTGGT AAACGTGTTCA TGTGAGTTTC CTTTCTTTT GTGTTTTTTT	480
CTACACTTAT ACCATAAAGG GGAACTCTT TTTGTCTAG TAAAAACAC CCATTGGGTG	540
AAAAAGAAA CCATCCAGGA TCTAAGCTAA GGCAAGGATT CTGGATGGTT TTTAGATTG	600
GGGTGAATAA TTGGGGTTTT AGCTGCTTGC GGCCAATCAG GTTCAGATAC AAAAATTAC	660
TCATCAACCT TTAGTGAAA TCCAATACA TTTAACTATC TATTAGACTA TTACGCTGAT	720
AATATAGTCA ATTGAAACAA GAACAAGACA AAAGAGCCTC ATAAAAGGTA TTGCAACTTG	780
GTAATACCTT TTTGAGGTGC TTTTGTATAT GAGCCCATGT TTTCTCAATA GGATTGTACT	840
CAGGTGAGTA GGGAGGAAGA GGTAAAAGTT TATACCCAAA CTCTTCACAC AAGAGTTCTA	900
ACTTACCCAT TCTATGGAAT CTGCAATTAT CCATAATAAT AACCGATGGT GTGTTTAATG	960
TTGGTAAGAG AAATTCTGA AACCAAGCTT CAAAAAGTC GCTCGTCATC GTCTCTTCGT	1020
AAGTTATTGG AGCGATTAA TCACCATTG TTAGACCTGC AACCAAAGAA ATCCTCTGAT	1080

1376

ATCTTCTTCC AGATACTTTG CCTCTCTTA ACTGACCTTT TAATGAGCGA CCATATTCTC 1140

GATAAAAATA AGTATCGAAT CCTGTTTC 1168

(2) INFORMATION FOR SEQ ID NO: 363:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 4483 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 363:

GTCAGCTTCA GCAAGCCCAT CAGCTTCTGA ATCTGCATCA ACCAGTGCCT CCGCTTCAGC	60
GTCAACCACT GCGTCGGCTT CAGCGTCGAC AAGTGCTTCG GCTTCAGCAT CAACGAGTGC	120
GTGGGCTTCA GCAAGCGCAA GTACCTCAGC GTCAGCTTCC GCCTCAACCA GTGCGTCGGC	180
TTCAGCAAGC ACAAGTGCCT CAGCCTCAGC AAGTATCTCA GCGTCTGAAT CGGCATCAAC	240
GAGTGCCTCT GAGTCAGCAT CAACGAGTAC GTCAGCCTCA GCAAGCACAT CAGCTTCTGA	300
ATCTGCATCA ACCAGTGCCT CAGCCTCAGC ATCGACAAGC GCCTCAGCTT CAGCAAGTAC	360
CAGTGCCTCA GCCTCAGCTT CGACAAGTGC GTGGGCTTCA ACCAGTGCAT CTGAATCGGC	420
ATCAACCACT GCGTCAGCTT CAGCAAGTAC TAGTGCATCA GCTTCAGCAT CAACGAGTGC	480
ATCGGCTTCA GCATCAACCA GTGGCTCGGC TTCAGCGTCA ACCAGTGCCT CAGCTTCAGC	540
AAGTACCACT GCTTCAGTCT CAGCATCAAC AAGTGCTTCA GCCTCAGCAT CGACAAGTGC	600
CTCGGCTTCA GCAAGCACAT CAGCATCTGA ATCAGCGTCG ACAAGCGCCT CAGCTTCAGC	660
AAGTACCACT GCGTCAGCTT CAGCGTCGAC AAGTGCGTCA GCCTCAGCAA GTACTAGTGC	720
ATCAGCTTCA GCATCAACGA GTGCATCGGC TTCGGCGTCA ACCAGTGCAT CAGAGTCAGC	780
AAGTACCACT GCGTCAGCTT CCGCATCAAC AAGTGCGTCG GCTTCAGCAA GCACCAAGTGC	840
GTGGGCTTCA GCAAGTACTA GCGCCTCAGC CTCAGCCTCA ACCAGTGCCT CAGCCTCAGC	900
AAGTATCTCA GCGTCTGAAT CGGCATCAAC GAGTGCCTCC GCTTCAGCAA GTACTAGCGC	960
CTCAGCCTCA GCGTCAACAA GTGCATCGGC TTCAGCGTCA ACCAGTGCCT CTGAATCGGC	1020
ATCAACGAGT GCGTCCGCTT CAGCAAGTAC TAGCGCCTCA GCCTCAGCTT CAACAAGTGC	1080
ATCGGCTTCA GCATCAACGA GTGCGTCCGC TTCAGCAAGT ACTAGCGCCT CAGCCTCAGC	1140
GTCAACAAGT GCATCGGCTT CAGCGTCAAC GAGTGCCTCT GAGTCAGCAT CAACGAGTGC	1200
GTCAGCCTCA GCAAGCACAT CAGCTTCTGA ATCTGCATCA ACCAGTGCCT CAGCCTCAGC	1260
ATCGACAAGC GCCTCAGCTT CAGCAAGTAC CAGTGCCTCA GCTCAGCGTC GACAAGTGCs	1320

1377

TCrGCTTCAG CAAGTACCAG TGCCTCAGCC TCAGCAAGTA CCAGTGCKTC AGCCTCAGCG	1380
TCGACAAGTG CGTCGGCCTC AACCAGTGCA TCTGAATCGG CATCAACCAG TGCCTCAGCC	1440
TCAGCAAGTA CTAGCGCCTC AGCCTCAGCA TCAACGAGTG CGTCCGCTTC AGCAAGTACT	1500
AGTGCATCAG CTTAGCAAG TACTAGCGCC TCAGCCTCAG CGTCGACAAG CGCCTCAGCT	1560
TCAGCAAGTA CCAGTGCGTC AGCCTCAGCG TCGACAAGTG CGTCGGCTTC AGCAAGTACC	1620
TCAGCGTCTG AATCAGCATC AACAAGTGCG TCGGCTTCAG CATCAACGAG TGCATCAGCT	1680
TCAGCATCAA CAAGTGCTTC AGCTTCAGCA AGTACCAGTG CGTCGGCTTC AGCATCAACG	1740
AGTGCTTCAG TCTCAGCGTC AACCAGTGCC TCTGAATCGG CATCAACAAG TGCCTCGGCT	1800
TCAGCAAGCA CCAGTGCTTC GGCTTCAGCG TCAACGAGTG CGTCTGAGTC AGCATCAACG	1860
AGTGCCTCAC CTCAGCAAGC ACATCAGCTT CTGAATCTGC ATCAACCAGT GCGTCACTTC	1920
CGCATCAACA AGCGCCTCGG CCTCAGCAAG TACAAGTGCT TCAGCCTCAG CATCAACCAG	1980
TGCATCAGCT TCAGCCTCAA CAAGTGCTTC AGCCTCAGCG TCAACCAGTG CCTCGGCTTC	2040
AGCAAGTACC AGTGCGTCAG cTTAGCAAG CACAAGTGCG TCAGCTTCAG CATCAACCAG	2100
TGCTTCGGCT TCGGCATCAA CAAGTGCTTC AGCATCAGCA TCAACGAGTG CGTCAsCTCA	2160
GCAAGTACTA GTGCATCAGC ATCAGCATCA ACCAGTGCAAT CAGCCTCAGC AAGTATCTCA	2220
GCGTCTGAAT CGGCATCAAC GAGTGATCA GCATCAGCAT CAACGAGTGC ATCGGCTTCA	2280
GCGTCAACCA GTGCATCAGT CTCAGCAAGC ACCAGTGCGT CGGCTTCAGC ATCAACCAGT	2340
GCCTCAGCCT CAGCAAGTAT CTCAGCGTCT GAATCGGCAT CAACGAGTGC GTCAGcCTCA	2400
GCAAGTACTA GTGCATCAGC ATCAGCATCA ACGAGTGCAAT CGGCTTCAGC AAGTACCAGC	2460
GCCTCAGCTT CAGCAAGCAC CAGTGCGTCA GCCTCAGCAA GTACCAGCGC CTCAGCCTCA	2520
GCAAGCACCA GTGCCTCAGC TTCAGCAAGT ACCAGTGCGT CAGCCTCAGC GTCGACAAGT	2580
GCGTCGGCTT CAGCAAGTAC CTCAGCGTCT GAATCAGCAT CAACGAGTGC ATCAGCTTCA	2640
GCATCAACAA GTGCTTCAGC TTCAGCAAGT ACCAGTGCGT CGGCTTCAGC ATCAACGAGT	2700
GCTTCAGTCT CAGCGTCAAC CAGTGCTCT GAATCAGCAT CAACAAGTGC CTCGGCTTCA	2760
GCAAGCACCA GTGCGTCGGC TTCAGCAAGT ACTAGTGCAAT CGGCTTCAGC ATCGACAAGT	2820
GCGTCTGAAT CGGCATCAAC GAGTGCTTCG GCTTCAGCAT CAACGAGTGC GTCAGCCTCA	2880
GCAAGCACAT CAGCTTCTGA ATCTGCATCA ACCAGTGCGT CCGCTTCAGC GTCAACCAGT	2940
GCGTCGGCTT CAGCGTCGAC AAGTGCTTCG GCTTCAGCAT CAACGAGTGC GTCGGCCTCA	3000
GCAAGCGCAA GTACCTCAGC GTCAGCTTCC GCCTCAACCA GTGCGTCCGC TTCAGCAAGC	3060

1378

ACAAGTGCCT CAGCCTCAGC AAGTATCTCA GCGTCTGAAT CGGCATCAAC GAGTGCCTCG	3120
GCCTCAGCAA GCGCAAGTAC CTCAGCGTCA GCTTCCGCCT CAACCAAGTGC GTCGGCTTCA	3180
GCAAGCACAA GTGCGTCAGC CTCAGCAAGT ATCTCAGCGT CTGAATCGGC ATCAACGAGT	3240
GCGTCTGAGT CAGCATCAAC GAGTACGTCA GCCTCAGCAA GCACATCAGC TTCTGAATCG	3300
GCATCAACCA GTGCGTCAGC CTCAGCATCG ACAAGCGCCT CAGCTTCAGC AAGTACCAGT	3360
GCTTCAGCCT CAGCGTCGAC AAGTGCCTCG GCCTCAACCA GTGCATCTGA ATCGGCATCA	3420
ACCAGTGCCT CAGCCTCAGC AAGTACTAGT GCATCAGCTT CAGCATCAAC GAGTGCATCG	3480
GCTTCAGCAT CAACCAAGTGC CTCGGCTTCA GCGTCAACCA GTGCGTCAGC TTCAGCAAGT	3540
ACCAGTGCTT CAGTCTCAGC ATCAACAAGT GCTTCAGCCT CAGCATCGAC AAGTGCCTCG	3600
GCTTCAGCAA GCACATCAGC ATCTGAATCA GCGTCGACAA GCGCCTCAGC TTCAGCAAGT	3660
ACCAGTGCCT CAGCCTCAGC GTCGACAAGT GCGTCAGCCT CAGCAAGTAC TAGTGCATCA	3720
GCTTCAGCAT CAACGAGTGC ATCGGCTTCG GCGTCAACCA GTGCATCAGA GTCAGCAAGT	3780
ACCAGTGCCT CAGCTTCCGC ATCAACAAGT GCCTCGGCTT CAGCAAGCAC CAGTGCCTCG	3840
GCTTCAGCAA GTACTAGCGC CTCAGCCTCA GCCTCAACCA GTGCGTCAGC CTCAGCAAGT	3900
ATCTCAGCGT CTGAATCGGC ATCAACGAGT GCGTCCGCTT CAGCAAGTAC TAGCGCCTCA	3960
GCCTCAGCGT CAACAAGTGC ATCGGCTTCA GCGTCAACGA GTGCGTCTGA ATCGGCATCA	4020
ACGAGTGCCT CCGCTTCAGC AAGTACTAGC GCCTCAGCCT CAGCGTCAAC AAGTGCATCG	4080
GCTTCAGCAT CAACGAGTGC GTCCGCTTCA GCAAGTACTA GCGCCTCAGC CTCAGCGTCA	4140
ACAAGTGCAT CCGGTTTCAGC GTCAACGAGT GCGTCTGAGT CAGCATCAAC GAGTGCCTCA	4200
CCTCAKCAAG CACATCAGCT TCTGAATCTG CATCAACCAG TCGTCACTT CCGCATCAAC	4260
AAGCGCCTCG GCCTCAGCAA GTACAAGTGC TTCAGCCTCA GCATCAACCA GTGCATCAGC	4320
TTCAGCCTCA ACAAGTGCTT CAGCCTCAGC GTCAGACCAG TGCCTCGGCT TCAGCAAGTA	4380
CCAGTGCCTC ACTTCAGCAA GCACAAGTGC GTCAGCTTCA GCATCAACCA GTGCTTCGCG	4440
TTCGGCATCA ACAAGTGCCT CAGCATCAGC ATCAACGAGT GCG	4483

(2) INFORMATION FOR SEQ ID NO: 364:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2550 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 364:

1379

GTACCTCAGC GTCCTTCCGC CTCAACCAGT GCGTCCGCTT CAGCAAGCAC AAGTGCCTCA	60
CCTCAGCAAG TATCTCAGCG TCTGAATCGG CATCAACGAG TCGTCCGCC TCAGCAAGCG	120
CAAGTACCTC AGCGTCACTT CCGCTCAAC CAGTGCCTCG GCTTCAGCAA GCACAAGTGC	180
GTCAsCTCAG CAAGTATCTC AGCGTCTGAA TCGGCATCAA CGAGTGCCTC TGAGTCAGCA	240
TCAACGAGTA CGTCAGCCTC AGCAAGCACA TCAGCTTCTG AATCGGCATC AACCAGTGCG	300
TCAGCCTCAG CATCGACAAG CGCCTCAGCT TCAGCAAGTA CCAGTGCTTC AGCCTCAGCG	360
TCGACAAGTG CGTCGGCCTC AACCAGTGCA TCTGAATCGG CATCAACCAG TCGTCCGCC	420
TCAGCAAGTA CTAGTCATC AGCTTCAGCA TCAACGAGTG CATCGGCTTC AGCATCAACC	480
AGTGCCTCGG CTTTCAGCGTC AACCAGTGCG TCAGCTTCAG CAAGTACCAG TGCTTCAGTC	540
TCAGCATCAA CAAGTGCTTC AGCCTCAGCA TCGACAAGTG CCTCGGCTTC AGCAAGCACA	600
TCAGCATCTG AATCAGCGTC GACAAGTGCG TCGGCCTCAA CCAGTGATC TGAATCGGCA	660
TCAACCAGTG CGTCAGCCTC AGCAAGTACT AGTGATCAG CTTTCAGCATC AACGAGTGCA	720
TCGGCTTCGG CGTCAACCAG TGCATCAGAG TCAGCAAGTA CCAGTGCGTC AGCTTCCGCA	780
TCAACAAGTG CCTCGGCTTC AGCAAGCACA TCAGCATCTG AATCAGCGTC AACCAGTGCT	840
TCGGCTTCAG CAAGTACCAG TGCTTCAGCT TCAGCATCAA CCAGCGCCTC GGCCTCAGCA	900
AGCACCTCAG CTTTGAATC GGCCTCAACC AGCGCCTCGG CCTCAGCAAG CACCTCAGCT	960
TCTGAATCGG CCTCAACCAG CGCCTCAGCC TCAGCATCAA CGAGTGCTTC GGCTTCAGCA	1020
AGCACAAGCG CCTCGGGTTC AGCATCAACG AGTACGTCAG CTTTCAGCGTC AACCAGTGCT	1080
TCAGCCTCAG CATCAACAAG TCGTCCGCC TCAGCAAGTA TCTCAGCGTC TGAATCGGCA	1140
TCAACGAGTG CGTCTGAGTC AGCATCAACG AGTACGTCAG CCTCAGCAAG CACAAGTGCT	1200
TCAGCCTCAG CAAGTATCTC AGCGTCTGAA TCGGCATCAA CGAGTGCGTC CGCTTCAGCA	1260
AGTACTAGCG CCTCAGCATC AGCGTCAACA AGTGCTTCGG CTTTCAGCGTC AACGAGTGCG	1320
TCTGAGTCAG CATCAACGAG TACGTCAGCC TCAGCAAGCA CATCAGCTTC TGAATCTGCA	1380
TCAACCAGTG CGTCAGCCTC AGCATCGACA AGCGCCTCAG CTTTCAGCAAG TACCAGTGCG	1440
TCAGCCTCAG CAAGTACCAG TGCTTCAGCC TCAGCGTCGA CAAGTGCGTC GGCCTCAACC	1500
AGTGATCTG AATCGGCATC AACCAGTGCG TCAGCTCAGC AAGTACTAGT GCATCAGCTT	1560
CAGCATCAAC GAGTGATCG GCTTCGGCGT CAACCAGTGC ATCAGAGTCA GCAAGTACCA	1620
GTGCGTCACT TCCGCATCAA CAAGTGCCTC GGCTTCAGCA AGCACATCAG CATCTGAATC	1680
AGCGTCAACC AGTGCTTCGG CTTTCAGCAAG TACCAGTGCT TCAGCTTCAG CATCAACCAG	1740

1380

CGCCTCGGCC TCAGCAAGCA CCTCAGCTTC TGAATCGGCC TCAACCAGCG CCTCGGCCTC	1800
AGCAAGCACC TCAGCTTCTG AATCGGCCTC AACCAGCGCC TCAGCCTCAG CATCAACGAG	1860
TGCTTCGGCT TCAGCAAGCA CAAGCGCCTC GGGTTCAGCA TCAACGAGTA CGTCAGCTTC	1920
AGCGTCAACC AGTGCTTCAG CCTCAGCATC AACAAGTGGC TCAGCCTCAG CAAGTATCTC	1980
AGCGTCTGAA TCGGCATCAA CGAGTGGCTC TGAGTCAGCA TCAACGAGTA CGTCAGCCTC	2040
AGCAAGCACC TCAGCTTCTG AATCGGCCTC AACCAGTGGC TCAGCCTCAG CATCGACAAG	2100
CGCCTCAGCT TCAGCAAGTA CCAGTGCTTC AGCCTCAGCG TCGACAAGTG CGTCGGCCTC	2160
AACCAGTGCA TCTGAATCGG CATCAACCAG TGGTCAGCC TCAGCAAGTA CTAGTGCATC	2220
GGCTTCAGCA TCAACCAGTG CCTCGGCTTC AGCGTCAACC AGTGCGTCAG CTTAGCAAG	2280
TACCAAGTGT TCAGTCTCAG CATCAACAAG TGCTTCAGCC TCAGCATCGA CAAGTGCCTC	2340
GGCTTCAGCA AGCACATCAG CATCTGAATC AGCGTCGACA AGCGCCTCAG CTTAGCAAG	2400
TACCAAGTGG TCAGCCTCAG CGTCGACAAG TGGTCAGCT ACAGCAAGTA CTAGTGCATC	2460
AGCTTCAGCA TCAACGAGTG CATCGGCTTC GCGTCAACC AGTGTCATCAG AGTCAGCAAG	2520
TACCAAGTGG TCAGTTCAG CATCAACAAG	2550

(2) INFORMATION FOR SEQ ID NO: 365:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 1436 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 365:

ACCCAGCAAG TACTAGTGCA TCGGCTTCAG CAAGCACCAG TGCGTCGGCT TCAGCATCAA	60
CCAGTGCCTC AGCCTCAGCA AGTATCTCAG CGTCTGAATC GGCATCAACG AGTGCGTCAC	120
CTCAGCAAGT ACTAGTGCAT CAGCATCAGC ATCAACGAGT GCATCGGCTT CAGCAAGTAC	180
CAGCGCCTCA GCTTCAGCAA GCACCAGTGC GTCAsCTCAG CAAGTACCAG CGCCTCAGCC	240
TCAGCAAGCA CCAGTGCCTC AGCTTCAGCA AGTACCAGTG CGTCAGCCTC AGCGTCGACA	300
AGTGCGTCGG CTTAGCAAG TACCTCAGCG TCTGAATCAG CATCAACGAG TGCATCAGCT	360
TCAGCATCAA CAAGTGCTTC AGCTTCAGCA AGTATCTCAG CGTCTGAATC GGCATCAACG	420
AGTGCGTCCG CTTAGCAAG TACTAGCGCC TCAGCATCAG CGTCAACAAG TGCTTCGGCT	480
TCAGCGTCAA CGAGTGGCTC TGAGTCAGCA TCAACGAGTA CGTCAGCCTC AGCAAGCACA	540
TCAGCTTCTG AATCTGCATC AACCAGTGGC TCAGCCTCAG CATCGACAAG CGCCTCAGCT	600

1381

TCAGCAAGTA CCAGTGCCTC AgCCTCAGCA AGTACCAGTG CTTCAGCCTC AGCGTCGACA	660
AGTGCCTCGG CCTCAACCAG TGCATCTGAA TCGGCATCAA CCAGTGCCTC AGCCTCAGCA	720
AGTACTAGCG CCTCAGCCTC AGCATCAACG AGTGCCTCGG CTTCAGCAAG TACTAGTGCA	780
TCAGCTTCAG CAAGTACTAG CGCCTCAGCC TCAGCGTCGA CAAGCGCCTC AGCTTCAGCA	840
AGTACCAGTG CGTCAGCCTC AGCGTCGACA AGTGCCTCGG CTTCAGCAAG TACCTCAGCG	900
TCTGAATCAG CATCAACAAG TCGCTCGGCT TCAGCATCAA CGAGTGCATC AGCTTCAGCA	960
TCAACAAGTG CTTCAGCTTC AGCAAGTACC AGTGCCTCGG CTTCAGCATC AACGAGTGCT	1020
TCAGTCTCAG CGTCAACCAG TGCCTCTGAA TCCGCATCAA CAAGTGCCTC GGCTTCAGCA	1080
AGCACCAGTG CTTGGGCTTC AGCGTCAACG AGTGCCTCTG AGTCAGCATC AACGAGTGCG	1140
TCAGCCTCAG CAAGCACATC AGCTTCTGAA TCTGCATCAA CCAGTGCCTC AGCTTCCGCA	1200
TCAACAAGCG CCTCGGCCTC AGCAAGTACA AGTGCTTCAG CCTCAGCATC AACCAGTGCA	1260
TCAGCTTCAG CCTCAACAAG TGCTTCAGCC TCAGCGTCAA CCAGTGCCTC GGCTTCAGCA	1320
AGTACCAGTG CGTCAGCTTC AGCAAGCACA AGTGCCTCAG CTTCAGCATC AACCAGTGCT	1380
TCGGCTTCGG CATCAACAAG TGCCTCAGCA TCAGCATCAA CGAGTGCCTC AGCCGG	1436

(2) INFORMATION FOR SEQ ID NO: 366:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 735 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 366:

GCAGTTGCCA CACCGTGCTG ACCAGCACCC GTTCCTGCGA TAATTTTCTT TTTACCCATG	60
CGTWTGGCAA GCCAAACTTG TCCTAAGGCA TTGTTAATCT TGTGGGCTCC TGTATGGTTA	120
AGGTCTTCCC GTTTGAGATA AATCTTGCTC CGCCAATATG CTGGGTCAAG TTTTTCGCT	180
AATAAGAGG AGTTTCACGT CCTACGTACT GCGCAAAAG CTGGTTTAAT TCCTCTTGGA	240
AACTTGGGTC TGCTGACTT TCACGGTAGG CTTTCTCAA CTCCAAACT GCTGTCATCA	300
ATGTTTCTGG GACAAAACGT CCGCCGAATT TTCCGTAAAA TCCATCTTTA TTTGGTTTCT	360
GATATGCCAT GCTTTACCTT CTCTATAAAT CTTCTAATCT TTTCATGATC TTTTGTCCA	420
TCTGTCTCCA CTCCGCTCGA TACATCTACT GCATAGGGAG TAAAGTGTG AATTGCTTTT	480
ACTACATTAT CTTCATTAAG GCCACCTGCG ATAAAGAAGG GCTGTGCTAG TCCAGTCGTA	540

1382

TCCAGTTGAC CCCAATCAAA GGGCTGGCCA CTTCTTGCCA CAGGGGCATC AAAGAGTAGA	600
TAATCTGCCT GAGAATTGGG GACATGCCCA TTTCCATCTA CCTGCACAGC CTGAATACTG	660
GCACAAGGCA AATTCTCAAA TAAATCATCT GCCACCTGAC CGTGAACCTG AACCAAGTCC	720
AAGCCGGGGA TCCTC	735

(2) INFORMATION FOR SEQ ID NO: 367:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1702 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 367:

TACTAGCGCC TCAGCCTCAG CGTCAACAAG TGCATCGGCT TCAGCATCAA CGAGTGCCTC	60
CGCTTCAGCA AGTACTAGCG CCTCAGCCTC AGCGTCAACA AGTGCATCGG CTTCAGCGTC	120
AACGAGTGCG TCTGAGTCAG CATCAACGAG TGCCTCAGCC TCAGCAAGCA CATCAGCTTC	180
TGAATCTGCA TCAACCAAGT CGTCAGCCTC AGCATCGACA AGCGCCTCAG CTTCAGCAAG	240
TACCAAGTGC TCAGCCTCAG CGTCGACAAG TGCCTCGGCT TCAGCAAGTA CCAGTGCCTC	300
AGCCTCAGCA AGTACCAGTG CGTCAGCCTC AGCGTCGACA AGTGCCTCGG CCTCAACCAG	360
TGCATCTGAA TCGGCATCAA CCAAGTGCCTC AGCCTCAGCA AGTACTAGTG CATCAGCTTC	420
AGCATCAACG AGTGCATCGG CTTCAGCATC AACCAGTGCA TCAGAGTCAG CAAGTACCAG	480
TGCGTCAGCT TCCGCATCAA CAAGTGCCTC GGCTTCAGCA AGTACTAGCG CCTCAGCCTC	540
AGCGTCAACA AGTGCTTCAG CTTCCGCGTC AACCAGCGCC TCGGCCTCAG CAAGTATCTC	600
AGCGTCTGAA TCGGCATCAA CAAGTGCCTC GGCTTCAGCA TCAACGAGTG CATCAGTCTC	660
AGCAAGCACC AGTGCCTCGG CCTCAGCAAG CACCAGCGCG TCTGAATCCG CATCAACCAG	720
TGCCTCAGCT TCAGCAAGTA CCTCAGCATC TGAATCAGCA TCAACAAGTG CATCGGCTTC	780
AGCAAGCACA AGTGCTTCAG CCTCAGCAAG TATCTCAGCG TCTGAATCGG CATCAACGAG	840
TGCGTCCGCT TCAGCAAGTA CTAGCGCCTC AGCATCAGCG TCAACAAGTG CTTCCGCTTC	900
AGCGTCAACG AGTGCCTCTG AGTCAGCATC AACGAGTACG TCAGCCTCAG CAAGCACATC	960
AGCTTCTGAA TCTGCATCAA CCAAGTGCCTC AGCCTCAGCA TCGACAAGCG CCTCAGCTTC	1020
AGCAAGTACC AGTGCCTCAG CCTCAGCAAG TACCAGTGCT TCAGCCTCAG CGTCGACAAG	1080
TGCGTCGGCC TCAACCAAGT CATCTGAATC GGCATCAACC AGTGCCTCAG CCTCAGCAAG	1140
TACTAGCGCC TCAGCCTCAG CATCAACGAG TGCCTCCGCT TCAGCAAGTA CTAGTGCATC	1200



1383

AGCATCAGCA TCAACGAGTG CATCGGCTTC AGCAAGTACC AGCGCCTCAG CTTAGCAAG	1260
CACCACTGCG TCAGCCTCAG CAAGTACCAG CGCCTCAGCC TCAGCAAGCA CCAGTGCCTC	1320
AGCTTCAGCA AGTACCAGTG CGTCAGCCTC AGCGTCGACA AGTGCGTCGG CTTAGCAAG	1380
TACCTCAGCG TCTGAATCAG CATCAACGAG TGCATCAGCT TCAGCATCAA CAAGTGCTTC	1440
AGCTTCAGCA AGTACCAGTG CGTCGGCTTC AGCATCAACG AGTGCTTCAG TCTCAGCGTC	1500
AACCACTGCC TCTGAATCAG CATCAACAAG TGCCTCGGCT TCAGCAAGCA CCAGTGCCTC	1560
GGCTTCAGCA AGTACTAGTG CATCGGCTTC AGCATCGACA AGTGCGTCTG AATCGGCATC	1620
AACGAGTGCT TCGGCTTCAG CATCAACGAG TCGCTCAGCC TCAGCAAGCA CATCAGCTTC	1680
TGAATCTGCA TCAACCACTG CG	1702

(2) INFORMATION FOR SEQ ID NO: 368:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 941 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 368:

ACCAGTGAT CAGCTTCAGC CTCAACAAGT GCTTCAGCCT CAGCGTCAAC CAGTGCCTCG	60
GCTTCAGCAA GTACCACTGC GTCACCTCAG CAAGCACAAG TCGGTCACTT CAGCATCAAC	120
CAGTGCTTCG GCTTCGGCAT CAACAAGTGC CTCAGCATCA GCATCAACGA GTGCGTCACC	180
TCAGCAAGTA CTAGTGATC AGCATCAGCA TCAACCACTG CATCAGCCTC AGCAAGTATC	240
TCAGCGTCTG AATCGGCATC AACGAGTGCA TCAGCATCAG CATCAACGAG TGCATCGGCT	300
TCAGCGTCAA CCACTGCATC AGTCTCAGCA AGCACCAGTG CGTCGGCTTC AGCATCAACG	360
AGTGCTTCAG CCTCAGCAAG TATCTCAGCG TCTGAATCGG CATCAACGAG TCGGTACGCC	420
TCAGCAAGTA CTAGTGATC GGCTTCAGCA AGCACCAGTG CGTCGGCTTC AGCATCAACC	480
AGTGCTTCAG CCTCAGCAAG TATCTCAGCG TCTGAATCGG CATCAACGAG TCGGTACGCC	540
TCAGCAAGTA CTAGTGATC AGCATCAGCA TCAACGAGTG CATCGGCTTC AGCAAGTACC	600
AGCGCTTCAG CTTAGCAAG CACCACTGCG TCAGCCTCAG CAAGTACCAG CGCCTCAGCC	660
TCAGCAAGCA CCACTGCCTC AGCTTCAGCA AGTACCAGTG CGTCAGCCTC AGCGTCGACA	720
AGTGCGTCGG CTTAGCAAG TACCTCAGCG TCTGAATCAG CATCAACGAG TGCATCAGCT	780
TCAGCATCAA CAAGTGCTTC AGCTTCAGCA AGTACCAGTG CGTCGGCTTC AGCATCAACG	840

1384

AGTGCTTCAG TCTCAGCGTC AACCAAGTGCC TCTGAATCAG CATCAACAAG TGCCTCGGCT 900

TCAGCAAGCA CCAGTGCCTC GGCTTCAGCA AGTACTAGTG C 941

(2) INFORMATION FOR SEQ ID NO: 369:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 869 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 369:

CAGCAAGTAC TAGTGCATCA GCTTCAGCAT CAACGAGTGC ATCGGCTTCT GCGTCAACCA 60

GTGCATCAGA GTCAGCAAGT ACCAGTGCCT CAGCTTCCGC ATCAACAAGT GCCTCGGCTT 120

CAGCAAGCAC CAGTGCCTCG GCTTCAGCAA GTACTAGCGC CTCAGCCTCA GCCTCAACCA 180

GTGCGTCAGC CTCAGCAAGT ATCTCAGCGT CTGAATCGGC ATCAACGAGT GCGTCCGCTT 240

CAGCAAGTAC TAGCGCCTCA GCCTCAGCGT CAACAAGTGC ATCGGCTTCA GCGTCAACGA 300

GTGCGTCTGA ATCGGCATCA ACGAGTGCCT CCGCTTCAGC AAGTACTAGC GCCTCAGCCT 360

CAGCGTCAAC AAGTGCATCG GCTTCAGCAT CAACGAGTGC GTCCGCTTCA GCAAGTACTA 420

GCGCCTCAGC CTCAGCGTCA ACAAGTGCAT CGGCTTCAGC GTCAACGAGT GCGTCTGAGT 480

CAGCATCAAC GAGTGCCTCA GCCTCAGCAA GCACATCAGC TTCTGAATCT GCATCAACCA 540

GTGCGTCAGC CTCAGCATCG ACAAGCGCCT CAGCTTCAGC AAGTACCAGT GCGTCAGCCT 600

CAGCGTCGAC AAGTGCCTCG GCTTCAGCAA GTACCAGTGC GTCAGCCTCA GCAAGTACCA 660

GTGCGTCAGC CTCAGCGTCG ACAAGTGCCT CGGCCTCAAC CAGTGCATCT GAATCGGCAT 720

CAACCAAGTGC GTCAGCCTCA GCAAGTACTA GTGCATCAGC TTCAGCATCA ACGAGTGCAT 780

CGGCTTCAGC ATCAACCAGT GCATCAGAGT CAGCAAGTAC CAGTGCCTCA GntTCCGCAT 840

GCAACAAGTG CCTCGGCTTC AGCAAGTAC 869

(2) INFORMATION FOR SEQ ID NO: 370:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 750 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 370:

TCAACAAGTG CCTCAGCATC AGCATCAACG AGTGCCTCAG CCTCAGCAAG TACTAGTGCA 60

1385

TCAGCATCAG CATCAACCAG TGCATCAGCC TCAGCAAGTA TCTCAGCGTC TGAATCGGCA	120
TCAACGAGTG CATCAGCATC AGCATCAACG AGTGCATCGG CTTCAGCGTC AACCAGTGCA	180
TCAGTCTCAG CAAGCACCAG TCGTCGGCT TCAGCATCAA CGAGTGCCTC AGCCTCAGCA	240
AGTATCTCAG CGTCTGAATC GGCATCAACG AGTGCCTCAG CCTCAGCAAG TACTAGTGCA	300
TCGGCTTCAG CAAGCACCAG TCGTCGGCT TCAGCATCAA CCAGTGCCTC AGCCTCAGCA	360
AGTATCTCAG CGTCTGAATC GGCATCAACG AGTGCCTCAG CCTCAGCAAG TACTAGTGCA	420
TCAGCATCAG CATCAACGAG TGCATCGGCT TCAGCAAGTA CCAGCGCCTC AGCTTCAGCA	480
AGCACCAGTG CGTCAGCCTC AGCAAGTACC AGCGCCTCAG CCTCAGCAAG CACCAGTGCC	540
TCAGCTTCAG CAAGTACCAG TCGTCAGCC TCAGCGTCGA CAAGTGCCTC GGCTTCAGCA	600
AGTACCTCAG CGTCTGAATC AGCATCAACG AGTGCATCAG CTTCAGCATC AACAAGTGCT	660
TCAGCTTCAG CAAGTATCTC AGCGTCTGAA TCGGCATCAA CGAGTGCCTC CGCTTCAGCA	720
AGTACTAGCG CCTCAGCATC AGCGTCAACG	750

(2) INFORMATION FOR SEQ ID NO: 371:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 957 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 371:

CCGAAAAACA GCTCTGGCGC TTGGTCTTGC CCAGCGTATT GCTAGTGGTG ACGTGCCTGC	60
GGAAATGGCT AAGATGCGCG TGTTAGAACT TGATTTGATG AATGTCGTG CAGGGACACG	120
CTTCCGTGGT GACTTTGAAG AACGCATGAA TAATATCATC AAGGATATTG AAGAAGATGG	180
CCAAGTCATC CTCTTTATCG ATGAACTCCA CACCATCATG GGTTCGGTA GCGGGATTGA	240
TTGACTCTG GATGCGGCCA ATATCTTGAA ACCAGCCTTG GCGCGTGGA CTTTGAGAAC	300
GGTTGGTGCC ACTACTCAGG AAGAATATCA AAAACATATC GAAAAAGATG CGGCACTTTC	360
TCGTCGTTTC GCTAAAGTGA CGATTGAAGA ACCAAGTGTG GCAGATAGTA TGACTATTTT	420
ACAAGGTTTG AAGGCGACTT ATGAGAAACA TCACCGTGA CAAATCACAG ATGAAGCGGT	480
TGAAACAGCG GTTAAGATGG CTCATCGTTA TTAAACCAGT CGTCACTTGC CAGACTCTGC	540
TATCGATCTC TTGGATGAGG CGGCAGCAAC AGTGCAAAAT AAGGCAAAGC ATGTAAAAGC	600
AGACGATTCA GATTTGAGTC CAGCTGACAA GGCCCTGATG GATGGCAAGT GGAAACAGGC	660

1386

AGCCCAGCTA ATCGCAAAAG AAGAGGAAGT ACCTGTCTAC AAAGACTTGG TGACAGAGTC	720
TGATATTTTG ACCACCTTGA GTCGCTTGTC AGGAATCCCA GTTCAAAAAC TGA CTCAAAC	780
GGATGCTAAG AAGTATTTAA ATCTTGAAGC AGAACTCCAT AAACGGGTTA TCGGTCAAGA	840
TCAAGCTGTT TCAAGCATTG GCCGTGCCAT TCGCCGCAAC CAGTCAGGGA TTCGCAGTCA	900
TAAGCGTCCG ATTGCTTCCT TTATGTTCTT AGGGCCTACA GGTGTCGGGG TATCCGA	957

## (2) INFORMATION FOR SEQ ID NO: 372:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 807 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 372:

CAAAGCGCCT CAGCTTCAGC ATCAACAAGT GCGTCGGCTT CAGCATCAAC CAGTGCCTCG	60
GCTTCAGCGT CAACCAAGTGC GTCACATTCA GCAAGTACCA GTGCTTCAGT CTCAGCATCA	120
ACAAGTGCTT CAGCCTCAGC ATCGACAAGT GCCTCGGCTT CAGCAAGCAC ATCAGCATCT	180
GAATCAGCGT CAACCAAGTGC TTCGGCTTCA GCAAGTACCA GTGCTTCAGC TTCAGCATCA	240
ACCAGCGCCT CGGCCTCAGC AAGCACCTCA GCTTCTGAAT CGGCCTCAAC CAGCGCCTCG	300
GCCTCAGCAA GCACCTCAGC TTCTGAATCG GCCTCAACCA GCGCCTCAGC CTCAGCATCA	360
ACGAGTGCTT CGGCTTCAGC AAGCACAAAG GCCTCGGGTT CAGCATCAAC GAGTACGTCA	420
GCTTCAGCGT CAACCAAGTGC TTCAGCCTCA GCATCAACAA GTGCGTCAGC CTCAGCAAGT	480
ATCTCAGCGT CTGAATCGGC ATCAACGAGT GCGTCTGAGT CAGCATCAAC GAGTACGTCA	540
GCCTCAGCAA GCACCTCAGC TTCTGAATCG GCCTCAACCA GTGCGTCAGC CTCAGCATCG	600
ACAAGCGCCT CAGCTTCAGC AAGTACCAGT GCTTCAGCCT CAGCGTCGAC AAGTGCCTCG	660
GCCTCAACCA GTGCATCTGA ATCGGCATCA ACCAGTCCGT CAGCCTCAGC AAGTACTAGT	720
GCATCGGCTT CAGCATCAAC CAGTGCCTCG GCTTCAGCGT CAACCAAGTGC GTCAGCTTCA	780
GCAAGTACCA TGTGCTTCAT GTCTCAG	807

## (2) INFORMATION FOR SEQ ID NO: 373:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1068 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1387

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 373:

CATCGGCTTC AGCATCAACG AGTGGCTCCG CTTAGCAAG TACTACCGCC TCAGCCTCAG	60
CGTCAACAAG TGCATCGGCT TCAGCGTCAA CGAGTGGTC TGAGTCAGCA TCAACGAGTG	120
CGTCACCTCA GCAAGCACAT CAGCTTCTGA ATCTGCATCA ACCAGTGGT CACCTCAGCA	180
TCGACAAGCG CCTCAGCTTC AGCAAGTACC AGTGGTCAC CTCAGCGTCG ACAAGTGGT	240
CGGCTTCAGC AAGTACCAGT GCGTCAsCTC AGCAAGTACC AGTGGTCAC CTCAGCGTCG	300
ACAAGTGGT CGGCCTCAAC CAGTGCATCT GAATCGGCAT CAACCAGTGC GTCACCTCAG	360
CAAGTACTAG TGCATCAGCT TCAGCATCAA CGAGTGCATC GGCTTCAGCA TCAACCAGTG	420
CATCAGAGTC AGCAAGTACC AGTGGTCAG CTTCGCATC AACAAAGTGCC TCGGCTTCAG	480
CAAGTACTAG CGCCTCAGCC TCAGCGTCAA CAAGTGCTTC AGCTTCCGCG TCAACCAGCG	540
CCTCGGCTC AGCAAGTATC TCAGCGTCTG AATCGGCATC AACAAAGTGCC TCGGCTTCAG	600
CATCAACGAG TGCATCAGTC TCAGCAAGCA CCAGTGGTC GGCCTCAGCA AGCACCAGCG	660
CGTCTGAATC CGCATCAACC AGTGCCTCAG CTTAGCAAG TACCTCAGCA TCTGAATCAG	720
CATCAACAAG TGCATCGGCT TCAGCAAGCA CAAGTGCTTC AGCCTCAGCA AGTATCTCAG	780
CGTCTGAATC GGCATCAACG AGTGGCTCCG CTTAGCAAG TACTAGCGCC TCAGCATCAG	840
CGTCAACAAG TGCTTCGGCT TCAGCGTCAA CGAGTGGTC TGAGTCAGCA TCAACGAGTA	900
CGTCAGCCTC AGCAAGCACA TCAGCTTCTG AATCTGCATC AACCAAGTGC TCAGCCTCAG	960
CATCGACAAG CGCCTCAGCT TCAGCAAGTA CCAGTGGTC AGCCTCAGCA AGTACCAGTG	1020
CTTCAGCCTC AGCGTCGACA AGTGGCTCGG GCTCAACCAG TGCATCTG	1068

## (2) INFORMATION FOR SEQ ID NO: 374:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 620 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 374:

CAGCATCAAC GAGTGCTTCA GTTTCAGCGT CAACCAGTGC CTCTGAATCA GCTTCAACAA	60
GTGCCTCGGC TTCAGCAAGC CCCAGTGGT CGGCTTCAGC AAGTACTAGT GCATCGGCTT	120
CAGCATCGAC AAGTGGTCT GAATCGGCAT CAACGAGTGC TTCGGCTTCA GCATCAACGA	180
GTGCGTCAGC CTCAGCAAGC ACATCAGCTT CTGAATCTGC ATCAACCAGT GCGTCCGyTT	240

1388

CAGCGTCAAC CAGTGCCTCG GCTTCAGCGT CGACAAGTGC TTCGGCTTCA GCATCAACGA	300
GTGCGTCGGC CTCAGCAAGC GCAAGTACCT CAGCGTCAGC TTCCGCCTCA ACCAGTGCCT	360
CGGCTTCAGC AAGCACAAGT GCGTCAGCCT CAGCAAGTAT CTCAGCGTCT GAATCGGCAT	420
CAACGAGTGC GTCTGAGTCA GCATCAACGA GTACGTCAGC CTCAGCAAGC ACATCAGCTT	480
CTGAATCTGC ATCAACCAGT GCGTCAGCCT CAGCATCGAC AAGCGCCTCA GCTTCAGCAA	540
GTACCAGTGC TTCAGCCTCA GCGTCGACAA GTGCGTCGGC CTCAACCAGT GCATCTGAAT	600
CGGCATCAAC CAGTGCCTCA	620

(2) INFORMATION FOR SEQ ID NO: 375:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 720 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 375:

GTATTGGGGC GCCCCAACCT CTATGTGACT ACGGATTATT TCCTAGATTA CATGgGGATA	60
AACCATTTAG AAGAATTACC AGTGATTGAT GAGCTTGAGA TTCAAGCCCA AGAAAGCCAA	120
TTATTGGGTG AAAGGATAGA AGAAGATGAG AATCAATAAG TATATTGCCC ACGCAGGTGT	180
GGCCAGTAGG AGAAAAGCAG AAGAGCTGAT TAAGCAAGGC TTGGTGACGG TTAACGGCCA	240
AGTGGTGCGT GAACTAGCAA CCACTATCAA GTCAGGCGAC AAGGTCGAAG TTGAAGGTCA	300
ACCTATCTAC AACGAAGAAA AGGTCTACTA TCTGCTTAAC AAACCACGCG GTGTGATTTT	360
CAGTGTGACA GATGATAAGG GTCGCAAGAC GGTGTGCGAC CTCTTGCCCA ATGTCAAAGA	420
GCGTATTTAC CCTGTGGGTC GTTTGGACTG GGATACATCA GGTGTCTTGA TTTTGACCAA	480
TGATGGGGAC TTTACAGACG AGATGATTCA CCCTCGTAAT GAGATTGACA AGGTTTATGT	540
CGCGCGTGT AAAGGTGTGG CCAATAAGGA CAATCTCCGC CCCTTGACCC GTGGTCTTGA	600
GATTGATGGT AAGAAAACCA AGCCATAATA TATAGTTTTT GTAGCCTCTA CACCATAAAT	660
ATTTGCTAAT AAAAATACTG TATTATTACC CTCTTAAGGT GCGAAATTAT TCAAGTTCTT	720

(2) INFORMATION FOR SEQ ID NO: 376:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 648 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

1389

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 376:

CGCCATTTC CATCGTACCG CCGAAAATCC CAGCGCCTCA GCCATCAAAT ATCCTATCAA	60
CGTTCCTCAA AAAAGTGACC GCTCTCTCAT CATGTTTCCA AGTGGTAGCC GCCACTCAA	120
CGATGTCAAG GGGGGCGCAC ACTskATTGC CAAAATGGCC AAGGTCCGTA TCATGCCGGT	180
TACCTACACC GGTCCTGA CTTTGAAGGG CTTGATTAGC CGTGAACGTG TCGATATGAA	240
CTTTGGAAAT CCAATCGATA TCTCAGATAT CAAGAAAATG AATGATGAAG GCATTGAAAC	300
AGTCGCCAAT CGTATTCAA CAGAATTCCA ACGTCTGGAC GAAGAAACGA AACAATGGCA	360
CAATGATAAA AAACCAAATC CACTCTGGTG GTTTATCCGC ATCCCTGCCC TCATCCTTGC	420
TATTATCCTC GCTATCCTAA CCATCATCTT TAGCTTTATC GCAAGCTTCA TCTGGAACCC	480
AGATAAGAAA AGAGAAGAAC TTGCATAGAA GAAATGAACC TTGGCCAAAC AGCTAAGGTT	540
TTCATTTATA TAGTAGATTG GwACTAGAAT AGTACACCTC TACTTCTAAA ACATTTTATG	600
AAATCGATTT GACTGTCCTG ATCGATTGTG CCTAATCTTA TTTCAATT	648

## (2) INFORMATION FOR SEQ ID NO: 377:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 690 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 377:

GTGCATCGCT TTCAGCATCG ACAAGTGCCT CTGAATCGGC ATCAACGAGT GCTTCGGCTT	60
CAGCATCAAC GAGTGCCTCA GCTTCAGCAA GCACATCAGC TTCTGAATCT GCATCAACCA	120
GTGCGTCCGC TTCAGCGTCA ACCAGTGCCT CGGCTTCAGC GTCGACAAGT GCTTCGGCTT	180
CAGCATCAAC GAGTGCCTCG GCCTCAGCAA GCGCAAGTAC CTCAGCGTCA GCTTCGGCTT	240
CAACCAAGTGC GTCCGCTTCA GCAAGCACA GTGCGTCAGC CTCAGCAAGT ATCTCAGCGT	300
CTGAATCGGC ATCAACGAGT GCGTCGGCTT CAGCAAGCGC AAGTACCTCA GCGTCAGCTT	360
CCGCCTCAAC CAGTGCCTCG GCTTCAGCAA GCACAAGTGC GTCAGCCTCA GCAAGTATCT	420
CAGCGTCTGA ATCGGCATCA ACGAGTGCCT CTGAGTCAGC ATCAACGAGT ACGTCAGCCT	480
CAGCAAGCAC ATCAGCTTCT GAATCGGCAT CAACCAAGTGC GTCAGCCTCA GCATCGACAA	540
GCGCCTCAGC TTCAGCAAGT ACCAGTGCTT CAGCCTCAGC GTCGACAAGT GCGTCGGCTT	600
CAACCAAGTGC ATCTGAATCG GCATCAACCA GTGCGTCAGC CTCAGCAAGT ACTAGTGCAT	660

1390

CAGCTTCAGC ATCAACGAGT GCATCGGCTT

690

(2) INFORMATION FOR SEQ ID NO: 378:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 1003 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 378:

CGAGATTCTC TGGAGTTATG GATGTCGTTT CAATATGTGC ACGTTGGAAT GTTAGTGCTT	60
ATATGGGGGG AACAGAATCC TCTCTTGATT GAAGACAAGC TAGTCATTAG GCTGGTTTGT	120
CTTTTGTGCA ACTGTAGTGG GTTGATATAA TAGTATTAGT GAGTGGGATA AAAGTTTCAT	180
TTAGTTTATT CAGTACAAAT TTAACGGGTC AAGATTTATA TACTAGTGGT GTTTTGGGG	240
CTGAGAGAAG TATCTTGATT TTATGTGTGG TTTTATACT TACAGTTGTT CTGCTCCAAA	300
GAGCTTGTAG AGAAGAATTA GCTCATAAAG GAGATTGATT ATTTTGATAT CAAAAAATG	360
CACAGGATAA CCTGATGCAT TTTTTCGCG ACAATGCTTG CTACTTCCTT CTGTCGAATT	420
TAGACAATTT TAAACCCCAA TTATTCACCC CAAATCTAAA AACCATCCAG AATCCTTGCC	480
TTAGCTTAGA TCCTGGATGG TTTCTTTTTT CACCCAATGG GTGTTTTTTA CTAGACAAAA	540
AAGAGTTTCC CCTTTATGGT ATAAGTGTAG AAAAAACAC AAAAAGAAAG GAAACTCACA	600
TGAACAGTTT ACCAAATCAT CACTTCCAAA ACAAGTCTTT TTACCAACTA TCTTTCGATG	660
GAGGTCAATT AACCAGTAT GGTGGTCTTA TCTTTTTTCA GGAACTTTTT TCCCAGTTGA	720
AACTAAAGA GCGGATTCTT AAGTATTTAG TAACGAATGA CCAACGCCGC TACTGTCGTT	780
ATTCGGATTC AGATATCCTT GTCCAGTTCC TCTTCAACT GTTAACAGGT TATGGAACGG	840
ACTATGCTTG TAAAGAATTG TCAGCTGATG CCTACTTTCC AAAATTATTG GAAGGAGGGC	900
AGCTTGCTTC ACAGCCAACC TTATCCCGTT TTCTTCCAG AACTGACGAG GAAACAGTCC	960
ATAGTTTGGC ATGCCTCAAC CTTGAATTGG TCGAATTCTT TTT	1003

(2) INFORMATION FOR SEQ ID NO: 379:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 738 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 379:



1391

CCGATGATTC TGATTGGTTT GCTCTTTACT TTGCTGGGAA TTTTGAGGTA GATCTATGAT	60
TGAAATACTA ATTGTTTTAG CTATTATCCT ATCTCTTGCT TTGATTGTAT TGGTAACTAT	120
ACAACCCCGT CAAATCAAC TATTTTCCAT GGATGCCACT AGTAATATTG GTAAACCAAG	180
CTACTGGCAG AGCAACACCT TGGTCAAGGT GCTCACTTTA TTGGTGAGTT TGGCTTTATT	240
TATTCTACTA TTAACCTTTA TGGTGATTAC TTATAAATAA AAGAAAACCT CAGATATTCA	300
CCTTTTGTGG ATTGGTCTGA AGTTTCTTTT TTTATACTCA ATGAAAATCA AAGAGCAAAC	360
TAGGAAGCTA GCCGCackGC TCAAAACACC GTTTTGAGGT TGTAGATATA ACTGACGAGc	420
GACTCAAAAC ACCGTTTTGA GGTGTAGAT ATAAGTGACG AGcGACTCAA AACACCGTTT	480
TGAGTTGTG GATAGAACTG ACGAGcGACT CAAAACACCG TTTTGAGGTT GTGGATAGAA	540
CTGACGAAGT CGcTCAAAAC ACCGTTTTGA GGTGTGGAT AGAACTGACG AatgctCAAA	600
ACACCGTTT GAGGTGTGG ATAGAACTGA CGAAGCgaaC ATATATACAG CAAGGCGACG	660
CTGACGTGGT TTGAAGAGTA TTACTGTCTA TATTTTGGT AAAAATCAAC TTTTACTTGG	720
ATGAAGGTTT TTTTTTTT	738

(2) INFORMATION FOR SEQ ID NO: 380:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 695 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 380:

CCGTCTTATC AAAGAGGTTA ACAAAGGCAC CAAATTTCTC GATACGAACG ACTTTAGCAC	60
GGTAAACTTC ATCCACTTTG GCTTCACGAA CCAAACCAGC AATAATTTCT TTGGCACGGT	120
TAATAGCATC TTGGTCACTA GAGTAGATAG ACACATTTCC TTCTTCGTCT ATATCAATCT	180
TAACACCTGT TTCAGCGATA ATCTTGTCGA TGGTTTCTCC ACCCTTACCG ATGACAATCT	240
TAATCTTGTC CACATCAATC TTGATCGTAT CAATTTTCGG AGCAGTTGGA GCCAATTCTG	300
GACGAAC TTCGAATGGTT GCTTCAATGA CATCAAGGAT TTCAAAACGC GCTTTCTTGG	360
CTTGAGCAAG AGCCTCCGTC AAGATTTCTG CAGTAATCCC TTGAATCTTG ATATCCATT	420
GAAGGGCTGT AATCCCATCA CGAGTACCTG CAACCTTGAA GTCCATATCT CCAAAGTGAT	480
CTTCCAAACC TTGGATATCT GTCAATACTG TGTAGTTATT TCCATCTGAG ATAAGCCCCA	540
TAGCAATACC AGCTACTGGC GCCTTGATTG GCACACCACC AGCCATAAGG GCAAGAGTTC	600

1392

CCGCACAGAT AGAAGCTTGA GATGAAGAAC CGTTTGATTC CAAAACTTCT GCTACTAGAC 660  
GGATAGCGTA GGGGAATTCT TCCAAGCTTG GCAGG 695

(2) INFORMATION FOR SEQ ID NO: 381:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 691 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 381:

GACATCTTAT CTAAATACAT GCTAATATAT TTAGATACAA ACATTCCAAC TTGATAATTT 60  
TCACTCATCT TTCATCATTC CTTATACAAC TATGCAGTAT AAATAGAATA GTTTTCTCAT 120  
CAGAATGAGA CTATTTTAAAT ATTAGATCCC CAATTATTCA CCCCAAATCT AAAAACCATC 180  
CAGAATCCTT GCCTTAGCTT AGATCCTGGA TGGTTTCITT TTTCACCCAA TGGGTGTTT 240  
TTACTAGACA AAAAAGAGTT TCCCCTTTAT GGTATAAGTG TAGAAAAAAA CACAAAAAGA 300  
AAGGAAACTC ACATGAACAG TTTACCAAAT CATCACTTCC AAAACAAGTC TTTTACCAA 360  
CTATCTTTTCG ATGGAGGTCA TTTAACCAG TATGGTGGTC TTATCTTTT TCAGGAACCT 420  
TTTTCCCACT TGAACTAAA AGAGCGGATT TCTAAGTATT TAGTAACGAA TGACCAACGC 480  
CGCTACTGTC GTTATTCGGA TTCAGATATC CTTGTCCAGT TCCTCTTTCA ACTGTTAACA 540  
GGTTATGGAA CGGACTATGC TTGTAAAGAA TTGTCAGCTG ATGCCTACTT TCCAAAATTG 600  
TTGGAAGGAG GGCAGCTTGc TTCACAGCCA ACCTTATCCC GWTTCCTTC CAGAACTGAC 660  
GAGGAAACAG TCCATAGTTT GCGATGCCTC A 691

(2) INFORMATION FOR SEQ ID NO: 382:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 750 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 382:

ATCTCTCTGC GTAATGGTCC TCAGATAACT CTGATGATGT GTGGCGATAT AGAACTGAGC 60  
CAAGTTATGC CTAAAGGGCC TTAGGAATAG GAGCTTTCAC AAGCTTATCC AGATGATTAT 120  
CTTTTACTCG TTATGGACAA TGCTATATGG CATAAATCAA GTACCTTAAA GATTCCGACT 180  
AATATTGGCT TTGCATTTAT TCCTCCATAC ACACCAGAGA TGAACCCCAT TGAACAAGTG 240

1393

TGGAAAGAGA TTCGTAAACG TGGATTTAAG AATAAAGCCT TTCGAACTTT GGAAGATGTC	300
ATACAAGGAC TGGAGAAGGA GGTGATAAAG TCCATCGTTA ATCGGAGACG GACTAGAATG	360
CTTTTGTAAA ACAGATGAGT ATAAAAAGAA AGTCCTCATT TCAATAGAAA TCACGACTTT	420
CTGATGAATT TATAGTAAAA TGAAATAAGA ACAGGATAGT CAAATCGATT TCTAACAATG	480
TTTTAGAAGC AGAGGTGTAC TATTCTAGTT TAAATCCACT ATATTGGGG AGTGATAGAA	540
AAGCCCTTCA TCAGCCAATC TACTTGTTCA GGTGCGAGAG CTTTGACATC CTTTCTGTGTA	600
CTGGACCAAG TCAGTTTCC GTTCTCAAAG CGTTTATATA ATATCCAAA TCCTTGACCA	660
TCCCAGTAAA GAACTTTAAA GCGGTCTTTA CGTCCACCAC AAAAGAGAAA GACTTGATCG	720
GAGAAAGGAT CCAATTCAAA GTGGGTTTGG	750

(2) INFORMATION FOR SEQ ID NO: 383:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 738 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 383:

TCAAATCTCT CGTGGTCCGC ATATCTnTCT TCGTACACGG CAGTCACTTG GTCTTTCCT	60
ACTCGAGTCG CAGCTTCACG GGCCAATTTC TCTTCTACTT GAACTGCCCTT TTGGAGGTCA	120
CTGTTGTAGG CTGCAATGAT TTCAGCTTGC AATTCAGCAT CCACGTGAAG CAATTCCACT	180
TCTGCTTTTT CTMTACGAC AGCAGCAAAC ATTTCTTCTT GGAAGGCAAT CAATTCTTTG	240
ACAGCTTCGT GCCCTTTAAG GAGCGCTTCC AACATGATTT CTTCTGACAA TTCTTTGGCA	300
CCAGACTCTA CCATGTTGAT AGCGTGCTTG GTTCCAGCTA CTGTCAATTC AAGAAGAGAT	360
TGCTCTGCTT GTTCTTGACT TGGGTTGATG ATGATTTGGC CATCTACATA TCCCACTTGT	420
ACCCAGCAA TTGGTCCGTC AAATGGAATA TCTGAAATAG ACAGTGCCAA AGATGAACCA	480
AACATAGCAG CCATTGGTGC AGATGCATTT TCATCATAAG AAAGCACTGT ATTGATGACT	540
TGGACTTCAT TACGGAAC TTCCGCAAAC ATAGGACGAA TCGGACGGTC AATCAAACGC	600
GCTGTCAAGG TCGCATCTGT TGAAGGACGT CCTTCACGTT TCATAAAGCC ACCAGGAAAC	660
TTCCCAGCCG CATACATTTT TTCTTCGTAG TTGACTTGGA GTGGGAAGAA ATCCTCAGTT	720
GCCATTTTCT GGGGATCC	738

(2) INFORMATION FOR SEQ ID NO: 384:

1394

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 657 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 384:

CCCCCTATTT ACCGTGGACT AAAGTTGTAC AAGAAAAGTG CAAATAAGAA ATCTCCAGAT	60
TAGGAACATAT ATATGAGTTC TCTAGTCTGG AGATTTTCA ATAGACTTCG TTATTGGGCG	120
GTTACTTTTCG AAACTTTGAA AACTTCAAAA AACGGATTTT TATCGCTTTC AAATTCCTTT	180
GGGGTCAAAC TCAGTAACTT ATTCGCCTTG TAGACTTCAT GACGCTCAGG GTATACTTTC	240
AAGGTCCCAA ATAGCCAAGA ATCGTCAGCG ATATTATCTG AATCATCTCC TTCTTGTTCT	300
CCTTTAGTTC GCCTGAGGAC AGCCTTGACA CGCGCCAGAA TTCTCTAGGG CTAAGAGGCT	360
TGGTCAGGTA GTCATCAGCC CCTAATTCCA AGGCCAAAAC CTTATCAAAT TCATCACTTT	420
TCGCAGAAAC CATCATAATT GGAGTTTGA CGCCTTGGC TCTCAGCCGC TTACAAACTT	480
CCATGCCATC TAATTGTGGT AACATGATAT CAAGCAAGAT AAAATCAAAG GGTTCGTGTT	540
CTGCCAAAGC TAAGGCCTTC CGTCCATTG TCACCAATTG AGTAGAAAAG CCTTCCTTAC	600
TTAAATGGTA GTCAAGCAAT TTCAGAATGT GTTCTTCATC ATCCACTAAT AAGACTT	657

(2) INFORMATION FOR SEQ ID NO: 385:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 586 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 385:

CCGCATCAGC ATCAACGAGT GCATCGGCTT CACGTCAACC AGTGCATCAG TCTCAGCAAG	60
CACCAAGTGC TCGGCTTCAG CATCAACGAG TGCCTCAGCC TCAGCAAGTA TCTCAGCGTC	120
TGAATCGGCA TCAACGAGTG CGTCAGCTCA GCAAGTACTA GTGCATCGGC TTCAGCAAGC	180
ACCAGTGCCT CGGCTTCAGC ATCAACCACT GCCTCAGCCT CAGCAAGTAT CTCAGCGTCT	240
GAATCGGCAT CAACGAGTGC GTCACCTCAG CAAGTACTAG TGCATCAGCA TCAGCATCAA	300
CGAGTGCATC GGCTTCAGCA AGTACCAGCG CCTCAGCTTC AGCAAGCACC AGTGCCTCAC	360
CTCAGCAAGT ACCAGCGCCT CAGCCTCAGC AAGCACCAGT GCCTCAGCTT CAGCAAGTAC	420
CAGTGCCTCA CCTCAGCATC GACAAGTGGC TCGGCTTCAG CAAGTACCTC AGCGTCTGAA	480

1395

TCAGCATCAA CGAGTGCCTC AGCTTCAGCA TCAACCACTG CCTCAGCCTC AGCAAGTATC 540  
 AGTGCCTCAG CTTCAGCATC AACGAGTGGC TCAGCTGCAG CAAGTA 586

(2) INFORMATION FOR SEQ ID NO: 386:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 451 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 386:

CGTCGGCTTC AGCATCAACG AGTGCATCAG CTTCAGCATC AACCAAGTGCT TCAGCTTCAG 60  
 CAAGTACCAG TGCCTCGGCT TCAGCATCAA CGAGTGCTTC AGTCTCAGCG TCAACCACTG 120  
 CCTCTGAATC CGCATCAACA AGTGCTCGG CTTCAGCAAG CACCAGTGCT TCGGCTTCAG 180  
 CGTCAACGAG TGCCTCTGAG TCAGCATCAA CGAGTGCCTC ACCTCAGCAA GCACATCAGC 240  
 TTCTGAATCT GCATCAACCA GTGCTCAGC TTCCGCATCA ACAAGCGCCT CGGCTTCAGC 300  
 AAGTACAAGT GCTTCAGCCT CAGCATCAAC CAGTGCATCA GCTTCAGCCT CAACAAGTGC 360  
 TTCAGCCTCA GCGTCAACCA GTGCTCGGC TTCAGCAAGT ACCAGTGCCT CAGTTcAGCA 420  
 AGCACAAGTG CGTCAATTTA GCATCAACCA G 451

(2) INFORMATION FOR SEQ ID NO: 387:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 425 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: double  
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 387:

TCTCAGCAAG CACCATTGCG TCGGCTTCAT CAAGCACCAG CGCGTTTGAA TCCGCATCAA 60  
 CCAAGTGCTTC AGCTTCAGCC AAGTTACCTC AGCATCTGAA TCAGCATCAA CAAGTGCATC 120  
 GGCTTCAGCA AGCACAAGTG CTTCAGCTCA GCAAGTATCT CAGCGTCTGA ATCGGCATCA 180  
 ACGAGTGCCT CCGCTTCAGC AAGTACTAGC GCCTCAGCAT CAGCGTCAAC AAGTGCTTCG 240  
 GCTTCAGCGT CAACGAGTGC GTCTGAGTCA GCATCAACGA GTACGTCAGC CTCAGCAAGC 300  
 ACATCAGCTT CTGAATCTGC ATCAACCAGT GCGTCAGCCT CAGCATCGAC AAGCGCCTCA 360  
 GCTTCAGCAA GTACCAAGTGC GTCAGCCTCA GCAAGTACCA GTGCTTCAGC CTCAGCGTCG 420

ACAAG 1396 425

(2) INFORMATION FOR SEQ ID NO: 388:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 572 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 388:

AGAGGATCCC CGGATCCTCA GTCGCTGAGA TAACTCCTTT GGGCTTGTTT ATCATGTAGT 60  
AGACAAACTC TTCATACTCC AACACTTGCC CATTTTATGC GAATCTCATC TATTTTTTCT 120  
TTTTTTTGCA ATTTAGCTGA TTTTCTTTT TTACCATTTA CAGTCACGCG CCCAGCCTTG 180  
AGCAAGTTTT TGACCTCAGT CCGACTTCCC ACCGCACAGG CAACTAAAAA TTTATCTAAT 240  
CTCATAGAAC TATTATATCA TATCAAAAGG AGGCTAGTAC AATGACCAAC CTCCTTTTCG 300  
TTTCATACTC TTCAAAAATC TCTTCAAACC GCGTCAACGT CGCCTTGCCG TATATATGTT 360  
ACTGACTTCG TCAGTTCTAT CTGCAACCTC AAAACAGTGT TTTGAGCTGA CTTCGTCAGT 420  
TCTATCTGCA ACCTCAAAGC AGTGCTTTGA GCATCCTGCG GCTAGTTTCC KAGTktGCTC 480  
TTTGATTTwC ATTGAGTATC AGATTTAGGA AATTAAC TTCGkCTCCA AAAAakAGCT 540  
AAAACAATCA AGGCTCCTAA AATCGCTGGG AT 572

(2) INFORMATION FOR SEQ ID NO: 389:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 505 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 389:

CAACAAGTGC CTCGGCTTCA GCATGCACAA GTGCTTCAGC TTCAGCATGT ACCTGAGCGT 60  
CTGAATCAGC ATCAACGTGT GCGTCCGCTT CAGCATGTAC TGCTGCCTCA GCATCAGCGT 120  
CAAcAwGTGC TTCGGCTTCA GCGTCAACGA GTGCGTCTGA GTCAGCATCA ACGAGTACGT 180  
CAGCCTCAGC AAGCACATCA GCTTCTGAAT CTGCATCAAC CAGTGCGTCA GCCTCAGCAT 240  
CGACAAGCGC CTCAGCTTCA GCAAGTACCA GTGCGTCAGC CTCAGCAAGT ACCAGTGCTT 300  
CAGCCTCAGC GTCGACAAGT GCGTCGGCCT CAACCAAGTGC ATCTGAATCG GCATCAACCA 360  
GTGCGTCAGC CTCAGCAAGT ACTAGCGCCT CAGCCTCAGC ATCAACGAGT GCGTCCGCTT 420

1397

CAGCAAGTAC TAGTGCATCA GCATCAGCAT CAACGAGTGC ATCGGCTTCA GCAAGTACCA 480  
GCGCCTCAGC TTCAGCAAGC ACCGG 505

(2) INFORMATION FOR SEQ ID NO: 390:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 447 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 390:

GCTAAGACTA CCTCATTAGG GGCATAGGCT GCTAAAATAA CTGCAGCTGT GGTTAATGAC 60  
AATACTGTAC TTTTTCATCT TTTAATTCCT TACATATTTA TATAACTTCC AATAGATAAT 120  
AAACTTTAAC TTGCTAGCC TTGTATATAA AAAGTTTAC TAAGTATTAT CTAGGAAATA 180  
GAGTAGTACA TTTATATATA ATTGTATCT CTCTATAAAA ACAGTATATC ATTAAAAAA 240  
ATTTAAGTCA AAAAAATTAA CATTAGTTAA TTTATTTTTT AGCACACATT AAAAAATAAG 300  
ATTAGTACTC AATGAAATC AAAGAGCAA CTAGGAACT AGCCGCAGAT TGCTCAAAAC 360  
AGTGTTTTGA GGTGTAGAT GGAATGACGT AGTCAGCTCA AAACACTGTT TTGAAGTTGT 420  
GGATAGAACT GACGAAGTCG GTACCGA 447

(2) INFORMATION FOR SEQ ID NO: 391:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 572 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: double  
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 391:

AGCACTTGTC GTTGAATTCT ACAACAAAAT GTTGAATAT TTTATTGAAT AAGATAGGCC 60  
TTGATATTAA GCACCTTGGG ACGTCTCCC TTAGTGCTTT TTTGATTCT CTTAGTATCC 120  
AGCTATAATC GTTGAGACAT AACTAGACCG ATATAGTCCA AAGTGATATA GTAAAATGAA 180  
CCAAAAATAG TACACAATGT GGTATAATCC TTTTATGGCA TATTCAATAG ATTTTCGTAA 240  
AAAAGTTCTC TCTTATTGTG AGCGAACAGG TAGTATAACA GAAGCATCAC ACGTTTCCA 300  
AATCTCACGT AATACCATTT ATGGCTGGTT AAAGCTAAAA GAGAAAACAG GAGAGCTAAA 360  
CCACCAAGTA TAGTGATTG AATCTATAAC AGTACACCTT GGCTGCTAAA ATATTCTAT 420

1398

AAATTAATTT GACTTTCCTG ATAGAGATGT TCACATCTTA TTTCAAATA CTATATAAGT 480

TCTATAATCT CTTTATAAGA TTTGCCCATC AGACAAAATA GAACGATTG AAGGCGTTTA 540

TGATATTTAG CTGTACGAGA GTCTTTTAAA AG 572



MISSING UPON TIME OF PUBLICATION

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person approved by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PUT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by the applicant in the individual case.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the International publication of the application.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapse, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever two dates occurs earlier.

**SINGAPORE**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for international publication of the application.

**NORWAY**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegians Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Registration), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**ICELAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected in the art.

**What Is Claimed Is:**

- 25           1. Computer readable medium having recorded thereon the nucleotide sequence depicted in SEQ ID NOS:1-391, a representative fragment thereof or a nucleotide sequence at least 95% identical to a nucleotide sequence depicted in SEQ ID NOS:1-391.
- 30           2. Computer readable medium having recorded thereon any one of the fragments of SEQ ID NOS:1-391 depicted in Tables 2 and 3 or a degenerate variant thereof.
- 35           3. The computer readable medium of claim 1, wherein said medium is selected from the group consisting of a floppy disc, a hard disc, random access memory (RAM), read only memory (ROM), and CD-ROM.
- 40           4. The computer readable medium of claim 3, wherein said medium is selected from the group consisting of a floppy disc, a hard disc, random access memory (RAM), read only memory (ROM), and CD-ROM.
5. A computer-based system for identifying fragments of the *Streptococcus pneumoniae* genome of commercial importance comprising the following elements:
- 45           a) a data storage means comprising the nucleotide sequence of SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence at least 95% identical to a nucleotide sequence of SEQ ID NOS:1-391;
- b) search means for comparing a target sequence to the nucleotide sequence of the data storage means of step (a) to identify homologous sequence(s), and
- c) retrieval means for obtaining said homologous sequence(s) of step (b).
- 50           6. A method for identifying commercially important nucleic acid fragments of the *Streptococcus pneumoniae* genome comprising the step of comparing a database comprising the nucleotide sequences depicted in SEQ ID NOS:1-391, a representative fragment thereof, or a nucleotide sequence at least 95% identical to a nucleotide sequence of SEQ ID NOS:1-391 with a target sequence to obtain a nucleic acid molecule comprised of a complementary nucleotide sequence to said target sequence, wherein said target sequence is not randomly selected.
- 55

60 7. A method for identifying an expression modulating fragment of  
*Streptococcus pneumoniae* genome comprising the step of comparing a database  
comprising the nucleotide sequences depicted in SEQ ID NOS:1-391, a  
representative fragment thereof, or a nucleotide sequence at least 95% identical to  
the nucleotide sequence of SEQ ID NOS:1-391 with a target sequence to obtain a  
65 nucleic acid molecule comprised of a complementary nucleotide sequence to said  
target sequence, wherein said target sequence comprises sequences known to  
regulate gene expression.

70 8. An isolated protein-encoding nucleic acid fragment of the *Streptococcus*  
*pneumoniae* genome, wherein said fragment consists of the nucleotide sequence of  
any one of the fragments of SEQ ID NOS:1-391 depicted in Tables 2 and 3, or a  
degenerate variant thereof.

75 9. A vector comprising any one of the fragments of the *Streptococcus*  
*pneumoniae* genome SEQ ID NOS:1-391 depicted in Tables 2 and 3 or a  
degenerate variant thereof.

80 10. An isolated fragment of the *Streptococcus pneumoniae* genome,  
wherein said fragment modulates the expression of an operably linked open reading  
frame, wherein said fragment consists of the nucleotide sequence from about 10 to  
200 bases in length which is 5' to any one of the open reading frames depicted in  
Tables 2 and 3 or a degenerate variant thereof.

85 11. A vector comprising any one of the fragments of the *Streptococcus*  
*pneumoniae* genome of claim 8.

12. An organism which has been altered to contain any one of the  
fragments of the *Streptococcus pneumoniae* genome of claim 8.

90 13. An organism which has been altered to contain any one of the  
fragments of the *Streptococcus pneumoniae* genome of claim 10.

14. A method for regulating the expression of a nucleic acid molecule comprising the step of covalently attaching to said nucleic acid molecule a nucleic acid molecule consisting of the nucleotide sequence from about 10 to 100 bases 5' to any one of the fragments of the *Streptococcus pneumoniae* genome depicted in SEQ ID NOS:1-391 and Tables 2 and 3 or a degenerate variant thereof.

15. An isolated nucleic acid molecule encoding a homolog of any of the fragments of the *Streptococcus pneumoniae* genome of SEQ ID NOS:1-391 and Tables 2 and 3, wherein said nucleic acid molecule is produced by a process comprising steps of:

a) screening a genomic DNA library using as a probe a target sequence defined by any of SEQ ID NOS:1-391 and Tables 2 and 3, including fragments thereof;

b) identifying members of said library which contain sequences that hybridize to said target sequence; and

c) isolating the nucleic acid molecules from said members identified in step (b).

16. An isolated DNA molecule encoding a homolog of any one of the fragments of the *Streptococcus pneumoniae* genome of SEQ ID NOS:1-391 and Tables 2 and 3, wherein said nucleic acid molecule is produced a process comprising steps of:

a) isolating mRNA, DNA, or cDNA produced from an organism;

b) amplifying nucleic acid molecules whose nucleotide sequence is homologous to amplification primers derived from said fragment of said *Streptococcus pneumoniae* genome to prime said amplification;

c) isolating said amplified sequences produced in step (b).

17. An isolated polypeptide encoded by any of the fragments of the *Streptococcus pneumoniae* genome of SEQ ID NOS:1-391 and depicted in Table 2 and 3 or by a degenerate variant of said fragments.

18. An isolated polynucleotide molecule encoding any one of the polypeptides of claim 17.

19. An antibody which selectively binds to any one of the polypeptides of claim 17.

130

20. A method for producing a polypeptide in a host cell comprising the steps of:

135

a) incubating a host containing a heterologous nucleic acid molecule whose nucleotide sequence consists of any one of the fragments of the *Streptococcus pneumoniae* genome of SEQ ID NOS:1-391 and depicted in Tables 2 and 3, under conditions where said heterologous nucleic acid molecule is expressed to produce said protein, and

b) isolating said protein.

Figure 1







Figure 2



---

**THIS PAGE BLANK (USPTO)**